

2019

Ceiling Fans

from Westinghouse Lighting



2019 CEILING FANS



72250 Willa
 153 cm Brushed Nickel Finish
 Reversible Blades (Wengue/Beech)
 Frosted Glass and Cage Shade
 Includes 17 Watt Integrated LED
 Remote Control Included



72211 Oscar
 122 cm Brushed Nickel Finish
 Reversible Blades (Wengue/Graphite)
 Opal Frosted Glass
 Includes 17 Watt Integrated LED
 Remote Control Included



72253 Pierre
 132 cm White Finish
 White ABS Blades
 Opal Frosted Glass
 Includes 17 Watt Integrated LED
 Remote Control Included



72251 Carla
 117 cm White Finish
 White ABS Blades
 Opal Frosted Glass
 Includes 17 Watt Integrated LED
 Remote Control Included



72235 Welford LED
 137 cm Weathered Bronze Finish
 Reversible Blades (Driftwood/Reclaimed Hickory)
 Metal Shade and Removable Cage
 Includes (2) E27 Base, 7 Watt ST64 LED Lamps
 WL Lamp: #0317840
 Remote Control Included

DIMMABLE LED LIGHT SOURCE SPECIFICATIONS

Item No.	Number of Lamps	Energy Used (Watts) [†]	Equiv. Incand. Wattage [†]	Light Appearance (Kelvin)	Lumens [†]	CRI	Average Rated Hours	Life in Years ^{**†}
72250	*	17	75	3000 (Warm White)	1200	80	25000	22,8
72211	*	17	75	3000 (Warm White)	1200	80	25000	22,8
72253	*	17	75	3000 (Warm White)	1200	80	25000	22,8
72251	*	17	75	3000 (Warm White)	1200	80	25000	22,8
72235	2	7	60	2700 (Warm White)	800	80	15000	13,6

* Integrated LED Light Source
 † Values are per lamp.

^{**}Based on 3hrs./day



72248 Widespan
254 cm Matte Black Finish
Matte Black Blades
Remote Control Included




72249 Widespan
254 cm Brushed Nickel Finish
Aluminum Blades
Remote Control Included

CEILING FAN SPECIFICATIONS

Item No.	Fan Size (cm)	Included Fan Control	Blade Material	Blade Pitch	Motor Type & Size	Fan Speed	Capacitor Type	Watts (High/Med/Low)	RPM (High/Med/Low)	Amp (High/Med/Low)	Mount Type	Can extension rods be used?	Net Weight (kg)
72211	122	Remote Control	Plywood	12°	Silicon Steel Motor 153mm x 15mm	3	Dual	54 / 32 / 16	212 / 162 / 104	0,24 / 0,20 / 0,14	Down Rod Only**	Yes	7,3
72235	137	Remote Control	Plywood	12°	Silicon Steel Motor 153mm x 17mm	3	Dual	58 / 29 / 13	177 / 127 / 80	0,27 / 0,20 / 0,14	Down Rod Only**	Yes	7,8
72248	254	Remote Control	Aluminium	17°	165 DC Motor	6	N/A	121 / 65 / 27	75 / 62 / 41	0,88 / 0,51 / 0,23	Down Rod Only**	Yes	16,9
72249	254	Remote Control	Aluminium	17°	165 DC Motor	6	N/A	118 / 65 / 26	75 / 62 / 41	0,82 / 0,48 / 0,24	Down Rod Only**	No	18,8
72250	153	Remote Control	Plywood	11°	Silicon Steel Motor 188mm x 20mm	3	Single	77 / 43 / 24	150 / 107 / 77	0,33 / 0,25 / 0,19	Down Rod Only**	Yes	13,5
72251	117	Remote Control	ABS	24°	Silicon Steel Motor 153mm x 15mm	3	Single	54 / 32 / 19	174 / 134 / 101	0,23 / 0,19 / 0,15	Hugger*	No	5,8
72253	132	Remote Control	ABS	17°	155mm x 16mm DC Motor	5	N/A	34 / 13 / 6	201 / 135 / 83	0,25 / 0,12 / 0,07	Down Rod Only**	No	7,1

Item No.	A Ceiling to bottom of blade	B Ceiling to bottom of switch housing	C Ceiling to bottom of canopy	D Width of motor housing	E Width of canopy	F Ceiling to bottom of light kit
72211	36,5	N/A	6,1	23	13	44
72235	36,5	41,5	6,1	22	13	58,5
72248	83,5	N/A	8	30	19	83
72249	83,5	N/A	8	30	19	83
72250	29,5	N/A	5,6	21	13	51
72251	24,5	N/A	N/A	21	N/A	28
72253	35	N/A	5,7	20	13	41,5



HUGGER*

This ceiling fan is designed to be mounted flush against the ceiling. It cannot be installed with an extension down rod or remote control.

DOWN ROD ONLY**

This ceiling fan must be installed with the included down rod during installation. It can also be installed with an extension down rod.

DUAL MOUNT SYSTEM***

The ceiling fan can be installed with or without the included down rod. In rooms with low ceilings, installing the fan without the down rod will increase the distance between the floor and the fan blades. It can also be installed with an extension down rod in rooms with high ceilings.

Westinghouse Lighting



2019 WESTINGHOUSE LIGHTING / 0919 / 1029



All ceiling fans in this brochure are CE, GS and ROHS compliant and have a 10 Year Limited Motor Warranty.

Westinghouse Lighting Corporation, a Westinghouse Electric Corporation Licensee
 Krefelder Straße 562, D-41066 Mönchengladbach, Germany
 Tel.: (0049)-(0)-2161-57307-0
www.westinghouselighting.eu
www.westinghouselighting.de

International Headquarters
 12401 McNulty Road, Philadelphia, Pennsylvania U.S.A. 19154-1029
 Tel.: (001) (215) 671-2000
www.westinghouselighting.com

® WESTINGHOUSE, and INNOVATION YOU CAN BE SURE OF are trademarks of Westinghouse Electric Corporation. Under license by Westinghouse Lighting. All Rights Reserved.



Westinghouse

INNOVATION YOU CAN BE SURE OF