

2016

# Ceiling and Portable Fans

...see what's new inside!



**Westinghouse**

INNOVATION YOU CAN BE SURE OF

## BRING COMFORT & STYLE OUTDOORS

Transform any outdoor living space into a relaxed, tranquil retreat with a properly rated outdoor ceiling fan. You'll enjoy indoor comfort in your outdoor living space in the warmer months. Outdoor ceiling fans like the Mountain Gale, which boasts an IP44 rating, bring added style to your patio, verandah or gazebo.

### Mountain Gale Collection

*The powerful Mountain Gale outdoor ceiling fan is rugged enough to withstand nature's elements while you enjoy spending time outdoors.*

**72422**  
**132 cm/52" Silver Finish**  
Black ABS Blades



#### SPECIFICATIONS

- Suitable for Indoor and Outdoor Use
- IP44 Protection Class
- Silicon Steel Motor 172mm x 12mm
- 15° Blade Pitch
- 30 cm Down Rod
- 38 cm Lead Wire
- With Pull Chain
- Includes Reverse Switch

**72423**  
**132 cm/52" White Finish**  
White ABS Blades



All ceiling fans in this brochure are CE, GS and ROHS compliant and have a 10 Year Limited Motor Warranty.






**72020**  
**132 cm/52" Brushed Nickel Finish**  
*Black ABS Blades*

## Urban Gale Collection

*Evoke a fresh, contemporary look in your home with the modernized Urban Gale, which includes a wall control for convenient operation.*

**72021**  
**132 cm/52" White Finish**  
*White ABS Blades*



### SPECIFICATIONS

- Silicon Steel Motor 172mm x 12mm
- 15° Blade Pitch
- 30 cm Down Rod
- 38 cm Lead Wires
- 4 Speed Wall Control Included
- Includes Reverse Switch

## LEDs: EFFICIENT, EARTH-FRIENDLY & CONVENIENT

Westinghouse offers a variety of ceiling fans that include an integrated LED light source, which makes changing lamps unnecessary. LEDs contain no harmful mercury and use less energy to produce the same light output as other lamp alternatives. On average, LED lamps consume 80% less energy when compared to incandescent lamps, significantly reducing energy costs and minimizing carbon footprint. With minimal environmental impact and instant, bright light output, Westinghouse ceiling fans with integrated LEDs are the ideal choice for any room.

## Colosseum Collection

Add a sophisticated look to any smaller-sized room with the Colosseum ceiling fan, which includes a dimmable LED light for exceptional energy-savings and a remote control for convenience.

**72417**

**90 cm/36" Brushed Nickel Finish**

*Reversible Blades*

*(Weathered Maple/Silver)*

*Includes Dimmable Integrated*

*LED Light Fixture with Opal Frosted Glass*



### SPECIFICATIONS

- Silicon Steel Motor 153mm x 10mm
- 13° Blade Pitch
- 10 cm Down Rod
- 15 cm Lead Wire
- Includes 17 Watt Dimmable Integrated LED
- Includes Remote Control
- Includes Reverse Switch

**72420**


**90 cm/36" White Finish**

*Reversible Blades*

*(White/Light Maple)*

*includes Dimmable Integrated*

*LED Light Fixture with Opal Frosted Glass*



Light Source Lumens	Fixture Lumens	Equivalent Incandescent Wattage	Light Appearance (Kelvin)	CRI	Average Rated Hours*	Life in Years*
1200	800	75	2700	80	25,000	22

\*Based on 3 hours/day



## Bendan

Bring modern style and powerful circulation to any large space with one of our most popular designs, the Bendan, now available in white.

**72140**

**132 cm/52" White Finish**

White Blades

Includes Light Fixture with  
Opal Frosted Glass

### SPECIFICATIONS

- Cold Rolled Steel Motor 153mm x 15mm
- 12° Blade Pitch
- 10 cm Down Rod
- 15 cm Lead Wire
- Includes (1) R7s Base, 80 Watt Double-Ended Halogen Lamp
- Includes Remote Control
- Includes Reverse Switch



## Quince Collection

The Quince ceiling fan delivers modern style and is the perfect solution for cooling smaller spaces. Boasting six reversible blades, this petite fan provides powerful air circulation.

**78631**

**60 cm/24" Chrome Finish**

Reversible Blades

(Wengue/Beech)

Includes Light Fixture  
with Opal Frosted Glass



### SPECIFICATIONS

- Silicon Steel Motor 153mm x 10mm
- 18° Blade Pitch
- 10 cm Down Rod
- 15 cm Lead Wire
- Use (2) E14 Base Lamps, 40 Watt Maximum (not included)
- With Pull Chains
- Includes Reverse Switch
- Remote/Wall Control Adaptable

**72471**

**60 cm/24" White Finish**

Reversible Blades

(White/Beech)

Includes Light Fixture  
with Opal Frosted Glass





## Princess Euro

Classic details get a modern upgrade with a contemporary light kit featuring three adjustable, bright spotlights.



**72425**

**105 cm/42" White Finish**

*Reversible Blades*

*(White/Beech)*

*Includes Light Fixture with Spotlights*

### SPECIFICATIONS

- Silicon Steel Motor 153mm x 10mm
- 11° Blade Pitch
- 10 cm Down Rod
- 15 cm Lead Wire
- Includes (3) GU10 Base, 50 Watt MR16 Halogen Lamps
- With Pull Chains
- Includes Reverse Switch
- Remote/Wall Control Adaptable



## Flora Royale

The compact and stylish Flora Royale provides ample illumination in any space.

**72424**

**76 cm/30" White Finish**

*Reversible Blades*

*(White/Light Maple)*

*Includes Light Fixture with Opal Frosted Glass*



### SPECIFICATIONS

- Silicon Steel Motor 153mm x 12mm
- 18° Blade Pitch
- 10 cm Down Rod
- 15 cm Lead Wire
- Use (1) E27 Base Lamp, 60 Watt Maximum (not included)
- With Pull Chains
- Includes Reverse Switch
- Remote/Wall Control Adaptable



# Silver Stream

The new and unique Silver Stream 3-in-1 portable fan has the versatility to adapt to your cooling needs. With 3 interchangeable configuration options and 3 speed settings, the Silver Stream gives you the versatility and quality you've been searching for.

72421

**40 cm/16" Chrome Finish**

3-in-1 Portable Fan

## SPECIFICATIONS

- Metal Housing, Grill and Stand
- Steel Blade Material
- Oscillation Angle up to 80°
- Basket/Blade Diameter: 45/40 cm
- Cord Length: 200 cm
- Maximum Height: 135 cm
- Manual Control
- 3 Speeds
- 2 Year Warranty

**1 FAN = 3 CONFIGURATION OPTIONS**



Wall Mount Option



Desktop Option




Floor Stand Option



# Specification

- A. Ceiling to bottom of blade
- B. Ceiling to bottom of switch housing
- C. Ceiling to bottom of canopy
- D. Width of motor housing
- E. Width of canopy
- F. Ceiling to bottom of light kit



Model	Name	Size	Fan Control	Remote Control Adaptable	Wall Control Adaptable	Winter Operation	Blade Pitch	Motor Size	Wattage
72020	Urban Gale	132 cm/52"	Wall control	/	x	x	15	172 x 12 mm	56/37,8/10,7
72021	Urban Gale	132 cm/52"	Wall control	/	x	x	15	172 x 12 mm	56/37,8/10,7
72140	Bendan	132 cm/52"	Infrared Remote control	x	/	x	12	153 x 15 mm	60/35/20
72417	Colosseum	90 cm/36"	Infrared Remote control	x	/	x	13	153 x 10 mm	40,7/27,7/15
72420	Colosseum	90 cm/36"	Infrared Remote control	x	/	x	13	153 x 10 mm	40,7/27,7/15
72421	Silver Stream	40 cm/16"	Manual Control	/	/	/	/	/	47/44/41
72422	Mountain Gale	132 cm/52"	Manual Control	/	/	x	15	172 x 12 mm	56/50/45
72423	Mountain Gale	132 cm/52"	Manual Control	/	/	x	15	172 x 12 mm	56/50/45
72424	Flora Royale	76 cm/30"	Manual Control	x	x	x	18	153 x 12 mm	38/26/23
72425	Princess Euro	105 cm/42"	Manual Control	x	x	x	11	153 x 10 mm	42/31/28
72471	Quince	60 cm/24"	Manual Control	x	x	x	18	153 x 10 mm	31,7/29/28
78631	Quince	60 cm/24"	Manual Control	x	x	x	18	153 x 10 mm	31,7/29/28

Model	Name	RPM	Amps	Net Weight	Installation	Downrod	A	B	C	D	E	F
72020	Urban Gale	220/172/78	0,248/0,204/0,209	5,1 kg	Down Rod Only**	30 cm	45	38	6	20	13	/
72021	Urban Gale	220/172/78	0,248/0,204/0,209	5,1 kg	Down Rod Only**	30 cm	45	38	6	20	13	/
72140	Bendan	175/124/80	0,286/0,289/0,257	7,6 kg	Down Rod Only**	10 cm	26	31	6	26	13	38
72417	Colosseum	256/204/135	0,187/0,161/0,126	5,6 kg	Dual Mount System*	10 cm	26	30	6	19	13	38
72420	Colosseum	256/204/135	0,187/0,161/0,126	5,6 kg	Dual Mount System*	10 cm	26	30	6	19	13	38
72421	Silver Stream	1150/1050/900	0,21/0,19/0,18	7,3 kg	/	/	see chart below for dimensions					
72422	Mountain Gale	230/160/130	0,24/0,22/0,24	5,1 kg	Down Rod Only**	30 cm	42	52	6	20	13	/
72423	Mountain Gale	230/160/130	0,24/0,22/0,24	5,1 kg	Down Rod Only**	30 cm	42	52	6	20	13	/
72424	Flora Royale	260/195/130	0,188/0,133/0,106	5,3 kg	Dual Mount System*	10 cm	24	30	7	17	13	37
72425	Princess Euro	224/174/128	0,195/0,135/0,132	5 kg	Dual Mount System*	10 cm	27	33	6	17	13	40
72471	Quince	302/264/207	0,143/0,13/0,14	5,4 kg	Down Rod Only**	10 cm	23	27	6	17	13	31
78631	Quince	302/264/207	0,143/0,13/0,14	5,4 kg	Down Rod Only**	10 cm	23	27	6	17	13	31

/ = N/A X = Applicable

## Silver Stream Dimensions

Mounting Option	Basket (Grill) Diameter	Width/Depth	Height
Desktop	45 cm	52 cm	64 cm
Wall Mount	45 cm	52 cm	45 cm
Floor Stand	45 cm	52 cm	95 - 128 cm

### \*2-installation system:

The rod included in the package can be left out in order to reduce the distance between the ceiling and the bottom end of the lamp or blades. This is recommended in rooms with low ceilings, for instance.

### \*\*Intermediate rod only:

During installation, be sure to use the intermediate rod included in the package. Depending on the model, you can also use a 12"/30.5 cm or 18"/46 cm extension rod.

Westinghouse Lighting Corporation, a Westinghouse Electric Corporation Licensee  
 Krefelder Straße 562, D-41066 Mönchengladbach, Germany  
 Tel.: (0049)-(0)-2161-57307-0  
[www.westinghouselighting.eu](http://www.westinghouselighting.eu)  
[www.westinghouselighting.de](http://www.westinghouselighting.de)

International Headquarters  
 12401 McNulty Road, Philadelphia, Pennsylvania U.S.A. 19154-1029  
 Tel.: (001) (215) 671-2000  
[www.westinghouselighting.com](http://www.westinghouselighting.com)



# Westinghouse

INNOVATION YOU CAN BE SURE OF