

CATALOGUE

FANS, LIGHTING, LAMPS & ACCESSORIES



Westinghouse

INNOVATION YOU CAN BE SURE OF



CONTENTS

CEILING FANS

 CONTEMPORARY

 OUTDOOR

 TRADITIONAL

 INDUSTRIAL

CEILING FAN ACCESSORIES

REPLACEMENT GLASSWARE

PORTABLE FANS

PENDANT LIGHT FIXTURES

LED LAMPS

To better serve you, Westinghouse Lighting reserves the right to make changes and/or improvements (both visually and technically) to the products in this catalog without notice. As a result, some products and/or product information may change during the life of this catalog.

Visit our website for the latest specifications.

www.westinghouselighting.eu





CONTENTS

| | | | |
|--|------------|--------------------|--------------|
| INTRODUCTION | 4-9 | CEILING FANS | 10-41 |
| LEADING THE WAY | 4-5 | CONTEMPORARY | 10-24 |
| THE BEST CEILING FANS FOR EVERY ROOM..... | 6-7 | Airplane | 13 |
| SUMMER AND WINTER OPERATION | 8 | Alloy | 20 |
| SAVE ENERGY WITH CEILING FANS | 9 | Alta Vista | 19 |
| | | Arius | 21 |
| | | Audubon | 21 |
| | | Bendan..... | 16-17 |
| | | Capitol | 14 |
| | | Celestia..... | 10 |
| | | Celestia II | 11 |
| | | Comet..... | 15 |
| | | Cumulus | 16 |
| | | Flora Royale | 23 |
| | | Halley | 11 |
| | | Havanna | 17 |
| | | Hercules | 19 |
| | | Jasmine | 21 |
| | | Jet I | 13 |
| | | Jet II | 13 |
| | | Jet Plus..... | 12 |
| | | Quince | 22 |
| | | Techno | 18 |
| | | Techno II..... | 18 |
| | | Turbo II | 24 |
| | | Turbo Swirl | 24 |
| | | Wengue | 22 |



CEILING FANS CONT.

| | |
|----------------------------|-------|
| TRADITIONAL | 25-35 |
| Cayuga | 29 |
| Colosseum..... | 28 |
| Comet Tiffany..... | 34 |
| Contempra Trio..... | 32 |
| Cyclone..... | 33 |
| Everett | 32 |
| Helix Fusion..... | 31 |
| Kingston..... | 31 |
| Monarch..... | 33 |
| Monarch Trio..... | 34 |
| Nevada..... | 33 |
| Pearl | 29 |
| Portland Ambience | 26 |
| Portland Ambience EL | 26 |
| Princess Euro | 30 |
| Princess Radiance II..... | 25 |
| Princess Trio | 35 |
| Vegas | 27 |
| OUTDOOR | 36-37 |
| Mountain Gale..... | 37 |
| INDUSTRIAL | 38-41 |
| Industrial | 40-41 |
| Urban Gale..... | 39 |

CEILING FAN ACCESSORIES 42-44

| | |
|--|----|
| CEILING FAN REMOTE CONTROLS | 43 |
| CEILING FAN WALL CONTROLS | 43 |
| CEILING FAN DOWN RODS | 44 |

REPLACEMENT GLASSWARE 45-47

| | |
|------------------------------|-------|
| GLASS SHADES | 46 |
| GLASS DIFFUSERS | 46-47 |

PORTABLE FANS 48-51

| | |
|--------------------|----|
| Cascata..... | 48 |
| Ethos..... | 49 |
| Highland I..... | 49 |
| Silver Stream..... | 50 |
| Yucon I..... | 51 |
| Yucon II..... | 51 |

PENDANT LIGHT FIXTURES 52-55

| | |
|---|-------|
| PENDANT LIGHT FIXTURE ASSORTMENT | 52-55 |
|---|-------|

LED LAMPS 56-59

| | |
|--|----|
| DIMMABLE LED LAMPS | 57 |
| UNDERSTANDING DOMESTIC CODES | 57 |
| LED LAMP PACKAGING | 57 |
| LED LAMP ASSORTMENT | 58 |
| A60 | 58 |
| Candle | 58 |
| Filament..... | 58 |
| G45..... | 58 |
| MR16 | 58 |
| R50 | 58 |
| ST64 | 58 |
| T7..... | 58 |
| LED LAMPS FOR EVERY APPLICATION | 59 |

CEILING FAN SPECIFICATIONS 60-63

INDEX 64



LEADING THE WAY



Our Company

Westinghouse Lighting is a well-recognized global brand and a market leader in the European ceiling fan industry. Known for innovative products of the highest quality, we continue to expand into new, exciting categories in Europe.



Our Commitment

Dedication to customer relationships has consistently been our greatest priority at Westinghouse Lighting. We have been doing business in the U.S. for over 70 years, and during the past 18 years, we have built a solid reputation for quality products, timely shipments and friendly service in Europe.

QUALITY, INNOVATION & COMMITMENT



Our Products

Over the years, we have thoughtfully expanded our product assortment to include a variety of lighting categories. While our wide array of ceiling and portable fans continues to grow, our product offering also includes stylish pendants, classic glassware and environmentally-friendly LED light bulbs. We are excited to continually provide more choices when it comes to lighting and design.



Our People

Our knowledgeable, experienced and passionate team of people has been the cornerstone in our continued success and growth throughout the years. We stand ready to offer support and long-term solutions for all of your lighting needs.



CEILING FANS

THE BEST CEILING FAN FOR EVERY ROOM



Low Ceilings


Westinghouse offers a wide array of attractive ceiling fans ideal for rooms with low ceilings. Install ceiling fans that fit flush to the ceiling or ceiling fans without an extension rod.



Standard Ceilings

In rooms with a ceiling height of 2,50 meters, ceiling fans can be installed with or without an extension rod.

WHAT SIZE CEILING FAN DO YOU NEED?



In order to ensure completely energy-efficient operation, make sure the size of the ceiling fan is appropriate for the size and height of your room. If the ceiling fan is too small for the room, it has to run at a higher speed in order to be effective, which wastes energy.



High/Angled Ceilings


In rooms with high or angled ceilings, ceiling fans should be installed with an extension rod.
For optimum performance, ceiling fan blades should be at least 2,13 meters from the floor but no higher than 2,50 - 2,80 meters.



Portable

Portable floor fans add comfort anywhere it's needed. Convenient and versatile, these fans easily meet your cooling needs.

WHAT SIZE DOWN ROD DO YOU NEED?



*For 2,3 m ceilings, Hugger ceiling fans can be used.

All ceiling fans in this catalogue are CE, GS and ROHS compliant and have a 10 Year Limited Motor Warranty.



CEILING FANS

SUMMER AND WINTER OPERATION

Our ceiling fans have a reversible function to keep your room cool in the summer or re-circulate warm air from the ceiling in the winter.



Summer Mode



A pleasant, gentle breeze

In the summer, Westinghouse ceiling fans keep your home pleasantly cool. The ceiling fan runs counterclockwise, and sets the air in motion. The airflow creates a wind chill effect on your skin.

Winter Mode



Increase comfort level

In winter, Westinghouse ceiling fans can be switched to the clockwise direction. As a result, the warm air that collects near the ceiling is distributed evenly throughout the room and eliminates cold spots and drafts. It dramatically increases your comfort level and decreases heating costs.

SAVE ENERGY WITH CEILING FANS AND LED

LED technology is efficient, earth-friendly and convenient.



Integrated LED Light

Integrated LED ceiling fans completely eliminate the need to change lamps in hard to reach places, like ceiling fans. On average, LEDs consume 80% less energy when compared to standard incandescent lamps, significantly reducing energy costs and minimizing your carbon footprint.

Retrofit LED Lamps

Long lasting and convenient, Westinghouse LED lamps are the ideal choice for use in ceiling fans. With no harmful materials and low energy consumption, they have a minimal environmental impact. LED lamps illuminate instantly and provide a pleasant, bright light that will last for many years, eliminating the need to frequently change lamps.

Look for these symbols to indicate important energy-saving features:



Integrated LED illumination



Dimmable Integrated LED illumination



Suitable for LED lamps



DC energy-saving motor





CONTEMPORARY CEILING FANS

Featuring a wide range of modern styles, our contemporary collection of ceiling fans captures the essence of today's lifestyle trends with striking designs and sleek finishes.

Celestia

Harmonious design and elegant style brings balance to modern spaces.

72530

112 cm Chrome Finish

Wengue Blades

Includes Light Kit with Opal Frosted Glass

SPECIFICATIONS

- Includes Remote Control
- Includes: (2) E27 Base CFL Lamps, 11 Watt

For rooms up to 20 m²

Airflow: 117 Cubic Meters Per Minute

Electricity Use: 51 Watts (excludes lights)

Airflow Efficiency: 2 Cubic Meters Per Minute Per Watt



Westinghouse

Halley

The perfect contemporary touch for rooms with low ceilings.

72181

112 cm Brushed Nickel Finish

Reversible Blades (Textured Weathered Maple/Dark Cherry)
Includes Light Kit with Opal Frosted Glass



New!

LED
COMPATIBLE



SPECIFICATIONS

- Includes Remote Control
- Use (2) E27 Base Lamps, 60 Watt Maximum (not included)
- Recommended LED Lamp: #37125

For rooms up to 20 m²

Airflow: 142 Cubic Meters Per Minute

Electricity Use: 48 Watts (excludes lights)

Airflow Efficiency: 3 Cubic Meters Per Minute Per Watt

72180

112 cm White Finish

Reversible Blades (White/Light Maple)
Includes Light Kit with Opal Frosted Glass



New!

LED
COMPATIBLE



Celestia II

Curved and refined, this modern 3-blade design upgrades living areas and bedrooms alike.

72505

122 cm Brushed Aluminum Finish

Graphite Blades
Includes Light Kit with Opal Frosted Glass



LED
COMPATIBLE



SPECIFICATIONS

- Includes Remote Control
- Use (2) E27 Base Lamps, 11 Watt Maximum (not included)
- Recommended LED Lamp: #37128

For rooms up to 20 m²

Airflow: 139 Cubic Meters Per Minute

Electricity Use: 50 Watts (excludes lights)

Airflow Efficiency: 3 Cubic Meters Per Minute Per Watt



Jet Plus

Industrial-inspired style enhanced by ample directional lighting.

78703

105 cm White Finish

Reversible Blades (White/Light Maple)
Includes Spot Light Kit

LED
COMPATIBLE



SPECIFICATIONS

- Includes Remote Control
- Use (3) E14 Base Lamps, 40 Watt Maximum (not included)
- Recommended LED Lamp: #37127

For rooms up to 20 m²

Airflow: 118 Cubic Meters Per Minute

Electricity Use: 49 Watts (excludes lights)

Airflow Efficiency: 2 Cubic Meters Per Minute Per Watt

72290

105 cm Brushed Nickel Finish

Reversible Blades (Wengue/Silver)
Includes Spot Light Kit

LED
COMPATIBLE



Jet I

Three-bladed design features an industrial, edgy look.

72289

105 cm Brushed Nickel Finish

Reversible Blades (Wengue/Silver)

SPECIFICATIONS

- Includes Pull Chain - Remote/Wall Control Adaptable

For rooms up to 20 m²

Airflow: 137 Cubic Meters Per Minute

Electricity Use: 49 Watts (excludes lights)

Airflow Efficiency: 3 Cubic Meters Per Minute Per Watt



Jet II

Industrial design available in classic white finish.

78261

105 cm White Finish

Reversible Blades (White/Light Maple)

SPECIFICATIONS

- Includes Pull Chain - Remote/Wall Control Adaptable

For rooms up to 20 m²

Airflow: 137 Cubic Meters Per Minute

Electricity Use: 49 Watts (excludes lights)

Airflow Efficiency: 3 Cubic Meters Per Minute Per Watt



Airplane

Propeller-styled ceiling fan provides a distinctive look in any room.

78174

105 cm Silver Finish

Silver Blades

SPECIFICATIONS

- Includes Pull Chain - Remote/Wall Control Adaptable

For rooms up to 20 m²

Airflow: 107 Cubic Meters Per Minute

Electricity Use: 48 Watts (excludes lights)

Airflow Efficiency: 2 Cubic Meters Per Minute Per Watt



Capitol

Clean lines and a modern angled light kit brighten up any room.

78708

105 cm White Finish

Reversible Blades (White/Beech)
Includes Light Kit with
Opal Frosted Glass

SPECIFICATIONS

- Includes Pull Chain - Remote/Wall Control Adaptable
- Use (1) E27 Base Lamp, 60 Watt Maximum (not included)
- Recommended LED Lamp: #37128

For rooms up to 20 m²

Airflow: 112 Cubic Meters Per Minute

Electricity Use: 42 Watts (excludes lights)

Airflow Efficiency: 3 Cubic Meters Per Minute Per Watt



New!

LED
COMPATIBLE



LED
COMPATIBLE

New!

78709

105 cm Gun Metal Finish

Reversible Blades (Graphite/Black)
Includes Light Kit with Opal Frosted Glass



LED
COMPATIBLE

78274

105 cm Brushed Steel Finish

Reversible Blades (Silver/Black)
Includes Light Kit with Opal Frosted Glass



Comet

Cool, classic styling and exceptional performance.



78719
132 cm Matte Black Finish
 Reversible Blades (Matte Black/Silver)
 Includes Light Kit with Opal Frosted Glass



SPECIFICATIONS

- Includes Pull Chain - Remote/Wall Control Adaptable
- Use (2) E14 Base Lamps, 40 Watt Maximum (not included)
- Recommended LED Lamp: #37130

For rooms up to 36 m²

Airflow: 166 Cubic Meters Per Minute

Electricity Use: 58 Watts (excludes lights)

Airflow Efficiency: 3 Cubic Meters Per Minute Per Watt



78182
132 cm Titanium Finish
 Reversible Blades (Light Maple/White)
 Includes Light Kit with Opal Frosted Glass



78017
132 cm White Finish
 Reversible Blades (White/Beech)
 Includes Light Kit with Opal Frosted Glass



Bendan

Eye-catching tapered blades make this ceiling fan an ideal centerpiece in any room.

72564

132 cm Dark Pewter Finish

Applewood Blades

Includes Light Kit with Opal Frosted Glass



SPECIFICATIONS

- Includes Remote Control
- Includes: (1) R7s Base Halogen Lamp, 80 Watt

For rooms up to 36 m²

Airflow: 159 Cubic Meters Per Minute

Electricity Use: 56 Watts (excludes lights)

Airflow Efficiency: 3 Cubic Meters Per Minute Per Watt

72557

132 cm Satin Chrome Finish

Wengue Blades

Includes Light Kit with Opal Frosted Glass



Cumulus

All over white finish is fresh and bright, bringing a modern look to any room.

72598

122 cm White Finish

Reversible Blades (White/White Washed Pine)

Includes Light Kit with Opal Frosted Glass



SPECIFICATIONS

- Includes Remote Control
- Includes: (1) R7s Base Halogen Lamp, 80 Watt

For rooms up to 20 m²

Airflow: 142 Cubic Meters Per Minute

Electricity Use: 46 Watts (excludes lights)

Airflow Efficiency: 3 Cubic Meters Per Minute Per Watt



Bendan

Eye-catching tapered blades make this ceiling fan an ideal centerpiece in any room.

72140

132 cm White Finish

White Blades

Includes Light Kit with Opal Frosted Glass



SPECIFICATIONS

- Includes Remote Control
- Includes: (1) R7s Base Halogen Lamp, 80 Watt

For rooms up to 36 m²

Airflow: 159 Cubic Meters Per Minute

Electricity Use: 56 Watts (excludes lights)

Airflow Efficiency: 3 Cubic Meters Per Minute Per Watt

72220

132 cm Satin Chrome Finish

Silver Blades

Includes Light Kit with Opal Frosted Glass



Havanna

Bold blades create a distinctive focal point in any space.

72546

132 cm Brushed Aluminum Finish

Reversible Blades (Silver/Graphite)

Includes Light Kit with Opal Frosted Glass



SPECIFICATIONS

- Includes Remote Control
- Includes: (1) R7s Base Halogen Lamp, 80 Watt

For rooms up to 36 m²

Airflow: 175 Cubic Meters Per Minute

Electricity Use: 56 Watts (excludes lights)

Airflow Efficiency: 3 Cubic Meters Per Minute Per Watt



Techno

Curved blades surround an efficient LED light kit on this sophisticated design.

78270

132 cm Titanium Finish

Titanium ABS Blades

Includes LED Light Kit with Opal Frosted Glass



SPECIFICATIONS

- Includes Remote Control
- Includes 10 Watt Integrated LED

For rooms up to 36 m²

Airflow: 165 Cubic Meters Per Minute

Electricity Use: 51 Watts (excludes lights)

Airflow Efficiency: 3 Cubic Meters Per Minute Per Watt

Techno II

Cool large areas and lofts in style with a highly-efficient DC motor and LED light kit.

72039

182 cm Titanium Finish

Titanium ABS Blades

Includes LED Light Kit with Opal Frosted Glass



SPECIFICATIONS

- Includes Remote Control
- Includes 17 Watt Integrated LED

For rooms up to 36 m²

Airflow: 258 Cubic Meters Per Minute

Electricity Use: 35 Watts (excludes lights)

Airflow Efficiency: 8 Cubic Meters Per Minute Per Watt

LED LIGHT SOURCE SPECIFICATIONS

| Model No. | Total Energy Used (Watts) | Equiv. Incand. Wattage | Light Appearance (Kelvin) | Light Source Lumens | Fixture Lumens | CRI | Avg. Rated Hours | Life in Years* |
|-----------|---------------------------|------------------------|---------------------------|---------------------|----------------|-----|------------------|----------------|
| 78270 | 10 | 2 x 40 | 3000 (Warm White) | 1250 | 930 | 80 | 25000 | 22,8 |
| 72039 | 17 | 2 x 40 | 3000 (Warm White) | 1200 | 900 | 80 | 25000 | 22,8 |

Alta Vista

A stylish, energy-efficient choice for larger living areas and bedrooms.

72054

122 cm Stainless Steel Finish

Reversible Blades (Graphite/Light Maple)

Includes LED Light Kit with Opal Frosted Glass



SPECIFICATIONS

- Includes Remote Control
- Includes 17 Watt Integrated LED



For rooms up to 20 m²

Airflow: 161 Cubic Meters Per Minute

Electricity Use: 52 Watts (excludes lights)

Airflow Efficiency: 3 Cubic Meters Per Minute Per Watt



LED LIGHT SOURCE SPECIFICATIONS

| Model No. | Total Energy Used (Watts) | Equiv. Incand. Wattage | Light Appearance (Kelvin) | Light Source Lumens | Fixture Lumens | CRI | Avg. Rated Hours | Life in Years* |
|-----------|---------------------------|------------------------|---------------------------|---------------------|----------------|-----|------------------|----------------|
| 72054 | 17 | 2 x 40 | 3000 (Warm White) | 1200 | 900 | 80 | 25000 | 22,8 |

Hercules

Smooth curves and a bold light kit add a modern touch to any space.

78545

132 cm Brushed Nickel Finish

Reversible Blades (Beech/Weathered Maple)

Includes Light Kit with Opal Frosted Glass



SPECIFICATIONS

- Includes Pull Chain - Remote/Wall Control Adaptable
- Includes: (1) R7s Base Halogen Lamp, 80 Watt

For rooms up to 36 m²

Airflow: 157 Cubic Meters Per Minute

Electricity Use: 60 Watts (excludes lights)

Airflow Efficiency: 2 Cubic Meters Per Minute Per Watt



Alloy

Noteworthy style and premium performance.

72052

132 cm Brushed Nickel Finish

Reversible Blades (Beech/Graphite)
Includes Light Kit with Opal Frosted Glass



SPECIFICATIONS

- Includes Pull Chain - Remote/Wall Control Adaptable
- Use (2) E27 Base Lamps, 40 Watt Maximum (not included)
- Recommended LED Lamp: #37128

For rooms up to 36 m²

Airflow: 174 Cubic Meters Per Minute

Electricity Use: 55 Watts (excludes lights)

Airflow Efficiency: 3 Cubic Meters Per Minute Per Watt



78764

105 cm Gun Metal Finish

Reversible Blades (Black/Graphite)
Includes Light Kit with Opal Frosted Glass



SPECIFICATIONS

- Includes Pull Chain - Remote/Wall Control Adaptable
- Includes: (1) R7s Base Halogen Lamp, 80 Watt

For rooms up to 20 m²

Airflow: 135 Cubic Meters Per Minute

Electricity Use: 47 Watts (excludes lights)

Airflow Efficiency: 3 Cubic Meters Per Minute Per Watt



Jasmine

Artfully crafted blades and brackets create an exotic look.

72368

105 cm Dark Pewter/Chrome Finish

Weathered Maple Blades

Includes Light Kit with Mushroom Glass

SPECIFICATIONS

- Includes Remote Control
- Use (1) E27 Base Lamp, 60 Watt Maximum (not included)
- Recommended LED Lamp: #37128

For a For rooms up to 20 m²

Airflow: 122 Cubic Meters Per Minute

Electricity Use: 54 Watts (excludes lights)

Airflow Efficiency: 2 Cubic Meters Per Minute Per Watt



Arius

A stunning light kit trimmed in luminous chrome makes this design the center of attention.

72559

132 cm Chrome Finish

Reversible Blades (White/Black)

Includes Light Kit with Opal Frosted Glass

SPECIFICATIONS

- Includes Remote Control
- Use (5) E14 Base Lamps, 9 Watt Maximum (not included)
- Recommended LED Lamp: #37130

For rooms up to 36 m²

Airflow: 152 Cubic Meters Per Minute

Electricity Use: 55 Watts (excludes lights)

Airflow Efficiency: 3 Cubic Meters Per Minute Per Watt



Audubon

Attention to detail takes this fan to the next level.

72119

122 cm Brushed Nickel Finish

Reversible Blades (Weathered Maple/Silver)

Includes Light Kit with Three Spot Lights

SPECIFICATIONS

- Includes Pull Chain - Remote/Wall Control Adaptable
- Use (3) GU10 Base Lamps, 50 Watt Maximum (not included)
- Recommended LED Lamp: #37131

For rooms up to 20 m²

Airflow: 138 Cubic Meters Per Minute

Electricity Use: 52 Watts (excludes lights)

Airflow Efficiency: 2 Cubic Meters Per Minute Per Watt



Wengue

Casual yet bold, this design adds allure to any setting.

78763

76 cm Chrome Finish

Reversible Blades (Wengue/Beech)

Includes Light Kit with Opal Frosted Glass



SPECIFICATIONS

- Includes Pull Chain - Remote/Wall Control Adaptable
- Includes: (1) R7s Base Halogen Lamp, 80 Watt

For rooms up to 10 m²

Airflow: 79 Cubic Meters Per Minute

Electricity Use: 40 Watts (excludes lights)

Airflow Efficiency: 2 Cubic Meters Per Minute Per Watt



Quince

Remarkable air circulation in a compact-sized ceiling fan.

78631

60 cm Chrome Finish

Reversible Blades (Wengue/Beech)

Includes Light Kit with Opal Frosted Glass



SPECIFICATIONS

- Includes Pull Chain - Remote/Wall Control Adaptable
- Use (2) E14 Base Lamps, 40 Watt Maximum (not included)
- Recommended LED Lamp: #37130

For a For rooms up to 10 m²

Airflow: 79 Cubic Meters Per Minute

Electricity Use: 32 Watts (excludes lights)

Airflow Efficiency: 3 Cubic Meters Per Minute Per Watt



72471

60 cm White Finish

Reversible Blades (White/Beech)

Includes Light Kit with Opal Frosted Glass



Flora Royale

Reminiscent of a flower in full bloom, this cheerful design brightens any space.

72424

76 cm White Finish

Reversible Blades (White/Light Maple)
Includes Light Kit with Opal Frosted Glass

SPECIFICATIONS

- Includes Pull Chain - Remote/Wall Control Adaptable
- Use (1) E27 Base Lamp, 60 Watt Maximum (not included)
- Recommended LED Lamp: #37128

For rooms up to 10 m²

Airflow: 101 Cubic Meters Per Minute

Electricity Use: 39 Watts (excludes lights)

Airflow Efficiency: 3 Cubic Meters Per Minute Per Watt



78788

76 cm Satin Chrome Finish

Reversible Blades (Silver/White)
Includes Light Kit with Opal Frosted Glass

SPECIFICATIONS

- Includes Pull Chain - Remote/Wall Control Adaptable
- Use (1) E27 Base Lamp, 60 Watt Maximum (not included)
- Recommended LED Lamp: #37128

For rooms up to 10 m²

Airflow: 101 Cubic Meters Per Minute

Electricity Use: 39 Watts (excludes lights)

Airflow Efficiency: 3 Cubic Meters Per Minute Per Watt



Turbo Swirl

Compact design supplies powerful air circulation with casual style.

78711

76 cm Gun Metal Finish

Black Blades

Includes Light Kit with Opal Frosted Glass

SPECIFICATIONS

- Includes Pull Chain - Remote/Wall Control Adaptable
- Use (1) E14 Base Lamp, 60 Watt Maximum (not included)
- Recommended LED Lamp: #37126

For rooms up to 10 m²

Airflow: 145 Cubic Meters Per Minute

Electricity Use: 50 Watts (excludes lights)

Airflow Efficiency: 3 Cubic Meters Per Minute Per Watt



78158

76 cm Titanium Finish

Light Maple Blades

Includes Light Kit with Opal Frosted Glass

Turbo II

Remarkable versatility in one delightfully charming ceiling fan.

78673

76 cm White Finish

Two Sets Reversible Blades

(Colors of Young Generation/Colors of Youth and White/Maple)

Includes Light Kit with Opal Frosted Glass

SPECIFICATIONS


- Includes Pull Chain - Remote/Wall Control Adaptable
- Use (1) E14 Base Lamp, 60 Watt Maximum (not included)
- Recommended LED Lamp: #37126

For rooms up to 10 m²

Airflow: 104 Cubic Meters Per Minute

Electricity Use: 50 Watts (excludes lights)

Airflow Efficiency: 3 Cubic Meters Per Minute Per Watt





TRADITIONAL CEILING FANS

Known for their classic and distinctive designs, traditional-styled ceiling fans will endure through the years. Available in a multitude of finishes, we offer attractive options to complement any décor.

Princess Radiance II

Charming downlight and classic finishes add cool style to any space.



78704

90 cm White Finish

*Reversible Blades (White/Beech)
Includes Light Kit with
Opal Frosted Glass Dome*



72415

**90 cm Dark Pewter/
Chrome Finish**

*Reversible Blades (Wengue/White)
Includes Light Kit with
Opal Frosted Dome Glass*



SPECIFICATIONS

- Includes Pull Chain - Remote/Wall Control Adaptable
- Use (1) E27 Base Lamp, 60 Watt Maximum (not included)
- Recommended LED Lamp: #30202

For rooms up to 10 m²

Airflow: 104 Cubic Meters Per Minute

Electricity Use: 53 Watts (excludes lights)

Airflow Efficiency: 3 Cubic Meters Per Minute Per Watt



Portland Ambience

Classic blades and opal glass create a practical, powerful fan.

78710

90 cm White Finish

Reversible Blades (White/Beech)

Includes Light Kit with Opal Frosted Mushroom Glass

SPECIFICATIONS

- Includes Pull Chain - Remote/Wall Control Adaptable
- Use (1) E27 Base Lamp, 60 Watt Maximum (not included)
- Recommended LED Lamp: #37128

For rooms up to 20 m²

Airflow: 96 Cubic Meters Per Minute

Electricity Use: 35 Watts (excludes lights)

Airflow Efficiency: 3 Cubic Meters Per Minute Per Watt



LED
COMPATIBLE



LED
COMPATIBLE

78321

90 cm Chrome Finish

Reversible Blades (White/Black)

Includes Light Kit with Opal Frosted Mushroom Glass



Portland Ambience EL

The schoolhouse light kit of this traditional design evokes a vintage vibe.

78266

105 cm Dark Pewter Finish

Reversible Blades (Weathered Maple/Silver)

Includes Light Kit with Opal Frosted Glass

SPECIFICATIONS

- Includes Pull Chain - Remote/Wall Control Adaptable
- Use (1) E27 Base Lamp, 60 Watt Maximum (not included)
- Recommended LED Lamp: #37128

For rooms up to 20 m²

Airflow: 95 Cubic Meters Per Minute

Electricity Use: 44 Watts (excludes lights)

Airflow Efficiency: 2 Cubic Meters Per Minute Per Watt



LED
COMPATIBLE



Vegas

It's a sure bet - this classic design is a winner, blending beautifully in any living space.

72272

105 cm Brushed Aluminum Finish

Reversible Blades (Light Maple/Silver)

Includes Light Kit with Opal Frosted Glass



SPECIFICATIONS

- Includes Pull Chain - Remote/Wall Control Adaptable
- Use (1) E27 Base Lamp, 60 Watt Maximum (not included)
- Recommended LED Lamp: #37128

For rooms up to 20 m²

Airflow: 108 Cubic Meters Per Minute

Electricity Use: 39 Watts (excludes lights)

Airflow Efficiency: 3 Cubic Meters Per Minute Per Watt



72185

105 cm White Finish

Reversible Blades (White/White Washed Pine)

Includes Light Kit with Opal Frosted Glass



Colosseum

Add a sophisticated look to any smaller-sized room and save energy with dimmable LED technology.

72417

90 cm Brushed Nickel Finish

Reversible Blades (Weathered Maple/Silver)
Includes LED Light Kit with Opal Frosted Glass



**DIMMABLE
LED**



SPECIFICATIONS

- Includes Remote Control
- Includes 17 Watt Dimmable Integrated LED

For rooms up to 10 m²

Airflow: 96 Cubic Meters Per Minute

Electricity Use: 42 Watts (excludes lights)

Airflow Efficiency: 2 Cubic Meters Per Minute Per Watt



**DIMMABLE
LED**

72420

90 cm White Finish

Reversible Blades (White/Light Maple)
Includes LED Light Kit with Opal Frosted Glass



LED LIGHT SOURCE SPECIFICATIONS

| Model No. | Total Energy Used (Watts) | Equiv. Incand. Wattage | Light Appearance (Kelvin) | Light Source Lumens | Fixture Lumens | CRI | Avg. Rated Hours | Life in Years* |
|-----------|---------------------------|------------------------|---------------------------|---------------------|----------------|-----|------------------|----------------|
| 72417 | 17 | 75 | 2700 (Warm White) | 1200 | 800 | 80 | 25000 | 22,8 |
| 72420 | 17 | 75 | 2700 (Warm White) | 1200 | 800 | 80 | 25000 | 22,8 |

*Based on 3hrs./day

Cayuga

This ceiling fan is a masterpiece that looks outstanding as it cools any larger space, from great rooms to large bedrooms.

72077

152 cm Brushed Nickel Finish

Reversible Blades (Rosewood/Light Maple)
Includes Light Kit with Opal Frosted Glass



SPECIFICATIONS

- Includes Remote Control
- Use (2) E27 Base Lamps, 40 Watt Maximum (not included)
- Recommended LED Lamp: #05161

For rooms up to 36 m²

Airflow: 247 Cubic Meters Per Minute
Electricity Use: 82 Watts (excludes lights)
Airflow Efficiency: 3 Cubic Meters Per Minute Per Watt



Pearl

The name says it all: opulent, classic and bright.

72118

105 cm Stainless Steel Finish

Reversible Blades (Light Maple/White)
Includes Light Kit with Three Spot Lights



SPECIFICATIONS

- Includes Pull Chain - Remote/Wall Control Adaptable
- Use (3) GU10 Base Lamps, 50 Watt Maximum (not included)
- Recommended LED Lamp: #37131

For rooms up to 20 m²

Airflow: 106 Cubic Meters Per Minute
Electricity Use: 45 Watts (excludes lights)
Airflow Efficiency: 3 Cubic Meters Per Minute Per Watt



Princess Euro

Classic details add style while adjustable spotlights bring function to this timeless design.

72113

105 cm White Finish

Reversible Blades (White/Beech)
Includes Light Kit with Three Spot Lights



LED
COMPATIBLE



SPECIFICATIONS

- Includes Pull Chain - Remote/Wall Control Adaptable
- Use (3) GU10 Base Lamps, 50 Watt Maximum (not included)
- Recommended LED Lamp: #37131

For rooms up to 20 m²

Airflow: 122 Cubic Meters Per Minute

Electricity Use: 43 Watts (excludes lights)

Airflow Efficiency: 3 Cubic Meters Per Minute Per Watt



LED
COMPATIBLE

72112

105 cm Dark Pewter/Chrome Finish

Reversible Blades (Silver/Graphite)
Includes Light Kit with Three Spot Lights



Kingston

Bring any space to life with this attractive, versatile design.

72114

105 cm Brushed Aluminum Finish

Reversible Blades (Weathered Maple/Silver)
Includes Light Kit with Three Spot Lights

SPECIFICATIONS

- Includes Pull Chain - Remote/Wall Control Adaptable
- Use (3) GU10 Base Lamps, 50 Watt Maximum (not included)
- Recommended LED Lamp: #37131

For rooms up to 20 m²

Airflow: 125 Cubic Meters Per Minute

Electricity Use: 45 Watts (excludes lights)

Airflow Efficiency: 3 Cubic Meters Per Minute Per Watt



Helix Fusion

Distinguishing details in a glamorous chrome finish with your choice of black and white accessories.

78753

132 cm Chrome Finish

Reversible Blades (White/Black)
Includes Light Kit with
two sets of Glass:
Opal Frosted Glass
and Glossy
Black Glass

SPECIFICATIONS

- Includes Pull Chain - Remote/Wall Control Adaptable
- Includes: (4) G9 Base Halogen Lamps, 33 Watt

For rooms up to 36 m²

Airflow: 144 Cubic Meters Per Minute

Electricity Use: 58 Watts (excludes lights)

Airflow Efficiency: 3 Cubic Meters Per Minute Per Watt





Contempra Trio

Ideal for smaller rooms, this traditional design provides ample lighting and strong airflow.

72073

90 cm Brushed Nickel Finish

*Reversible Blades (Rosewood/Beech)
Includes Light Kit with Frosted Glass*

SPECIFICATIONS

- Includes Pull Chain -
Wall Control Adaptable
- Use (3) E27 Base Lamps,
60 Watt Maximum (not included)
- Recommended LED Lamp: #30202

For rooms up to 10 m²

Airflow: 86 Cubic Meters Per Minute

Electricity Use: 37 Watts (excludes lights)

Airflow Efficiency: 2 Cubic Meters Per Minute Per Watt



Everett

Elegant style richly adorned with warm finishes evokes cozy atmospheres.

72154

132 cm Espresso Finish

*Reversible Blades (Espresso/Applewood)
Includes Light Kit with Scavo Glass*

SPECIFICATIONS

- Includes Pull Chain -
Wall Control Adaptable
- Use (2) E27 Base Lamps,
60 Watt Maximum (not included)
- Recommended LED Lamp: #37128

For rooms up to 36 m²

Airflow: 163 Cubic Meters Per Minute

Electricity Use: 57 Watts (excludes lights)

Airflow Efficiency: 3 Cubic Meters Per Minute Per Watt



Nevada

Dusky iron finish is a welcome alternative to more common finishes, adding a hint of rustic appeal.

78264
105 cm Iron Finish
 Reversible Blades (Walnut/Cherry)

SPECIFICATIONS

- Includes Pull Chain - Remote/Wall Control Adaptable

For rooms up to 20 m²

Airflow: 129 Cubic Meters Per Minute
Electricity Use: 43 Watts (excludes lights)
Airflow Efficiency: 3 Cubic Meters Per Minute Per Watt



Monarch

This classic design brings cooling comfort to any space.

78269
122 cm White Finish
 Reversible Blades (White/White with Cane)

SPECIFICATIONS

- Includes Pull Chain - Remote/Wall Control Adaptable

For rooms up to 20 m²

Airflow: 173 Cubic Meters Per Minute
Electricity Use: 58 Watts (excludes lights)
Airflow Efficiency: 3 Cubic Meters Per Minute Per Watt



Cyclone

Optional silver stripes are an eye-catching upgrade to this traditional style.

78370
132 cm Brushed Steel Finish
 Reversible Blades (Black/Black with Silver Stripes)

SPECIFICATIONS

- Includes Pull Chain - Remote/Wall Control Adaptable

For rooms up to 36 m²

Airflow: 152 Cubic Meters Per Minute
Electricity Use: 62 Watts (excludes lights)
Airflow Efficiency: 2 Cubic Meters Per Minute Per Watt



Comet Tiffany

Luxurious Tiffany glass brings elegance and timeless appeal.

72485

132 cm Espresso Finish

Reversible Blades (Wengue/Dark Cherry)
Includes Light Kit with Tiffany Glass

SPECIFICATIONS

- Includes Pull Chain - Remote/Wall Control Adaptable
- Use (3) E14 Base Lamps, 60 Watt Maximum (not included)
- Recommended LED Lamp: #37130

For rooms up to 36 m²

Airflow: 166 Cubic Meters Per Minute

Electricity Use: 58 Watts (excludes lights)

Airflow Efficiency: 3 Cubic Meters Per Minute Per Watt



Monarch Trio

Regally embellished, this classic design gracefully illuminates living spaces.

78171

132 cm Polished Brass Finish

Reversible Blades (Oak with Cane/Mahogany)
Includes Light Kit with Frosted Glass

SPECIFICATIONS


- Includes Pull Chain - Remote/Wall Control Adaptable
- Use (3) E14 Base Lamps, 60 Watt Maximum (not included)
- Recommended LED Lamp: #37129

For rooms up to 36 m²

Airflow: 163 Cubic Meters Per Minute

Electricity Use: 59 Watts (excludes lights)

Airflow Efficiency: 3 Cubic Meters Per Minute Per Watt



Princess Trio

Bring cool comfort and warm illumination to living rooms, kitchens or bedrooms.

78199
105 cm Polished Brass Finish
 Reversible Blades (Oak with Cane/Mahogany)
 Includes Light Kit with Frosted Glass

SPECIFICATIONS

- Includes Pull Chain - Remote/Wall Control Adaptable
- Use (3) E14 Base Lamps, 60 Watt Maximum (not included)
- Recommended LED Lamp: #37129

For rooms up to 20 m²

Airflow: 94 Cubic Meters Per Minute
Electricity Use: 45 Watts (excludes lights)
Airflow Efficiency: 2 Cubic Meters Per Minute Per Watt



78324
105 cm White and Polished Brass Finish
 Reversible Blades (White Cane/White)
 Includes Light Kit with Frosted Glass



78265
105 cm Antique Brass Finish
 Reversible Blades (Oak/Mahogany)
 Includes Light Kit with Clear Glass





OUTDOOR CEILING FANS

Transform any outdoor living space into a relaxed, tranquil retreat with a Westinghouse outdoor ceiling fan. Enjoy comfort and style on your patio, verandah or gazebo.



Mountain Gale

Powerful and rugged enough to withstand nature's elements.

72423
132 cm White Finish
White ABS Blades



SPECIFICATIONS

- Includes Pull Chain - Wall Control Adaptable

For rooms up to 36 m²

Airflow: 160 Cubic Meters Per Minute

Electricity Use: 55 Watts (excludes lights)

Airflow Efficiency: 3 Cubic Meters Per Minute Per Watt

72422
132 cm Silver Finish
Black ABS Blades





INDUSTRIAL CEILING FANS

Commercial environments require durable, reliable ceiling fans. Westinghouse industrial ceiling fans provide the uncompromising quality you expect from an international brand.



Urban Gale

Evoke a fresh, contemporary look with industrial edge.

72020

132 cm Brushed Nickel Finish
Black ABS Blades



SPECIFICATIONS

• Includes Wall Control

For rooms up to 36 m²

Airflow: 204 Cubic Meters Per Minute

Electricity Use: 56 Watts (excludes lights)

Airflow Efficiency: 3 Cubic Meters Per Minute Per Watt



72021

132 cm White Finish
White ABS Blades

CAUTION! All Westinghouse Industrial ceiling fans must be installed with blades at least 3,05 meters from the floor.



Industrial

Resilient and dependable, these designs are ideal for industrial and commercial environments.

78623

142 cm Espresso Finish

Espresso Steel Blades



SPECIFICATIONS

- Includes Wall Control

For rooms up to 36 m²

Airflow: 199 Cubic Meters Per Minute

Electricity Use: 50 Watts (excludes lights)

Airflow Efficiency: 4 Cubic Meters Per Minute Per Watt

72501

142 cm Silver Finish

Silver Steel Blades



72268

142 cm White Finish

White Steel Blades



SPECIFICATIONS

- Includes Wall Control

For rooms up to 36 m²

Airflow: 199 Cubic Meters Per Minute

Electricity Use: 63 Watts (excludes lights)

Airflow Efficiency: 3 Cubic Meters Per Minute Per Watt

CAUTION! All Westinghouse Industrial ceiling fans must be installed with blades at least 3,05 meters from the floor.

Industrial

Resilient and dependable, these designs are ideal for industrial and commercial environments.

78263
122 cm Chrome Finish
Chrome Steel Blades



SPECIFICATIONS

- Includes Pull Chain - Remote/Wall Control Adaptable

For rooms up to 20 m²

Airflow: 158 Cubic Meters Per Minute

Electricity Use: 47 Watts (excludes lights)

Airflow Efficiency: 3 Cubic Meters Per Minute Per Watt

78337
122 cm White Finish
White Steel Blades



CAUTION! All Westinghouse Industrial ceiling fans must be installed with blades at least 3,05 meters from the floor.





CEILING FAN ACCESSORIES

For optimum performance and maximum convenience, Westinghouse offers extension down rods in coordinating finishes, as well as a variety of remote and wall controls.



Ceiling Fan Remote Controls

The ultimate convenience: Operate your ceiling fan with the touch of a button.



78792 Infrared Remote Control

- Suitable for all Westinghouse ceiling fans (except hugger models)
- On/off switch for rotation, three speed levels
- On/off switch for light, with dimmer function
- Battery-operated (2 AA batteries, not included)
- Receiver and wall bracket included



77843 Infrared Remote Control

- Suitable for all Westinghouse ceiling fans (except hugger models)
- On/off switch for rotation, four speed levels
- On/off switch for light, no dimmer function
- Battery-operated (2 AAA 1.5V batteries, not included)
- Receiver and wall bracket included



77874 Radio-frequency Remote Control

- Suitable for all Westinghouse ceiling fans (except hugger models)
- On/off switch for rotation, four speed levels
- On/off switch for light, no dimmer function
- Temperature timer and clock timer included
- LCD display
- Battery-operated (4 AAA 1.5V batteries, not included)
- Receiver and wall bracket included



77841 Radio-frequency Remote Control

- Suitable for all Westinghouse ceiling fans (except hugger models)
- On/off switch for rotation, four speed levels
- On/off switch for light, no dimmer function
- Timer function
- Touchscreen operation
- Battery-operated (4 AAA 1.5V batteries, not included)
- Receiver and wall bracket included

TEMPERATURE CONTROL & TIMER

TOUCHSCREEN & TIMER

Ceiling Fan Wall Controls

Easily control and adjust your ceiling fan with sleek, surface mounted wall controls.



78801 Ceiling Fan Wall Control

- Suitable for use with all Westinghouse ceiling fans
- 4-speed and off control for ceiling fan
- On/off control for light



78800 Ceiling Fan Wall Control

- Suitable for use with all Westinghouse ceiling fans
- 4-speed and off control for ceiling fan

All fan controls are for Indoor Use Only.

Ceiling Fan Down Rods


Easily position your fan blades at the right distance from the floor for excellent air circulation.



Easy to connect

Each down rod includes wiring connectors.

To best cool a room, ceiling fan blades should be at least 2,13 meters from the floor but no higher than 2,50 - 2,80 meters. For ceilings 2,7 meters and higher, an extension down rod is recommended so the ceiling fan is at the correct height for optimum performance.



| | Finish | Item | Length |
|---|-----------------|--------------|---------|
| A | Brushed Chrome | 65600 | 30,5 cm |
| A | Brushed Chrome | 65601 | 46 cm |
| B | Gun Metal | 65602 | 30,5 cm |
| B | Gun Metal | 65603 | 46 cm |
| C | Brushed Steel | 65604 | 30,5 cm |
| C | Brushed Steel | 65605 | 46 cm |
| D | Stainless Steel | 65607 | 30,5 cm |
| D | Stainless Steel | 65609 | 46 cm |
| E | Antique Nickel | 65611 | 30,5 cm |
| E | Antique Nickel | 65612 | 46 cm |
| F | Espresso | 65613 | 30,5 cm |
| F | Espresso | 65625 | 46 cm |
| G | Iron | 65626 | 30,5 cm |
| G | Iron | 65627 | 46 cm |
| H | Silver | 65643 | 30,5 cm |
| H | Silver | 65644 | 46 cm |
| I | Satin Chrome | 65646 | 30,5 cm |
| I | Satin Chrome | 65647 | 46 cm |

| | Finish | Item | Length |
|---|------------------|--------------|---------|
| J | Brushed Nickel | 65649 | 30,5 cm |
| J | Brushed Nickel | 65650 | 46 cm |
| K | Dark Pewter | 65763 | 30,5 cm |
| K | Dark Pewter | 65764 | 46 cm |
| L | Antique Brass | 78864 | 30,5 cm |
| L | Antique Brass | 78865 | 46 cm |
| M | Brushed Aluminum | 78867 | 30,5 cm |
| M | Brushed Aluminum | 78868 | 46 cm |
| N | Titanium | 78870 | 30,5 cm |
| N | Titanium | 78871 | 46 cm |
| O | White | 78876 | 30,5 cm |
| O | White | 78877 | 46 cm |
| P | Polished Brass | 78882 | 30,5 cm |
| P | Polished Brass | 78883 | 46 cm |
| Q | Chrome | 78885 | 30,5 cm |
| Q | Chrome | 78886 | 46 cm |
| R | Satin Brass | 78888 | 30,5 cm |
| R | Satin Brass | 78889 | 46 cm |



REPLACEMENT GLASSWARE

Refreshing a light fixture or ceiling fan is easy with our wide selection of glass shades. From traditional diffusers to classic, decorative shades, Westinghouse offers something for all of your lighting needs.



Glass Shades

Versatile glass shades are the perfect upgrade for pendants, vanity fixtures and ceiling fans.



87038
Frosted Ribbed Bell Shade
 Neck Inner Diameter: 4,4 cm
 Neck Outer Diameter: 5,4 cm
 Height: 9,7 cm
 Diameter: 12 cm



• **87039**
Opal Frosted Shade
 Neck Inner Diameter: 6,6 cm
 Neck Outer Diameter: 7,8 cm
 Height: 14 cm
 Diameter: 16,9 cm



87036
Frosted Bell Shade
 Neck Inner Diameter: 4,3 cm
 Neck Outer Diameter: 5,4 cm
 Height: 11,1 cm
 Diameter: 12,1 cm



87037
Clear Ribbed Bell Shade
 Neck Inner Diameter: 4,2 cm
 Neck Outer Diameter: 5,5 cm
 Height: 11,5 cm
 Diameter: 12 cm

REFRESH OR REPLACE



Glass Diffusers

Use with ceiling fans to add personality or as a glass replacement.



87035
Tiffany Shade
 Height: 8,3 cm
 Diameter: 28,8 cm



• **87041**
Opal Frosted Drum Shade with Chrome Band
 Height: 7,2 cm
 Diameter: 26,7 cm



• **87053**
Opal Dome Shade with Chrome Band
 Neck Inner Diameter: 6,4 cm
 Neck Outer Diameter: 7,7 cm
 Height: 11,8 cm
 Diameter: 16,4 cm

• Hand Blown Glass

Glass Diffusers

Use with ceiling fans to add personality or as a glass replacement.



•87040
Opal Frosted Drum Shade
 Neck Inner Diameter: 19,7 cm
 Neck Outer Diameter: 20,6 cm
 Height: 5 cm
 Diameter: 22,2 cm



•87042
Opal Frosted Drum Shade
 Neck Inner Diameter: 13 cm
 Neck Outer Diameter: 14 cm
 Height: 8,5 cm
 Diameter: 17,2 cm



•87043
Opal Frosted Drum Shade
 Height: 10 cm
 Diameter: 19 cm




•87044
Frosted Mushroom Shade
 Height: 4,7 cm
 Diameter: 21,7 cm



•87048
Opal Frosted Mushroom Shade
 Neck Inner Diameter: 13,1 cm
 Neck Outer Diameter: 14,4 cm
 Height: 8,2 cm
 Diameter: 17,2 cm



•87045
Opal Frosted Mushroom Shade
 Neck Inner Diameter: 13,1 cm
 Neck Outer Diameter: 14,1 cm
 Height: 8,5 cm
 Diameter: 17 cm



•87046
Opal Frosted Mushroom Shade
 Neck Inner Diameter: 19,1 cm
 Neck Outer Diameter: 19,6 cm
 Height: 11,5 cm
 Diameter: 25,1 cm



•87047
Amber Scavo Mushroom Shade
 Neck Inner Diameter: 19,1 cm
 Neck Outer Diameter: 19,6 cm
 Height: 11,5 cm
 Diameter: 25,1 cm



•87049
Opal Mushroom Shade
 Neck Inner Diameter: 6,6 cm
 Neck Outer Diameter: 7,6 cm
 Height: 12 cm
 Diameter: 17,5 cm



•87052
Opal Frosted Mushroom Shade
 Neck Inner Diameter: 13,9 cm
 Neck Outer Diameter: 14,4 cm
 Height: 12,8 cm
 Diameter: 17,1 cm



•87050
Opal Frosted Mushroom Shade
 Neck Inner Diameter: 7,5 cm
 Neck Outer Diameter: 8,8 cm
 Height: 12,5 cm
 Diameter: 17,8 cm



•87051
Opal Frosted Mushroom Shade
 Neck Inner Diameter: 6,8 cm
 Neck Outer Diameter: 7,8 cm
 Height: 12,5 cm
 Diameter: 17,4 cm

• Hand Blown Glass



PORTABLE FANS

Portable and floor fans are convenient and versatile. With special features like remote controls and misting functions, there is a portable fan to meet all of your cooling needs.

Cascata

Refreshing, invigorating misting feature guarantees maximum cooling.

72024
White Finish
Floor Fan

SPECIFICATIONS

- Plastic Housing, Grill and Stand
- ABS Blades
- Oscillation Angle 360° (On/Off)
- Basket/Blade Diameter: 35/30
- Cord Length: 200 cm
- Maximum Height: 81 cm
- Width: 40 cm
- Infrared Remote control
- 3 Speeds



All floor fans in this catalogue have a 2 year warranty and are CE and ROHS compliant.



Ethos

Super turbo fan provides powerful air circulation in a compact design.

72050
Silver Finish
 Tower Fan

SPECIFICATIONS

- Plastic Housing, Grill and Stand
- Oscillation Angle up to 80° (On/Off)
- Cord Length: 200 cm
- Maximum Height: 76 cm
- Width: 23 cm
- Infrared Remote control
- 3 Speeds



Highland I

Tall, sleek tower fan brings cooling comfort wherever it is needed.

72723
Black Finish
 Tower Fan

SPECIFICATIONS

- Plastic Housing, Grill and Stand
- Oscillation Angle up to 90°
- Cord Length: 200 cm
- Height: 122 cm
- Width: 31.5 cm
- Infrared Remote Control
- 3 Speeds



Silver Stream

With 3 interchangeable configuration options, the Silver Stream easily adapts to your cooling needs.

72421

Chrome Finish

3-in-1 Portable Fan

SPECIFICATIONS

- Metal Housing, Grill and Stand
- Steel Blades
- Oscillation Angle less than 90°
- Basket/Blade Diameter: 45/40
- Cord Length: 200 cm
- Height: 115 cm
- Width: 45 cm
- Manual Control
- 3 Speeds

1 FAN = 3 CONFIGURATION OPTIONS



Wall Mount Option



Desktop Option



Floor Stand Option

VERSATILE COOLING OPTIONS



Yucon I

Strong airflow and convenient portability combine in this classic floor stand fan.

72715

Black/Silver Finish

Stand Fan

SPECIFICATIONS

- Metal Housing, Grill and Stand
- ABS Blades
- Oscillation Angle up to 80° (On/Off)
- Basket/Blade Diameter: 55/50
- Cord Length: 200 cm
- Maximum Height: 135 cm
- Width: 57 cm
- Manual Control
- 3 Speeds



Yucon II

Ideal for living rooms and bedrooms alike for easy, customizable cooling.

72716

Black/Silver Finish

Floor Fan

SPECIFICATIONS

- Metal Housing, Grill and Stand
- ABS Blades
- Basket/Blade Diameter: 53/50
- Cord Length: 200 cm
- Height: 60,5 cm
- Width: 64 cm
- Manual Control
- 3 Speeds



PORTABLE FAN SPECIFICATIONS

| Item No. | Family | Type | Basket/Blade Diameter (cm) | Maximum Height (cm) | Maximum Width (cm) | Oscillation Angle | Fan Control | Number of Speeds Operated |
|----------|---------------|-----------------|----------------------------|---------------------|--------------------|--------------------|-------------------------|---------------------------|
| 72024 | Cascata | Floor | — | 81 | 40 | — | Infrared Remote control | 3 |
| 72050 | Ethos | Tower | — | 77 | 23 | Up to 80° (On/Off) | Infrared Remote control | 3 |
| 72421 | Silver Stream | 3-in-1 Portable | 45/40 | 115 | 45 | Up to 80° | Manual Control | 3 |
| 72715 | Yucon I | Stand | 55/50 | 135 | 57 | Up to 80° (On/Off) | Manual Control | 3 |
| 72716 | Yucon II | Floor | 53/50 | 60.5 | 64 | — | Manual Control | 3 |
| 72723 | Highland I | Tower | — | 122 | 31.5 | Up to 90° (On/Off) | Infrared Remote control | 3 |



PENDANT LIGHT FIXTURES

The perfect pendant adds warm ambience and endless style to your home. Westinghouse offers a variety of pendants from modern to traditional styles, in sleek finishes and eye-catching shapes.



All light fixtures in this catalogue are CE and ROHS compliant and have a 5 Year Warranty against defects in material and workmanship.



Pendant Light Fixture Assortment

Add pendant lights over a breakfast bar, kitchen island or table for an elegant dining experience.




All Pendant Light Fixtures are LED Compatible




62051
1 Light Pendant
 Matte Black Finish
 with Metal Cage and
 Frosted Glass Globe
 Height: 172,7 cm
 Diameter: 30 cm
 Adjustable Cord:
 127 cm max.
 Use (1) E27
 Base Lamp,
 60 Watt Maximum
 (not included)
 Recommended
 LED Lamp: #37128




63459
1 Light Pendant
 Matte Black Finish
 with Matte Black and
 Amber Glass
 Height: 166,5 cm
 Diameter: 20 cm
 Adjustable Cord:
 127 cm max.
 Use (1) E27
 Base Lamp,
 60 Watt Maximum
 (not included)
 Recommended
 LED Lamp: #03178




61034
1 Light Pendant
 Matte Black Finish
 with Cage Shade
 Height: 155,3 cm
 Diameter: 19,8 cm
 Adjustable Cord:
 127 cm max.
 Use (1) E27
 Base Lamp,
 60 Watt Maximum
 (not included)
 Recommended
 LED Lamp: #03178




61035
1 Light Pendant
 Copper Finish
 with Cage Shade
 Height: 155,3 cm
 Diameter: 19,8 cm
 Adjustable Cord:
 127 cm max.
 Use (1) E27 Base Lamp,
 60 Watt Maximum
 (not included)
 Recommended
 LED Lamp: #03178




61050
1 Light Pendant
 Matte Black Finish
 with Globe Cage Shade
 Height: 155 cm
 Diameter: 20,3 cm
 Adjustable Cord:
 127 cm max.
 Use (1) E27 Base Lamp,
 60 Watt Maximum
 (not included)
 Recommended
 LED Lamp: #03178



61051
1 Light Pendant
 White Finish
 with Globe Cage Shade
 Height: 155 cm
 Diameter: 20,3 cm
 Adjustable Cord:
 127 cm max.
 Use (1) E27 Base Lamp,
 60 Watt Maximum
 (not included)
 Recommended
 LED Lamp: #03178



61052
1 Light Pendant
 Brushed Copper Finish
 with Angled Cage Shade
 Height: 153,7 cm
 Diameter: 19 cm
 Adjustable Cord:
 127 cm max.
 Use (1) E27 Base Lamp,
 60 Watt Maximum
 (not included)
 Recommended
 LED Lamp: #03178



61053
1 Light Pendant
 Matte Black Finish
 with Angled Cage Shade
 Height: 153,7 cm
 Diameter: 19 cm
 Adjustable Cord:
 127 cm max.
 Use (1) E27 Base Lamp,
 60 Watt Maximum
 (not included)
 Recommended
 LED Lamp: #03178



Add Westinghouse Filament LED lamps for a vintage look.

Pendant Light Fixture Assortment

Add pendant lights over a breakfast bar, kitchen island or table for an elegant dining experience.



All Pendant Light Fixtures are LED Compatible



61036
1 Light Pendant

Chrome Finish with Clear Glass
Height: 153 cm
Diameter: 19,1 cm
Adjustable Cord: 127 cm max.


Use (1) E27 Base Lamp, 60 Watt Maximum (not included)
Recommended LED Lamp: #03178



63458
1 Light Pendant

Chrome Finish with Clear Glass
Height: 151,2 cm
Diameter: 23,9 cm
Adjustable Cord: 127 cm max.


Use (1) E27 Base Lamp, 60 Watt Maximum (not included)
Recommended LED Lamp: #30202



62055
1 Light Pendant

Chrome Finish with Clear Glass
Height: 156,2 cm
Diameter: 20,3 cm
Adjustable Cord: 127 cm max.

Use (1) E27 Base Lamp, 60 Watt Maximum (not included)
Recommended LED Lamp: #03178



63091
1 Light Pendant


Brushed Nickel Finish with Clear Crackle Glass
Height: 161,3 cm
Diameter: 19,1 cm
Adjustable Cord: 127 cm max.

Use (1) E27 Base Lamp, 60 Watt Maximum (not included)
Recommended LED Lamp: #03178

VINTAGE LAMPS




Add Westinghouse Filament LED lamps for a vintage look.



63455
1 Light Pendant

Brushed Nickel Finish with Hammered Shade
Height: 105,1 cm
Diameter: 19,7 cm
Adjustable Cord: 72 cm max.


Use (1) E27 Base Lamp, 60 Watt Maximum (not included)
Recommended LED Lamp: #37128



61038
1 Light Pendant

Washed Copper Finish with Hammered Shade
Height: 105,1 cm
Diameter: 19,7 cm
Adjustable Cord: 72 cm max.


Use (1) E27 Base Lamp, 60 Watt Maximum (not included)
Recommended LED Lamp: #37128



63096
1 Light Pendant

Brushed Nickel Finish with Hammered Shade
Height: 97,8 cm
Diameter: 26 cm
Adjustable Cord: 72 cm max.

Use (1) E27 Base Lamp, 60 Watt Maximum (not included)
Recommended LED Lamp: #37128



61039
1 Light Pendant


Brushed Copper Finish
Height: 151,5 cm
Diameter: 25,5 cm
Adjustable Cord: 127 cm max.

Use (1) E27 Base Lamp, 60 Watt Maximum (not included)
Recommended LED Lamp: #37128


• Includes (3) 24,1 cm long rods.
Install 1, 2, or 3 rods for customized lengths.




All Pendant Light Fixtures are LED Compatible



61017
1 Light Pendant
 High Gloss Red Finish
 Height: 148 cm
 Diameter: 17,8 cm
 Adjustable Cord:
 127 cm max.
 Use (1) E27 Base Lamp,
 60 Watt Maximum
 (not included)
 Recommended
 LED Lamp: #37128




61015
1 Light Pendant
 High Gloss Blue Finish
 Height: 148 cm
 Diameter: 17,8 cm
 Adjustable Cord:
 127 cm max.
 Use (1) E27 Base Lamp,
 60 Watt Maximum
 (not included)
 Recommended
 LED Lamp: #37128



61018
1 Light Pendant
 High Gloss White Finish
 Height: 148 cm
 Diameter: 17,8 cm
 Adjustable Cord:
 127 cm max.
 Use (1) E27 Base Lamp,
 60 Watt Maximum
 (not included)
 Recommended
 LED Lamp: #37128



61020
3 Light Cluster Pendant
 Copper Finish
 Height: 148 cm
 Diameter: 39,5 cm
 Adjustable Cord:
 127 cm max.
 Use (3) E27 Base Lamps,
 60 Watt Maximum
 (not included)
 Recommended
 LED Lamp: #37128




63079
1 Light LED Pendant
 Chrome Finish
 with Bubble Glass
 Height: 155 cm
 Diameter: 12,6 cm
 Adjustable Cord:
 125 cm max.
 Includes 8 Watt Integrated LED



Bubble Glass Detail Shown



61042
1 Light LED Pendant
 White Finish with
 Chrome Cage
 Height: 156,2 cm
 Diameter: 30,8 cm
 Adjustable Cord:
 127 cm max.
 Includes 13 Watt Integrated LED



64010
1 Light LED Pendant
 Black Finish with
 Chrome Cage
 Height: 156,2 cm
 Diameter: 30,8 cm
 Adjustable Cord:
 127 cm max.
 Includes 13 Watt Integrated LED



LED LIGHT SOURCE SPECIFICATIONS

| Model No. | Number of Lamps | Total Energy Used (Watts) | Equiv. Incand. Wattage | Light Appearance (Kelvin) | Total Lumens | CRI | Avg. Rated Hours | Life in Years* |
|-----------|-----------------|---------------------------|------------------------|---------------------------|--------------|-----|------------------|----------------|
| 63079 | * | 8 | 40 | 3000 (Warm White) | 360 | 80 | 25000 | 22.8 |
| 61042 | * | 13 | 60 | 3000 (Warm White) | 900 | 80 | 25000 | 22.8 |
| 64010 | * | 13 | 60 | 3000 (Warm White) | 900 | 80 | 25000 | 22.8 |

For a complete list of compatible dimmers, visit www.westinghouselighting.eu.
 * Integrated LED Light Source

*Based on 3hrs./day **Based on 3hrs./day 11¢/kWh



LED LAMPS

Use Westinghouse LED lamps anywhere to save energy and money with minimal environmental impact. Available in a variety of shapes and sizes, these long-lasting LED lamps utilize state-of-the-art, high-performance technology and are extremely durable.



All LED lamps in this catalogue are CE and ROHS compliant.



Dimmable LED Lamps


Ideal for ceiling fans and other lighting applications.

Westinghouse LED lamps are ideal for ceiling fans, pendants and other lighting applications. LEDs contain no harmful mercury and use less energy to produce the same light output as other lamp alternatives. This means significantly reduced energy costs and a minimized carbon footprint. On average, LED lamps consume 80% less energy when compared to incandescent lamps. Also, LEDs last much longer, so changing lamps becomes a rare occurrence. For added convenience, these dimmable LED lamps allow you to control the level of brightness and adjust the mood in any space.



Understanding Domestic Codes

The domestic code is a standardized way to describe lamps. The diagram below explains what it means.



LED Lamp Packaging

Westinghouse's informative LED lamp packaging provides all the facts you need to make the right lighting choice.



LED Lamp Assortment

Comprehensive assortment for ceiling fans, pendants and general purpose lighting.



Look for
LED Compatible
Ceiling Fans and Pendant
Light Fixtures



| | | | | | | | | | |
|--|---|--|--|---|---|---|---|---|---|
| 37129 5W LED Filament Candle E14 Base | 30202 7.5W LED Filament A60 E27 Base | 03178 8W LED Filament ST64 E27 Base | 03199/05161 8W LED T7 E27 Base | 37131 7W LED MR16 Spot Light GU10 Base | 37130 6W LED Candle Type E14 Base | 37126 5W LED Globe G45 E14 Base | 37125 5W LED Globe G45 E27 Base | 37127 5W LED R50 E14 Base | 37128 9W LED A60 E27 Base |
|--|---|--|--|---|---|---|---|---|---|

| Model | Watts | Base | Domestic Code | Voltage | Equiv. Incand. Wattage | Finish | Color Designation Kelvin(K) | Lumens | CRI | Average Rated Hours* | Life in Years* | MOD (cm) | MOL (cm) |
|--------------------------------------|-------|------|-----------------------|-----------|------------------------|--------|-----------------------------|--------|-----|----------------------|----------------|----------|----------|
| LED Filament E14 and E27 Base | | | | | | | | | | | | | |
| 37129 | 5 | E14 | 5C35/LED/DIM/27/E14 | 220 / 240 | 40 | Clear | Warm White 2700K | 450 | 80 | 15000 | 13,6 | 3,5 | 11,5 |
| 30202 | 7.5 | E27 | 7.5A60/LED/DIM/27/E27 | 220 / 240 | 60 | Clear | Warm White 2700K | 806 | 80 | 15000 | 13,6 | 6 | 10,4 |
| LED ST64 E27 Base | | | | | | | | | | | | | |
| 03178 | 8 | E27 | 8ST64/LED/27/E27 | 220 / 240 | 60 | Clear | Warm White 2700K | 806 | 80 | 15000 | 13,6 | 6,4 | 14,2 |
| LED T7 E27 Base | | | | | | | | | | | | | |
| 03199 | 8 | E27 | 8T7/LED/F/30/E27 | 220 / 240 | 60 | Frost | Warm White 3000K | 800 | 80 | 15000 | 13,6 | 3,8 | 10,2 |
| 05161 | 8 | E27 | 8T7/LED/DIM/F/30/E27 | 220 / 240 | 60 | Frost | Warm White 3000K | 800 | 80 | 25000 | 22,8 | 3,8 | 10,2 |
| LED MR16 GU10 Base | | | | | | | | | | | | | |
| 37131 | 7 | GU10 | 7MR16/LED/DIM/30/GU10 | 220 / 240 | 50 | Frost | Warm White 3000K | 550 | 80 | 25000 | 22,8 | 5 | 5,35 |
| LED Candle E14 Base | | | | | | | | | | | | | |
| 37130 | 6 | E14 | 6B35/LED/DIM/30/E14 | 220 / 240 | 40 | Frost | Warm White 3000K | 500 | 80 | 25000 | 22,8 | 3,5 | 10,5 |
| LED G45 E14 and E27 Base | | | | | | | | | | | | | |
| 37126 | 5 | E14 | 5G45/LED/DIM/30/E14 | 220 / 240 | 40 | Frost | Warm White 3000K | 500 | 80 | 25000 | 22,8 | 4,5 | 8 |
| 37125 | 5 | E27 | 5G45/LED/DIM/30/E27 | 220 / 240 | 40 | Frost | Warm White 3000K | 500 | 80 | 25000 | 22,8 | 4,5 | 7,2 |
| LED R50 E14 Base | | | | | | | | | | | | | |
| 37127 | 5 | E14 | 5R50/LED/DIM/30/E14 | 220 / 240 | 35 | Frost | Warm White 3000K | 350 | 80 | 25000 | 22,8 | 5 | 8,6 |
| LED A60 E27 Base | | | | | | | | | | | | | |
| 37128 | 9 | E27 | 9A60/LED/DIM/30/E27 | 220 / 240 | 60 | Frost | Warm White 3000K | 800 | 80 | 25000 | 22,8 | 6 | 11 |

*Based on 3 hrs./day

LED Lamps for Every Application


Use LED lamps where ever you use traditional incandescent or compact fluorescent lamps.



03178 shown in 61051 Pendant



37131 shown in 72119 Audubon



30202 shown in 72073 Contempra Trio



37131 shown in 72118 Pearl



37130 shown in 78017 Comet



37128 shown in 61015 Pendant



05161 shown in 72077 Cayuga



37128 shown in 63455 Pendant



37129 shown in 78171 Monarch Trio



Look for
LED Compatible
Ceiling Fans and Pendant
Light Fixtures

www.westinghouselighting.eu




All LED lamps in this catalogue are CE and ROHS compliant.

CEILING FAN SPECIFICATIONS

| Item No. | Page No. | Family | Fan Size (cm) | Included Fan Control | Remote Control Adaptable | Blade Material | Blade Pitch | Motor Type & Size | Fan Speed | Capacitor Type |
|----------|----------|----------------------|---------------|----------------------|--------------------------|----------------|-------------|--------------------------------------|-----------|----------------|
| 72020 | 39 | Urban Gale | 132 | Wall Control | Yes | ABS | 15° | Silicon Steel Motor 172mm x 12mm | 4 | Dual |
| 72021 | 39 | Urban Gale | 132 | Wall Control | Yes | ABS | 15° | Silicon Steel Motor 172mm x 12mm | 4 | Dual |
| 72039 | 18 | Techno II | 182 | Remote Control | Yes | ABS | 12° | 165 DC Motor | 3 | N/A |
| 72052 | 20 | Alloy | 132 | Pull Chain | Yes | Plywood | 13° | Cold Rolled Steel Motor 153mm x 17mm | 3 | Dual |
| 72054 | 19 | Alta Vista | 122 | Remote Control | Yes | Plywood | 12° | Cold Rolled Steel Motor 153mm x 15mm | 3 | Dual |
| 72073 | 32 | Contempra Trio | 90 | Pull Chain | No | MDF | 12° | Cold Rolled Steel Motor 145mm x 12mm | 3 | Dual |
| 72077 | 29 | Cayuga | 152 | Remote Control | Yes | Plywood | 11° | Silicon Steel Motor 188mm x 20mm | 3 | Dual |
| 72112 | 30 | Princess Euro | 105 | Pull Chain | Yes | MDF | 11° | Cold Rolled Steel Motor 153mm x 10mm | 3 | Dual |
| 72113 | 30 | Princess Euro | 105 | Pull Chain | Yes | MDF | 11° | Cold Rolled Steel Motor 153mm x 10mm | 3 | Dual |
| 72114 | 31 | Kingston | 105 | Pull Chain | Yes | MDF | 12° | Cold Rolled Steel Motor 153mm x 12mm | 3 | Dual |
| 72118 | 29 | Pearl | 105 | Pull Chain | Yes | MDF | 12° | Cold Rolled Steel Motor 153mm x 12mm | 3 | Dual |
| 72119 | 21 | Audubon | 122 | Pull Chain | Yes | MDF | 11° | Cold Rolled Steel Motor 153mm x 15mm | 3 | Single |
| 72140 | 17 | Bendan | 132 | Remote Control | Yes | Plywood | 12° | Silicon Steel Motor 153mm x 15mm | 3 | Dual |
| 72154 | 32 | Everett | 132 | Pull Chain | No | MDF | 12° | Silicon Steel Motor 153mm x 15mm | 3 | Dual |
| 72180 | 11 | Halley | 112 | Remote Control | Yes | Plywood | 13° | Silicon Steel Motor 153mm x 17mm | 3 | Dual |
| 72181 | 11 | Halley | 112 | Remote Control | Yes | Plywood | 13° | Silicon Steel Motor 153mm x 17mm | 3 | Dual |
| 72185 | 27 | Vegas | 105 | Pull Chain | Yes | MDF | 10° | Silicon Steel Motor 153mm x 9mm | 3 | Dual |
| 72220 | 17 | Bendan | 132 | Remote Control | Yes | Plywood | 12° | Silicon Steel Motor 153mm x 15mm | 3 | Dual |
| 72268 | 40 | Industrial | 142 | Wall Control | No | Steel | 8° | Silicon Steel Motor 172mm x 12mm | 4 | Dual |
| 72272 | 27 | Vegas | 105 | Pull Chain | Yes | MDF | 10° | Silicon Steel Motor 153mm x 9mm | 3 | Dual |
| 72289 | 13 | Jet I | 105 | Pull Chain | Yes | MDF | 14° | Silicon Steel Motor 153mm x 12mm | 3 | Dual |
| 72290 | 12 | Jet Plus | 105 | Remote Control | Yes | MDF | 14° | Cold Rolled Steel Motor 153mm x 12mm | 3 | Dual |
| 72368 | 21 | Jasmine | 105 | Remote Control | Yes | MDF | 12° | Cold Rolled Steel Motor 153mm x 12mm | 3 | Single |
| 72415 | 25 | Princess Radiance II | 90 | Pull Chain | Yes | MDF | 18° | Cold Rolled Steel Motor 153mm x 12mm | 3 | Dual |
| 72417 | 28 | Colosseum | 90 | Remote Control | Yes | MDF | 12° | Silicon Steel Motor 153mm x 10mm | 3 | Dual |
| 72420 | 28 | Colosseum | 90 | Remote Control | Yes | MDF | 12° | Silicon Steel Motor 153mm x 10mm | 3 | Dual |
| 72422 | 37 | Mountain Gale | 132 | Pull Chain | No | ABS | 15° | Silicon Steel Motor 172mm x 12mm | 3 | Dual |
| 72423 | 37 | Mountain Gale | 132 | Pull Chain | No | ABS | 15° | Silicon Steel Motor 172mm x 12mm | 3 | Dual |
| 72424 | 23 | Flora Royale | 76 | Pull Chain | Yes | MDF | 18° | Cold Rolled Steel Motor 153mm x 12mm | 3 | Dual |
| 72471 | 22 | Quince | 60 | Pull Chain | Yes | MDF | 18° | Silicon Steel Motor 153mm x 10mm | 3 | Dual |
| 72485 | 34 | Comet Tiffany | 132 | Pull Chain | Yes | MDF | 12° | Cold Rolled Steel Motor 153mm x 15mm | 3 | Dual |
| 72501 | 40 | Industrial | 142 | Wall Control | No | Steel | 8° | Cold Rolled Steel Motor 153mm x 12mm | 4 | Dual |
| 72505 | 11 | Celestia II | 122 | Remote Control | Yes | Plywood | 12° | Cold Rolled Steel Motor 153mm x 15mm | 3 | Single |
| 72530 | 10 | Celestia | 112 | Remote Control | Yes | MDF | 12° | Cold Rolled Steel Motor 153mm x 12mm | 3 | Single |

- A. Ceiling to bottom of blade
- B. Ceiling to bottom of switch housing
- C. Ceiling to bottom of canopy
- D. Width of motor housing
- E. Width of canopy
- F. Ceiling to bottom of light kit



| Item No. | Page No. | Watts (High/Med/Low) | RPM (High/Med/Low) | Amp (High/Med/Low) | Mount Type | Slope Angle | Can extension rods be used? | Net Weight | A | B | C | D | E | F |
|----------|----------|----------------------|--------------------|--------------------|----------------------|-------------|-----------------------------|------------|------|------|-----|------|-----|------|
| 72020 | 39 | 56 / 37 / 10 | 220 / 172 / 81 | 0,25 / 0,20 / 0,10 | Down Rod Only** | 18° | N/A | 5 | 47,5 | 40 | 6,2 | 19,9 | 13 | N/A |
| 72021 | 39 | 56 / 37 / 10 | 220 / 172 / 81 | 0,25 / 0,20 / 0,10 | Down Rod Only** | 18° | N/A | 5 | 47,5 | 40 | 6,2 | 19,9 | 13 | N/A |
| 72039 | 18 | 35 / 15 / 3 | 141 / 107 / 48 | 0,26 / 0,13 / 0,04 | Down Rod Only** | N/A | N/A | 7,9 | 28 | 29,7 | 6,5 | 27 | 13 | 34 |
| 72052 | 20 | 55 / 39 / 35 | 180 / 119 / 87 | 0,25 / 0,17 / 0,18 | Down Rod Only** | 18° | N/A? | 5,7 | 23 | N/A | 6,2 | 18 | 13 | 33,5 |
| 72054 | 19 | 52 / 31 / 15 | 195 / 146 / 88 | 0,24 / 0,19 / 0,14 | Down Rod Only** | N/A | N/A | 6,6 | 28 | N/A | 6,2 | 20 | 13 | 35 |
| 72073 | 32 | 37 / 29 / 26 | 236 / 174 / 125 | 0,18 / 0,13 / 0,13 | Hugger* | N/A | N/A | 5,6 | 16,5 | 19 | N/A | 26,2 | N/A | 34 |
| 72077 | 29 | 82 / 51 / 25 | 164 / 124 / 80 | 0,37 / 0,31 / 0,22 | Down Rod Only** | N/A | N/A | 10 | 35 | 29,7 | 6,5 | 27 | 13 | 43 |
| 72112 | 30 | 43 / 30 / 28 | 220 / 160 / 116 | 0,20 / 0,14 / 0,13 | Dual Mount System*** | 18° | N/A | 4,7 | 26 | 30 | 6,2 | 17 | 13 | 40 |
| 72113 | 30 | 43 / 32 / 29 | 210 / 160 / 128 | 0,19 / 0,14 / 0,13 | Dual Mount System*** | 18° | N/A | 4,7 | 26,7 | 33 | 6,2 | 17 | 13 | 39,5 |
| 72114 | 31 | 45 / 30 / 24 | 230 / 168 / 110 | 0,21 / 0,12 / 0,11 | Dual Mount System*** | 18° | N/A | 5,7 | 30 | 34,5 | 6,2 | 24 | 13 | 47 |
| 72118 | 29 | 45 / 28 / 23 | 235 / 170 / 120 | 0,22 / 0,12 / 0,10 | Dual Mount System*** | 18° | N/A | 4,7 | 28 | 30 | 6,2 | 19 | 13 | 38 |
| 72119 | 21 | 52 / 35 / 25 | 240 / 165 / 115 | 0,26 / 0,18 / 0,12 | Dual Mount System*** | 18° | N/A | 6,2 | 29 | 30 | 6 | 22 | 13 | 39 |
| 72140 | 17 | 56 / 31 / 14 | 175 / 132 / 83 | 0,27 / 0,20 / 0,14 | Down Rod Only** | 18° | N/A | 7,6 | 29 | N/A | 6,2 | 26 | 13 | 36 |
| 72154 | 32 | 57 / 43 / 36 | 180 / 143 / 85 | 0,22 / 0,20 / 0,18 | Hugger* | N/A | N/A | 7,2 | 18,2 | 19 | N/A | 28 | N/A | 32 |
| 72180 | 11 | 480 / 29 / 15 | 225 / 172 / 113 | 0,21 / 0,18 / 0,14 | Hugger* | N/A | N/A | 6,8 | 240 | 75 | 75 | 240 | 230 | 350 |
| 72181 | 11 | 48 / 29 / 15 | 225 / 172 / 113 | 0,21 / 0,18 / 0,14 | Hugger* | N/A | N/A | 6,8 | 240 | 75 | 75 | 240 | 230 | 350 |
| 72185 | 27 | 39 / 28 / 25 | 218 / 169 / 120 | 0,18 / 0,13 / 0,12 | Dual Mount System*** | 18° | N/A | 4,5 | 28,5 | 32,5 | 6,2 | 17 | 13 | 44,2 |
| 72220 | 17 | 56 / 31 / 14 | 175 / 131 / 83 | 0,24 / 0,20 / 0,14 | Down Rod Only** | N/A | N/A | 7,6 | 29 | N/A | 6,2 | 26 | 13 | 36 |
| 72268 | 40 | 63 / 40 / 10 | 250 / 210 / 150 | 0,23 / 0,22 / 0,17 | Down Rod Only** | 18° | N/A | 5,7 | 42,2 | 39,4 | 6,2 | 19,8 | 13 | N/A |
| 72272 | 27 | 39 / 28 / 25 | 218 / 169 / 120 | 0,18 / 0,13 / 0,12 | Dual Mount System*** | 18° | N/A | 4,4 | 28,5 | 32,5 | 6,2 | 17 | 13 | 44,2 |
| 72289 | 13 | 49 / 36 / 32 | 218 / 170 / 110 | 0,21 / 0,16 / 0,15 | Down Rod Only** | 18° | N/A | 4,3 | 22,5 | 29 | 6,2 | 17 | 13 | N/A |
| 72290 | 12 | 49 / 29 / 14 | 220 / 163 / 101 | 0,22 / 0,19 / 0,14 | Down Rod Only** | N/A | N/A | 5,2 | 22,5 | 29 | 6 | 17 | 13 | 37 |
| 72368 | 21 | 54 / 22 / 10 | 240 / 180 / 120 | 0,26 / 0,24 / 0,22 | Down Rod Only** | N/A | N/A | 6,1 | 30 | 31 | 6 | 22 | 13 | 42 |
| 72415 | 25 | 53 / 32 / 25 | 271 / 208 / 152 | 0,19 / 0,14 / 0,11 | Dual Mount System*** | 18° | N/A | 4,8 | 27 | 33 | 6,2 | 17 | 13 | 42 |
| 72417 | 28 | 42 / 28 / 15 | 263 / 213 / 146 | 0,19 / 0,16 / 0,13 | Dual Mount System*** | N/A | N/A | 5,2 | 25,5 | 30 | 6,2 | 18,8 | 13 | 37,5 |
| 72420 | 28 | 42 / 28 / 16 | 259 / 215 / 147 | 0,19 / 0,17 / 0,13 | Dual Mount System*** | N/A | N/A | 5,2 | 25,5 | 30 | 6,2 | 18,8 | 13 | 37,5 |
| 72422 | 37 | 55 / 47 / 45 | 230 / 160 / 130 | 0,24 / 0,23 / 0,22 | Down Rod Only** | 18° | N/A | 5,3 | 41,5 | 51,5 | 6,2 | 19,9 | 13 | N/A |
| 72423 | 37 | 55 / 47 / 45 | 230 / 160 / 130 | 0,24 / 0,23 / 0,22 | Down Rod Only** | 18° | N/A | 5,3 | 41,5 | 51,5 | 6,2 | 19,9 | 13 | N/A |
| 72424 | 23 | 39 / 26 / 24 | 243 / 180 / 126 | 0,23 / 0,13 / 0,10 | Dual Mount System*** | 18° | N/A | 5,5 | 25 | N/A | 6,2 | 17 | 13 | 38 |
| 72471 | 22 | 32 / 29 / 28 | 302 / 230 / 160 | 0,15 / 0,13 / 0,14 | Down Rod Only** | 18° | N/A | 5,3 | 22 | 27,5 | 6,2 | 17,2 | 13 | 33 |
| 72485 | 34 | 58 / 42 / 33 | 165 / 125 / 74 | 0,27 / 0,18 / 0,17 | Dual Mount System*** | 18° | N/A | 7,4 | 31 | 27 | 6 | 29 | 15 | 38 |
| 72501 | 40 | 50 / 36 / 11 | 240 / 208 / 110 | 0,26 / 0,19 / 0,11 | Down Rod Only** | 18° | N/A | 5,7 | 44 | 39,4 | 6,2 | 19,8 | 13 | 49 |
| 72505 | 11 | 50 / 25 / 12 | 231 / 149 / 90 | 0,39 / 0,36 / 0,30 | Hugger* | N/A | N/A | 6,7 | 24 | 28 | 12 | 25 | 15 | 35 |
| 72530 | 10 | 51 / 33 / 19 | 225 / 150 / 65 | 0,23 / 0,15 / 0,10 | Hugger* | N/A | N/A | 6,5 | 24 | 28 | 12 | 25 | 15 | 35 |

HUGGER*

This ceiling fan is designed to be mounted flush against the ceiling. It cannot be installed with an extension down rod or remote control.

DOWN ROD ONLY**

This ceiling fan must be installed with the included down rod during installation. It can also be installed with an extension down rod.


DUAL MOUNT SYSTEM***

The ceiling fan can be installed with or without the included down rod. In rooms with low ceilings, installing the fan without the down rod will increase the distance between the floor and the fan blades. It can also be installed with an extension down rod in rooms with high ceilings.

CEILING FAN SPECIFICATIONS (CONTINUED)

| Item No. | Page No. | Family | Fan Size (cm) | Included Fan Control | Remote Control Adaptable | Blade Material | Blade Pitch | Motor Type & Size | Fan Speed | Capacitor Type |
|----------|----------|----------------------|---------------|----------------------|--------------------------|----------------|-------------|--------------------------------------|-----------|----------------|
| 72546 | 17 | Havana | 132 | Remote Control | Yes | MDF | 10° | Cold Rolled Steel Motor 153mm x 15mm | 3 | Dual |
| 72557 | 16 | Bendan | 132 | Remote Control | Yes | Plywood | 12° | Silicon Steel Motor 153mm x 15mm | 3 | Dual |
| 72559 | 21 | Arius | 132 | Remote Control | Yes | MDF | 12° | Cold Rolled Steel Motor 153mm x 15mm | 3 | Single |
| 72564 | 16 | Bendan | 132 | Remote Control | Yes | Plywood | 12° | Silicon Steel Motor 153mm x 15mm | 3 | Dual |
| 72598 | 16 | Cumulus | 122 | Remote Control | Yes | MDF | 12° | Silicon Steel Motor 153mm x 15mm | 3 | Single |
| 78017 | 15 | Comet | 132 | Pull Chain | Yes | Plywood | 11° | Silicon Steel Motor 153mm x 15mm | 3 | Dual |
| 78158 | 24 | Turbo Swirl | 76 | Pull Chain | Yes | MDF | 18° | Cold Rolled Steel Motor 153mm x 12mm | 3 | Dual |
| 78171 | 34 | Monarch Trio | 132 | Pull Chain | Yes | MDF | 11° | Cold Rolled Steel Motor 153mm x 15mm | 3 | Dual |
| 78174 | 13 | Airplane | 105 | Pull Chain | Yes | MDF | 11° | Cold Rolled Steel Motor 153mm x 12mm | 3 | Single |
| 78182 | 15 | Comet | 132 | Pull Chain | Yes | Plywood | 11° | Silicon Steel Motor 153mm x 15mm | 3 | Dual |
| 78199 | 35 | Princess Trio | 105 | Pull Chain | Yes | MDF | 11° | Cold Rolled Steel Motor 153mm x 12mm | 3 | Dual |
| 78261 | 13 | Jet II | 105 | Pull Chain | Yes | MDF | 14° | Silicon Steel Motor 153mm x 12mm | 3 | Dual |
| 78263 | 40 | Industrial | 122 | Pull Chain | Yes | Steel | 11° | Cold Rolled Steel Motor 172mm x 10mm | 3 | Dual |
| 78264 | 33 | Nevada | 105 | Pull Chain | Yes | MDF | 12° | Cold Rolled Steel Motor 153mm x 12mm | 3 | Dual |
| 78265 | 35 | Princess Trio | 105 | Pull Chain | Yes | MDF | 12° | Cold Rolled Steel Motor 153mm x 12mm | 3 | Single |
| 78266 | 26 | Portland Ambiance | 105 | Pull Chain | Yes | MDF | 12° | Cold Rolled Steel Motor 145mm x 12mm | 3 | Dual |
| 78269 | 33 | Monarch | 122 | Pull Chain | Yes | MDF | 11° | Cold Rolled Steel Motor 153mm x 15mm | 3 | Single |
| 78270 | 18 | Techno | 132 | Remote Control | Yes | ABS | 13° | Silicon Steel Motor 153mm x 17mm | 3 | Single |
| 78274 | 14 | Capitol | 105 | Pull Chain | Yes | MDF | 11° | Cold Rolled Steel Motor 153mm x 9mm | 3 | Dual |
| 78321 | 26 | Portland Ambiance | 90 | Pull Chain | Yes | MDF | 11° | Cold Rolled Steel Motor 153mm x 10mm | 3 | Dual |
| 78324 | 35 | Princess Trio | 105 | Pull Chain | Yes | MDF | 12° | Cold Rolled Steel Motor 153mm x 12mm | 3 | Dual |
| 78337 | 41 | Industrial | 122 | Pull Chain | Yes | Steel | 11° | Cold Rolled Steel Motor 172mm x 10mm | 3 | Dual |
| 78370 | 33 | Cyclone | 132 | Pull Chain | Yes | MDF | 12° | Cold Rolled Steel Motor 153mm x 15mm | 3 | Dual |
| 78545 | 19 | Hercules | 132 | Pull Chain | Yes | Plywood | 12° | Cold Rolled Steel Motor 153mm x 15mm | 3 | Single |
| 78623 | 40 | Industrial | 142 | Wall Control | Yes | Steel | 8° | Cold Rolled Steel Motor 153mm x 12mm | 4 | Dual |
| 78631 | 22 | Quince | 60 | Pull Chain | Yes | MDF | 18° | Silicon Steel Motor 153mm x 10mm | 3 | Dual |
| 78673 | 24 | Turbo II | 76 | Pull Chain | Yes | MDF | 18° | Cold Rolled Steel Motor 145mm x 12mm | 3 | Dual |
| 78703 | 12 | Jet Plus | 105 | Remote Control | Yes | MDF | 14° | Cold Rolled Steel Motor 153mm x 12mm | 3 | Dual |
| 78704 | 25 | Princess Radiance II | 90 | Pull Chain | Yes | MDF | 18° | Cold Rolled Steel Motor 153mm x 10mm | 3 | Dual |
| 78708 | 14 | Capitol | 105 | Pull Chain | Yes | MDF | 11° | Cold Rolled Steel Motor 153mm x 10mm | 3 | Dual |
| 78709 | 14 | Capitol | 105 | Pull Chain | Yes | MDF | 12° | Cold Rolled Steel Motor 153mm x 10mm | 3 | Dual |
| 78710 | 26 | Portland Ambiance | 90 | Pull Chain | Yes | MDF | 12° | Cold Rolled Steel Motor 153mm x 10mm | 3 | Dual |
| 78711 | 24 | Turbo Swirl | 76 | Pull Chain | Yes | MDF | 18° | Cold Rolled Steel Motor 153mm x 12mm | 3 | Dual |
| 78719 | 15 | Comet | 132 | Pull Chain | Yes | Plywood | 11° | Silicon Steel Motor 153mm x 15mm | 3 | Dual |
| 78753 | 31 | Helix Fusion | 132 | Pull Chain | Yes | MDF | 12° | Cold Rolled Steel Motor 153mm x 15mm | 3 | Single |
| 78763 | 22 | Wengue | 76 | Pull Chain | Yes | MDF | 18° | Cold Rolled Steel Motor 153mm x 10mm | 3 | Dual |
| 78764 | 20 | Alloy | 105 | Pull Chain | Yes | MDF | 14° | Cold Rolled Steel Motor 153mm x 12mm | 3 | Dual |
| 78788 | 23 | Flora Royale | 76 | Pull Chain | Yes | MDF | 18° | Cold Rolled Steel Motor 153mm x 12mm | 3 | Dual |

- A. Ceiling to bottom of blade
- B. Ceiling to bottom of switch housing
- C. Ceiling to bottom of canopy
- D. Width of motor housing
- E. Width of canopy
- F. Ceiling to bottom of light kit



| Item No. | Page No. | Wattage (High/Medium/Low) | RPM (High/Medium/Low) | Amp (High/Medium/Low) | Mount Type | Slope Angle | Can extension rods be used? | Net Weight | A | B | C | D | E | F |
|----------|----------|---------------------------|-----------------------|-----------------------|----------------------|-------------|-----------------------------|------------|------|------|-----|------|------|-----|
| 72546 | 17 | 56 / 30 / 14 | 180 / 130 / 85 | 0,28 / 0,25 / 0,20 | Down Rod Only** | N/A | N/A | 7,8 | 27 | N/A | 6 | 25 | 13 | 36 |
| 72557 | 16 | 56 / 31 / 14 | 175 / 131 / 83 | 0,27 / 0,20 / 0,14 | Down Rod Only** | N/A | N/A | 7,6 | 29 | N/A | 6,2 | 26 | 13 | 36 |
| 72559 | 21 | 55 / 27 / 8 | 170 / 120 / 60 | 0,24 / 0,18 / 0,10 | Dual Mount System*** | 18° | N/A | 9,4 | 27 | 33 | 6 | 28 | 13 | 42 |
| 72564 | 16 | 56 / 31 / 14 | 175 / 131 / 83 | 0,24 / 0,20 / 0,14 | Down Rod Only** | N/A | N/A | 7,6 | 29 | N/A | 6,2 | 26 | 13 | 36 |
| 72598 | 16 | 46 / 28 / 14 | 185 / 140 / 90 | 0,26 / 0,23 / 0,21 | Down Rod Only** | N/A | N/A | 7,3 | 43 | 49 | 7 | 23 | 13 | 54 |
| 78017 | 15 | 58 / 40 / 33 | 170 / 130 / 80 | 0,27 / 0,18 / 0,17 | Dual Mount System*** | 18° | N/A | 7,7 | 29 | N/A | 6,2 | 29 | 13 | 37 |
| 78158 | 24 | 50 / 37 / 26 | 250 / 190 / 140 | 0,24 / 0,17 / 0,12 | Dual Mount System*** | 18° | N/A | 5,3 | 26 | 29 | 6,2 | 17 | 13 | 38 |
| 78171 | 34 | 59 / 46 / 40 | 175 / 130 / 80 | 0,25 / 0,21 / 0,21 | Dual Mount System*** | 18° | N/A | 6,5 | 29 | 38 | 6,2 | 28 | 13 | 43 |
| 78174 | 13 | 48 / 34 / 24 | 250 / 200 / 150 | 0,21 / 0,15 / 0,11 | Dual Mount System*** | 18° | N/A | 5,1 | 25 | 38 | 6 | 25 | 13 | 40 |
| 78182 | 15 | 58 / 40 / 33 | 170 / 130 / 80 | 0,27 / 0,18 / 0,17 | Dual Mount System*** | 18° | N/A | 7,7 | 29 | N/A | 6,2 | 29 | 13 | 37 |
| 78199 | 35 | 45 / 32 / 23 | 210 / 145 / 100 | 0,20 / 0,13 / 0,13 | Dual Mount System*** | 18° | N/A | 4,7 | 29 | 31 | 6,2 | 17 | 13 | 43 |
| 78261 | 13 | 49 / 36 / 32 | 218 / 170 / 121 | 0,28 / 0,16 / 0,16 | Down Rod Only** | 18° | N/A | 4,3 | 22,5 | 29 | 6,2 | 17 | 13 | N/A |
| 78263 | 40 | 47 / 41 / 40 | 268 / 218 / 162 | 0,22 / 0,21 / 0,19 | Down Rod Only** | 18° | N/A | 5,5 | 24 | 36 | 6,2 | 20 | 13 | N/A |
| 78264 | 33 | 43 / 29 / 25 | 215 / 165 / 115 | 0,21 / 0,13 / 0,12 | Dual Mount System*** | 18° | N/A | 5,1 | 30 | 34,5 | 6,2 | 24 | 13 | N/A |
| 78265 | 35 | 55 / 36 / 23 | 230 / 170 / 110 | 0,24 / 0,16 / 0,11 | Dual Mount System*** | 18° | N/A | 5,5 | 27,5 | 32 | 6 | 17 | 13 | 43 |
| 78266 | 26 | 44 / 36 / 30 | 215 / 160 / 100 | 0,21 / 0,18 / 0,17 | Down Rod Only** | 18° | N/A | 4 | 20 | 30 | 6 | 17 | 13 | 43 |
| 78269 | 33 | 58 / 38 / 26 | 175 / 125 / 75 | 0,26 / 0,17 / 0,12 | Dual Mount System*** | 18° | N/A | 6,4 | 27,5 | 34 | 6 | 28 | 13 | N/A |
| 78270 | 18 | 51 / 26 / 11 | 220 / 170 / 90 | 0,21 / 0,15 / 0,10 | Down Rod Only** | N/A | N/A | 6,5 | 23,6 | 28 | 5 | 21 | 15,5 | 32 |
| 78274 | 14 | 42 / 30 / 27 | 210 / 155 / 115 | 0,19 / 0,13 / 0,13 | Dual Mount System*** | 18° | N/A | 4,5 | 29 | 32,5 | 6,2 | 17 | 13 | 44 |
| 78321 | 26 | 35 / 28 / 26 | 250 / 190 / 147 | 0,17 / 0,12 / 0,12 | Down Rod Only** | 18° | N/A | 3,9 | 21 | 30 | 6 | 15 | 13 | 42 |
| 78324 | 35 | 41 / 31 / 28 | 216 / 160 / 110 | 0,20 / 0,13 / 0,13 | Dual Mount System*** | 18° | N/A | 4,7 | 29 | 32 | 6,2 | 17 | 13 | 43 |
| 78337 | 41 | 47 / 41 / 40 | 268 / 218 / 162 | 0,22 / 0,21 / 0,19 | Down Rod Only** | 18° | N/A | 5,5 | 24 | 37 | 6,2 | 20 | 13 | N/A |
| 78370 | 33 | 62 / 42 / 27 | 180 / 130 / 80 | 0,27 / 0,18 / 0,12 | Dual Mount System*** | 18° | N/A | 6,3 | 33 | 32 | 6,2 | 28 | 13 | N/A |
| 78545 | 19 | 60 / 41 / 28 | 170 / 125 / 75 | 0,26 / 0,18 / 0,12 | Dual Mount System*** | 18° | N/A | 7,9 | 34 | 36 | 6 | 27 | 13 | 41 |
| 78623 | 40 | 50 / 36 / 11 | 210 / 208 / 110 | 0,24 / 0,19 / 0,11 | Down Rod Only** | 18° | N/A | 5,7 | 44 | 39,4 | 6,2 | 19,8 | 13 | N/A |
| 78631 | 22 | 32 / 29 / 28 | 302 / 230 / 160 | 0,15 / 0,13 / 0,14 | Down Rod Only** | 18° | N/A | 5,2 | 23 | 27,5 | 6,2 | 17,2 | 13 | 31 |
| 78673 | 24 | 50 / 37 / 26 | 250 / 190 / 130 | 0,19 / 0,12 / 0,11 | Dual Mount System*** | 18° | N/A | 6,3 | 26 | 28 | 6,2 | 17 | 13 | 38 |
| 78703 | 12 | 49 / 29 / 14 | 220 / 163 / 101 | 0,22 / 0,19 / 0,14 | Down Rod Only** | N/A | N/A | 5,2 | 22,5 | 29 | 6 | 17 | 13 | 37 |
| 78704 | 25 | 53 / 32 / 25 | 271 / 208 / 152 | 0,19 / 0,14 / 0,11 | Dual Mount System*** | 18° | N/A | 4,8 | 27 | 33 | 6,2 | 17 | 13 | 42 |
| 78708 | 14 | 42 / 30 / 27 | 210 / 155 / 115 | 0,19 / 0,13 / 0,13 | Dual Mount System*** | 18° | N/A | 4,5 | 29 | 32,5 | 6,2 | 17 | 13 | 44 |
| 78709 | 14 | 42 / 30 / 27 | 210 / 155 / 115 | 0,19 / 0,13 / 0,13 | Dual Mount System*** | 18° | N/A | 4,5 | 29 | 32,5 | 6,2 | 17 | 13 | 44 |
| 78710 | 26 | 35 / 28 / 26 | 250 / 190 / 147 | 0,17 / 0,12 / 0,12 | Down Rod Only** | 18° | N/A | 3,9 | 21 | 30 | 6 | 15 | 13 | 42 |
| 78711 | 24 | 50 / 37 / 26 | 250 / 190 / 140 | 0,24 / 0,17 / 0,12 | Dual Mount System*** | 18° | N/A | 5,3 | 26 | 29 | 6,2 | 17 | 13 | 38 |
| 78719 | 15 | 58 / 40 / 33 | 170 / 130 / 80 | 0,27 / 0,18 / 0,17 | Dual Mount System*** | 18° | N/A | 7,7 | 29 | N/A | 6,2 | 29 | 13 | 37 |
| 78753 | 31 | 58 / 40 / 26 | 175 / 125 / 80 | 0,25 / 0,18 / 0,12 | Dual Mount System*** | 18° | N/A | 8,2 | 26 | 30 | 6 | 27 | 13 | 44 |
| 78763 | 22 | 40 / 34 / 32 | 280 / 230 / 185 | 0,18 / 0,16 / 0,15 | Down Rod Only** | 18° | N/A | 4,7 | 23 | 26 | 6,2 | 17 | 13 | 31 |
| 78764 | 20 | 47 / 34 / 30 | 218 / 158 / 110 | 0,21 / 0,15 / 0,14 | Down Rod Only** | 18° | N/A | 5,5 | 18 | 28 | 6,2 | 17 | 13 | 30 |
| 78788 | 23 | 39 / 26 / 24 | 243 / 180 / 126 | 0,23 / 0,13 / 0,10 | Dual Mount System*** | 18° | N/A | 5,5 | 25 | N/A | 6,2 | 17 | 13 | 38 |

HUGGER*
This ceiling fan is designed to be mounted flush against the ceiling. It cannot be installed with an extension down rod or remote control.

DOWN ROD ONLY**
This ceiling fan must be installed with the included down rod during installation. It can also be installed with an extension down rod.

DUAL MOUNT SYSTEM***
The ceiling fan can be installed with or without the included down rod. In rooms with low ceilings, installing the fan without the down rod will increase the distance between the floor and the fan blades. It can also be installed with an extension down rod in rooms with high ceilings.

INDEX

| Item No. | Page No. | Item No. | Page No. | Item No. | Page No. | Item No. | Page No. |
|----------|----------|----------|----------|----------|----------|----------|----------|
| 03178 | 58 | 65613 | 44 | 72471 | 22 | • 78719 | 15 |
| 03199 | 58 | 65625 | 44 | 72485 | 34 | 78753 | 31 |
| 05161 | 58 | 65626 | 44 | 72501 | 40 | 78763 | 22 |
| 30202 | 58 | 65627 | 44 | 72505 | 11 | 78764 | 20 |
| 37125 | 58 | 65643 | 44 | 72530 | 10 | 78788 | 23 |
| 37126 | 58 | 65644 | 44 | 72546 | 17 | 78792 | 43 |
| 37127 | 58 | 65646 | 44 | 72557 | 16 | 78800 | 43 |
| 37128 | 58 | 65647 | 44 | 72559 | 21 | 78801 | 43 |
| 37129 | 58 | 65549 | 44 | 72564 | 16 | 78864 | 44 |
| 37130 | 58 | 65650 | 44 | 72598 | 16 | 78865 | 44 |
| 37131 | 58 | 65763 | 44 | 72715 | 51 | 78867 | 44 |
| 61015 | 55 | 65764 | 44 | 72716 | 51 | 78868 | 44 |
| 61017 | 55 | 72020 | 39 | 72723 | 49 | 78870 | 44 |
| 61018 | 55 | 72021 | 39 | 77841 | 43 | 78871 | 44 |
| 61020 | 55 | 72024 | 48 | 77843 | 43 | 78876 | 44 |
| 61034 | 53 | 72039 | 18 | 77874 | 43 | 78877 | 44 |
| 61035 | 53 | 72050 | 49 | 78017 | 15 | 78882 | 44 |
| 61036 | 54 | 72052 | 20 | 78158 | 24 | 78883 | 44 |
| 61038 | 54 | 72054 | 19 | 78171 | 34 | 78885 | 44 |
| 61039 | 54 | 72073 | 32 | 78174 | 13 | 78886 | 44 |
| 61042 | 55 | 72077 | 29 | 78182 | 15 | 78888 | 44 |
| 61050 | 53 | 72112 | 30 | 78199 | 35 | 78889 | 44 |
| 61051 | 53 | 72113 | 30 | 78261 | 13 | 87035 | 46 |
| 61052 | 53 | 72114 | 31 | 78263 | 41 | 87036 | 46 |
| 61053 | 53 | 72118 | 29 | 78264 | 33 | 87037 | 46 |
| 62051 | 53 | 72119 | 21 | 78265 | 35 | 87038 | 46 |
| 62055 | 54 | 72140 | 17 | 78266 | 26 | 87039 | 46 |
| 63079 | 55 | 72154 | 32 | 78269 | 33 | 87040 | 47 |
| 63091 | 54 | • 72180 | 11 | 78270 | 18 | 87041 | 46 |
| 63096 | 54 | • 72181 | 11 | 78274 | 14 | 87042 | 47 |
| 63455 | 54 | 72185 | 27 | 78321 | 26 | 87043 | 47 |
| 63458 | 54 | 72220 | 17 | 78324 | 35 | 87044 | 47 |
| 63459 | 53 | 72268 | 40 | 78337 | 41 | 87045 | 47 |
| 64010 | 55 | 72272 | 27 | 78370 | 33 | 87046 | 47 |
| 65600 | 44 | 72289 | 13 | 78545 | 19 | 87047 | 47 |
| 65601 | 44 | 72290 | 12 | 78623 | 40 | 87048 | 47 |
| 65602 | 44 | 72368 | 21 | 78631 | 22 | 87049 | 47 |
| 65603 | 44 | 72415 | 25 | 78673 | 24 | 87050 | 47 |
| 65604 | 44 | 72417 | 28 | • 78703 | 12 | 87051 | 47 |
| 65605 | 44 | 72420 | 28 | • 78704 | 25 | 87052 | 47 |
| 65607 | 44 | 72421 | 50 | • 78708 | 14 | 87053 | 46 |
| 65609 | 44 | 72422 | 37 | • 78709 | 14 | | |
| 65611 | 44 | 72423 | 37 | • 78710 | 26 | | |
| 65612 | 44 | 72424 | 23 | • 78711 | 24 | | |



Westinghouse

INNOVATION YOU CAN BE SURE OF

Westinghouse Lighting Corporation, a Westinghouse Electric Corporation licensee
Krefelder Straße 562, D-41066 Mönchengladbach, Germany
Tel.: (0049)-(0)-2161-57307-0
www.westinghouselighting.eu
www.westinghouselighting.de

International Headquarters
12401 McNulty Road, Philadelphia, Pennsylvania U.S.A. 19154-1029
Tel. - (001) (215) 671-2000
www.westinghouselighting.com



®TM, WESTINGHOUSE, and INNOVATION YOU CAN BE SURE OF are trademarks of Westinghouse Electric Corporation.
Used under license by Westinghouse Lighting. All Rights Reserved.

2018 WESTINGHOUSE LIGHTING CORPORATION / 0020118