

CATALOGUE

FAN AND LIGHTING



CONTENTS



CEILING FANS



CEILING FAN ACCESSORIES



REPLACEMENT GLASSWARE



FLOOR FANS



PENDANT LIGHT FIXTURES



LED LAMPS

CONTENTS



INTRODUCTION 4-9

Leading The Way.....4-5
 The Best Ceiling Fan
 For Every Room..... 6-7
 Summer and Winter Operation 8
 Save Energy With Ceiling Fans..... 9



CEILING FANS 10-45

Contemporary 10-23
 Alta Vista 10
 Airplane 16
 Alloy 16
 Arius 14
 Audubon 19
 Bendan 12-13
 Capitol 19
 Celestia 20
 Celestia II 20
 Comet 14
 Cumulus 20
 Flora Royale 21
 Havana 13
 Hercules 15
 Hercules Supreme 15
 Jasmine 19
 Jet I 17
 Jet II 17
 Jet Plus 17
 Lavada 18
 Quince 22
 Solana 18
 Techno 11
 Techno II 11
 Turbo II 23
 Turbo Swirl 23
 Wengue 22



CEILING FANS 6-45

Traditional 24-35
 Cayuga 25
 Colosseum 26
 Comet Tiffany 34
 Contempra Trio 27
 Cyclone 35
 Everett 27
 Helix Fusion 34
 Kingston 32
 Monarch 33
 Monarch Trio 35
 Nevada 33
 Pearl 32
 Portland Ambience 28
 Portland Ambience EL 28
 Princess Euro 31
 Princess Radiance II 31
 Princess Trio 30
 Vegas 29
 Outdoor 36-37
 Mountain Gale 37
 Industrial 38-41
 Industrial 40-41
 Urban Gale 39
 Ceiling Fan Specifications 42-45

Lamps are not included with products in this catalog unless otherwise noted.
 We recommend using Westinghouse lamps in all of our ceiling fans and light fixtures.

Westinghouse Lighting reserves the right to make changes or improvements to the products
 in this catalog without notice. As a result, some products and/or product information may change.
 Please visit www.westinghouselighting.eu for the latest specifications.



CEILING FAN ACCESSORIES 46-48

Ceiling Fan Controls 47
 Ceiling Fan Wall Controls 47
 Extension Down Rods 48



REPLACEMENT GLASSWARE 49-51

Glass Shades 50
 Glass Diffusers 50-51



PORTABLE FANS 52-55

Cascata 52
 Ethos 53
 Highland I 53
 Silver Stream 54
 Yucon I 55
 Yucon II 55



PENDANT LIGHT FIXTURES 56-59

Pendant Light Fixture Assortment 57-59

LED LAMPS 60-63

A60 62
 Candle 62
 Filament 62
 Globe G45 62
 MR16 62
 R50 62
 ST64 62
 T7 62

INDEX 64

LEADING THE WAY



Our Company

Westinghouse Lighting is a well-recognized global brand and a market leader in the European ceiling fan industry. Known for innovative products of the highest quality, we continue to expand into new, exciting categories in Europe.



Our Commitment

Dedication to customer relationships has consistently been our greatest priority at Westinghouse Lighting. We have been doing business in the U.S. for over 70 years, and during the past 17 years, we have built a solid reputation for quality products, timely shipments and friendly service in Europe.

QUALITY, INNOVATION & COMMITMENT



Our Products

While our wide array of ceiling and portable fans continues to grow, our product offering in Europe is also expanding. Westinghouse now provides stylish pendants, classic glassware and environmentally-friendly LED light bulbs. We are excited to bring you new products and designs with special features for added convenience and energy savings.



Our People

Our knowledgeable, experienced and passionate team of people has been the cornerstone in our continued success and growth throughout the years. We stand ready to offer support and long-term solutions for all of your lighting needs.



CEILING FANS

THE BEST CEILING FAN FOR EVERY ROOM




Low Ceilings

Westinghouse offers a wide array of attractive ceiling fans ideal for rooms with low ceilings. Install ceiling fans that fit flush to the ceiling or ceiling fans without an extension rod.

Standard Ceilings

In rooms with a ceiling height of 2,50 meters, ceiling fans can be installed with or without an extension rod.

WHAT SIZE CEILING FAN DO YOU NEED?



In order to ensure completely energy-efficient operation, make sure the size of the ceiling fan is appropriate for the size and height of your room. If the ceiling fan is too small for the room, it has to run at a higher speed in order to be effective, which wastes energy.



High/Angled Ceilings


In rooms with high or angled ceilings, ceiling fans should be installed with an extension rod. For optimum performance, ceiling fan blades should be at least 2,13 meters from the floor but no higher than 2,50 - 2,80 meters.



Portable

Portable floor fans add comfort anywhere it's needed. Convenient and versatile, these fans easily meet your cooling needs.

WHAT SIZE DOWN ROD DO YOU NEED?



*For 2,3 m ceilings, Hugger ceiling fans can be used.

CEILING FANS

SUMMER AND WINTER OPERATION

Our ceiling fans have a reversible function to keep your room cool in the summer or re-circulate warm air from the ceiling in the winter.



Summer Mode



A pleasant, gentle breeze

In the summer, Westinghouse ceiling fans keep your home pleasantly cool. The ceiling fan runs counterclockwise, and sets the air in motion. The airflow creates a wind chill effect on your skin.

Winter Mode



Increase comfort level

In winter, Westinghouse ceiling fans can be switched to the clockwise direction. As a result, the warm air that collects near the ceiling is distributed evenly throughout the room and eliminates cold spots and drafts. It dramatically increases your comfort level and decreases heating costs.



SAVE ENERGY WITH CEILING FANS

LED technology is efficient, earth-friendly and convenient.



Integrated LED Light

Integrated LED ceiling fans completely eliminate the need to change lamps in hard to reach places, like ceiling fans. On average, LEDs consume 80% less energy when compared to standard incandescent lamps, significantly reducing energy costs and minimizing the carbon footprint.



Retrofit LED Lamps

Long lasting and convenient, Westinghouse LED lamps are the ideal choice for use in ceiling fans. With no harmful materials and low energy consumption, they have a minimal environmental impact. LED lamps illuminate instantly and provide a pleasant, bright light that will last for many years, eliminating the need to frequently change lamps.

Look for these symbols to indicate important energy-saving features:



Integrated LED illumination



Dimmable Integrated LED illumination



Suitable for LED lamps




DC energy-saving motor



Westinghouse

INNOVATION YOU CAN BE SURE OF



CONTEMPORARY CEILING FANS

Featuring a wide range of modern styles, our contemporary collection of ceiling fans captures the essence of today's lifestyle trends with striking designs and sleek finishes.

Alta Vista



A stylish, energy-efficient choice for larger living areas and bedrooms.

72054

122 cm Stainless Steel Finish

Reversible Blades (Graphite/Light Maple)

Includes LED Light Kit with Opal Frosted Glass

SPECIFICATIONS

- Includes Remote Control
- Includes 17 Watt Integrated LED

For a Large Room (up to 15 sqm)

Airflow: 161 Cubic Meters Per Minute

Electricity Use: 52 Watts (excludes lights)

Airflow Efficiency: 3 Cubic Meters Per Minute Per Watt

Techno

Curved blades surround an efficient LED light kit on this sophisticated design.

78270

132 cm Titanium Finish

Titanium Blades

Includes LED Light Kit with Opal Frosted Glass



SPECIFICATIONS

- Includes Remote Control
- Includes 10 Watt Integrated LED



For a Great Room (up to 25 sqm)

Airflow: 165 Cubic Meters Per Minute

Electricity Use: 51 Watts (excludes lights)

Airflow Efficiency: 3 Cubic Meters Per Minute Per Watt

Techno II

Cool large areas and lofts in style with a highly-efficient DC motor and LED light kit.

72039

182 cm Titanium Finish

Titanium ABS Blades

Includes LED Light Kit with Opal Frosted Glass



SPECIFICATIONS

- Includes Remote Control
- Includes 17 Watt Integrated LED



For a Great Room (up to 25 sqm)

Airflow: 258 Cubic Meters Per Minute

Electricity Use: 35 Watts (excludes lights)

Airflow Efficiency: 8 Cubic Meters Per Minute Per Watt

LED LIGHT SOURCE SPECIFICATIONS

Model No.	Total Energy Used (Watts)	Equiv. Incand. Wattage	Light Appearance (Kelvin)	Light Source Lumens	Fixture Lumens	CRI	Avg. Rated Hours	Life in Years*
72054	17	2 x 40	3000 (Warm White)	1200	900	80	25000	22,8
78270	10	2 x 40	3000 (Warm White)	1250	930	80	25000	22,8
72039	17	2 x 40	3000 (Warm White)	1200	900	80	25000	22,8

*Based on 3hrs./day

Bendan

Eye-catching tapered blades make this ceiling fan an ideal centerpiece in any room.

72564

132 cm Dark Pewter Finish

Applewood Blades

Includes Light Kit with Opal Frosted Glass



SPECIFICATIONS

- Includes Remote Control
- Includes: (1) R7s Base Halogen Lamp, 80 Watt

For a Great Room (up to 25 sqm)

Airflow: 159 Cubic Meters Per Minute

Electricity Use: 56 Watts (excludes lights)

Airflow Efficiency: 3 Cubic Meters Per Minute Per Watt



72557

132 cm Satin Chrome Finish

Wengue Blades

Includes Light Kit with Opal Frosted Glass



Bendan

Eye-catching tapered blades make this ceiling fan an ideal centerpiece in any room.

72140

132 cm White Finish

White Blades

Includes Light Kit with Opal Frosted Glass



SPECIFICATIONS

- Includes Remote Control
- Includes: (1) R7s Base Halogen Lamp, 80 Watt

For a Great Room (up to 25 sqm)

Airflow: 159 Cubic Meters Per Minute

Electricity Use: 56 Watts (excludes lights)

Airflow Efficiency: 3 Cubic Meters Per Minute Per Watt

72220

132 cm Satin Chrome Finish

Silver Blades

Includes Light Kit with Opal Frosted Glass



Havanna

Bold blades create a distinctive focal point in any space.

72546

132 cm Brushed Aluminum Finish

Reversible Blades (Silver/Graphite)

Includes Light Kit with Opal Frosted Glass



SPECIFICATIONS

- Includes Remote Control
- Includes: (1) R7s Base Halogen Lamp, 80 Watt

For a Great Room (up to 25 sqm)

Airflow: 175 Cubic Meters Per Minute

Electricity Use: 56 Watts (excludes lights)

Airflow Efficiency: 3 Cubic Meters Per Minute Per Watt



Comet

Cool, classic styling and exceptional performance.

78182

132 cm Titanium Finish

Reversible Blades (Light Maple/White)
Includes Light Kit with Opal Frosted Glass



LED
compatible



SPECIFICATIONS

- Includes Pull Chain - Remote/Wall Control Adaptable
- Use (2) E14 Base Lamps, 40 Watt Maximum (not included)
- Recommended LED Lamp: #37130

For a Great Room (up to 25 sqm)

Airflow: 166 Cubic Meters Per Minute

Electricity Use: 58 Watts (excludes lights)

Airflow Efficiency: 3 Cubic Meters Per Minute Per Watt



78017

132 cm White Finish

Reversible Blades (White/Beech)
Includes Light Kit with Opal Frosted Glass

LED
compatible



Arius

A stunning light kit trimmed in luminous chrome makes this design the center of attention.

72559

132 cm Chrome Finish

Reversible Blades (White/Black)
Includes Light Fixture with Opal Frosted Glass

SPECIFICATIONS

- Includes Remote Control
- Use (5) E14 Base Lamps, 9 Watt Maximum (not included)
- Recommended LED Lamp: #37130

For a Great Room (up to 25 sqm)

Airflow: 152 Cubic Meters Per Minute

Electricity Use: 55 Watts (excludes lights)

Airflow Efficiency: 3 Cubic Meters Per Minute Per Watt



LED
compatible



Hercules

Smooth curves and a bold light kit add a modern touch to any space.

78545

132 cm Brushed Nickel Finish

Reversible Blades (Beech/Weathered Maple)
Includes Light Kit with Opal Frosted Glass

SPECIFICATIONS

- Includes Pull Chain - Remote/Wall Control Adaptable
- Includes: (1) R7s Base Halogen Lamp, 80 Watt

For a Great Room (up to 25 sqm)

Airflow: 157 Cubic Meters Per Minute

Electricity Use: 60 Watts (excludes lights)

Airflow Efficiency: 2 Cubic Meters Per Minute Per Watt



Hercules Supreme

Impressive light kit featuring lustrous brushed nickel bands provides both ample illumination and style.

78014

132 cm Dark Pewter/Chrome Finish

Reversible Blades (Dark Walnut/Applewood)
Includes LED Light Kit with Opal Frosted Glass

SPECIFICATIONS

- Includes Remote Control
- Includes 17 Watt Integrated LED

For a Great Room (up to 25 sqm)

Airflow: 149 Cubic Meters Per Minute

Electricity Use: 62 Watts (excludes lights)

Airflow Efficiency: 2 Cubic Meters Per Minute Per Watt



LED LIGHT SOURCE SPECIFICATIONS

Model No.	Total Energy Used (Watts)	Equiv. Incand. Wattage	Light Appearance (Kelvin)	Light Source Lumens	Fixture Lumens	CRI	Avg. Rated Hours	Life in Years*
78014	17	2 x 40	3000 (Warm White)	1200	900	80	25000	22,8

*Based on 3hrs./day

Alloy

Noteworthy style and premium performance.

72052

132 cm Brushed Nickel Finish

Reversible Blades (Beech/Graphite)
Includes Light Kit with Opal Frosted Glass

New!



LED
compatible

SPECIFICATIONS

- Includes Pull Chain - Remote/Wall Control Adaptable
- Use (2) E27 Base Lamps, 40 Watt Maximum (not included)
- Recommended LED Lamp: #37128

For a Great Room (up to 25 sqm)

Airflow: 174 Cubic Meters Per Minute

Electricity Use: 55 Watts (excludes lights)

Airflow Efficiency: 3 Cubic Meters Per Minute Per Watt



78764

105 cm Gun Metal Finish

Reversible Blades (Black/Graphite)
Includes Light Kit with Opal Frosted Glass



SPECIFICATIONS

- Includes Pull Chain - Remote/Wall Control Adaptable
- Includes: (1) R7s Base Halogen Lamp, 80 Watt

For a Large Room (up to 15 sqm)

Airflow: 135 Cubic Meters Per Minute

Electricity Use: 47 Watts (excludes lights)

Airflow Efficiency: 3 Cubic Meters Per Minute Per Watt



Airplane

Propeller-styled ceiling fan provides a distinctive look in any room.

78174

105 cm Silver Finish

Silver Blades

SPECIFICATIONS

- Includes Pull Chain - Remote/Wall Control Adaptable

For a Large Room (up to 15 sqm)

Airflow: 107 Cubic Meters Per Minute

Electricity Use: 48 Watts

Airflow Efficiency: 2 Cubic Meters Per Minute Per Watt



Jet I

Three-bladed design features an industrial, edgy look.

72289

105 cm Brushed Nickel Finish

Reversible Blades (Wengue/Silver)

SPECIFICATIONS

- Includes Pull Chain - Remote/Wall Control Adaptable

For a Large Room (up to 15 sqm)

Airflow: 137 Cubic Meters Per Minute

Electricity Use: 49 Watts

Airflow Efficiency: 3 Cubic Meters Per Minute Per Watt



Jet II

Industrial design available in classic white finish.

78261

105 cm White Finish

Reversible Blades (White/Light Maple)

SPECIFICATIONS

- Includes Pull Chain - Remote/Wall Control Adaptable

For a Large Room (up to 15 sqm)

Airflow: 137 Cubic Meters Per Minute

Electricity Use: 49 Watts

Airflow Efficiency: 3 Cubic Meters Per Minute Per Watt



Jet Plus

Industrial-inspired style enhanced by ample directional lighting.

72290

105 cm Brushed Nickel Finish

Reversible Blades (Wengue/Silver)

Includes Light Kit with Three Spot Lights

SPECIFICATIONS

- Includes Remote Control
- Use (3) E14 Base Lamps, 40 Watt Maximum (not included)
- Recommended LED Lamp: #37127

For a Large Room (up to 15 sqm)

Airflow: 118 Cubic Meters Per Minute

Electricity Use: 49 Watts (excludes lights)

Airflow Efficiency: 2 Cubic Meters Per Minute Per Watt



Lavada

Add transitional elegance to your space with this sophisticated classic.

78007

122 cm Satin Chrome Finish

Reversible Blades (Golden Maple/Weathered Maple)
Includes Light Kit with Opal Frosted Glass



SPECIFICATIONS

- Includes Remote Control
- Includes: (1) R7s Base Halogen Lamp, 80 Watt

For a Large Room (up to 15 sqm)

Airflow: 131 Cubic Meters Per Minute

Electricity Use: 50 Watts (excludes lights)

Airflow Efficiency: 3 Cubic Meters Per Minute Per Watt

Solana

Form meets function in this cutting-edge design.

72161

122 cm Brushed Nickel Finish

Wengue Blades
Includes Light Kit with Opal Frosted Glass



SPECIFICATIONS

- Includes Remote Control
- Use (2) E14 Base Lamps, 40 Watt Maximum (not included)
- Recommended LED Lamp: #37130

For a Large Room (up to 15 sqm)

Airflow: 129 Cubic Meters Per Minute

Electricity Use: 47 Watts (excludes lights)

Airflow Efficiency: 3 Cubic Meters Per Minute Per Watt



Capitol

Clean lines and a modern angled light kit brighten up any room.

78274

105 cm Brushed Steel Finish

Reversible Blades (Silver/Black)

Includes Light Kit with Opal Frosted Glass

SPECIFICATIONS

- Includes Pull Chain - Remote/Wall Control Adaptable
- Use (1) E27 Base Lamp, 60 Watt Maximum (not included)
- Recommended LED Lamp: #37128

For a Large Room (up to 15 sqm)

Airflow: 112 Cubic Meters Per Minute

Electricity Use: 42 Watts (excludes lights)

Airflow Efficiency: 3 Cubic Meters Per Minute Per Watt



Jasmine

Artfully crafted blades and brackets create an exotic look.

72368

105 cm Dark Pewter/Chrome Finish

Weathered Maple Blades

Includes Light Kit with Mushroom Glass

SPECIFICATIONS

- Includes Remote Control
- Use (1) E27 Base Lamp, 60 Watt Maximum (not included)
- Recommended LED Lamp: #37128

For a Large Room (up to 15 sqm)

Airflow: 122 Cubic Meters Per Minute

Electricity Use: 54 Watts (excludes lights)

Airflow Efficiency: 2 Cubic Meters Per Minute Per Watt



Audubon

Attention to detail takes this fan to the next level.

72119

122 cm Brushed Nickel Finish

Reversible Blades (Weathered Maple/Silver)

Includes Light Kit with Three Spot Lights

SPECIFICATIONS

- Includes Pull Chain - Remote/Wall Control Adaptable
- Use (3) GU10 Base Lamps, 50 Watt Maximum (not included)
- Recommended LED Lamp: #37131

For a Large Room (up to 15 sqm)

Airflow: 138 Cubic Meters Per Minute

Electricity Use: 52 Watts (excludes lights)

Airflow Efficiency: 2 Cubic Meters Per Minute Per Watt



Celestia

Harmonious design and elegant style brings balance to modern spaces.

72530

112 cm Chrome Finish

Wengue Blades

Includes Light Kit with Opal Frosted Glass

SPECIFICATIONS

- Includes Remote Control
- Includes: (2) E27 Base CFL Lamps, 11 Watt

For a Large Room (up to 15 sqm)

Airflow: 117 Cubic Meters Per Minute

Electricity Use: 51 Watts (excludes lights)

Airflow Efficiency: 2 Cubic Meters Per Minute Per Watt



Celestia II

Curved and refined, this modern 3-blade design upgrades living areas and bedrooms alike.

72505

122 cm Brushed Aluminum Finish

Graphite Blades

Includes Light Fixture with Opal Frosted Glass

SPECIFICATIONS

- Includes Remote Control
- Use (2) E27 Base Lamps, 11 Watt Maximum (not included)
- Recommended LED Lamp: #37128

For a Large Room (up to 15 sqm)

Airflow: 139 Cubic Meters Per Minute

Electricity Use: 50 Watts (excludes lights)

Airflow Efficiency: 3 Cubic Meters Per Minute Per Watt



Cumulus

Allover white finish is fresh and bright, bringing a modern look to any room.

72598

122 cm White Finish

Reversible Blades (White/White Washed Pine)

Includes Light Kit with Opal Frosted Glass

SPECIFICATIONS

- Includes Remote Control
- Includes: (1) R7s Base Halogen Lamp, 80 Watt

For a Large Room (up to 15 sqm)

Airflow: 142 Cubic Meters Per Minute

Electricity Use: 46 Watts (excludes lights)

Airflow Efficiency: 3 Cubic Meters Per Minute Per Watt



Flora Royale

Reminiscent of a flower in full bloom, this cheerful design brightens any space.

72424

76 cm White Finish

*Reversible Blades (White/Light Maple)
Includes Light Kit with Opal Frosted Glass*

SPECIFICATIONS

- Includes Pull Chain - Remote/Wall Control Adaptable
- Use (1) E27 Base Lamp, 60 Watt Maximum (not included)
- Recommended LED Lamp: #37128

For a Small Room (up to 10 sqm)

Airflow: 101 Cubic Meters Per Minute

Electricity Use: 39 Watts (excludes lights)

Airflow Efficiency: 3 Cubic Meters Per Minute Per Watt



78788

76 cm Satin Chrome Finish

*Reversible Blades (Silver/White)
Includes Light Kit with Opal Frosted Glass*

SPECIFICATIONS

- Includes Pull Chain - Remote/Wall Control Adaptable
- Use (1) E27 Base Lamp, 60 Watt Maximum (not included)
- Recommended LED Lamp: #37128

For a Small Room (up to 10 sqm)

Airflow: 101 Cubic Meters Per Minute

Electricity Use: 39 Watts (excludes lights)

Airflow Efficiency: 3 Cubic Meters Per Minute Per Watt



Quince

Remarkable air circulation in a compact-sized ceiling fan.

78631

60 cm Chrome Finish

Reversible Blades (Wengue/Beech)
Includes Light Kit with Opal Frosted Glass

SPECIFICATIONS

- Includes Pull Chain - Remote/Wall Control Adaptable
- Use (2) E14 Base Lamps, 40 Watt Maximum (not included)
- Recommended LED Lamp: #37130

For a Small Room (up to 10 sqm)

Airflow: 79 Cubic Meters Per Minute

Electricity Use: 32 Watts (excludes lights)

Airflow Efficiency: 3 Cubic Meters Per Minute Per Watt



72471

60 cm White Finish

Reversible Blades (White/Beech)
Includes Light Kit with Opal Frosted Glass



Wengue

Casual yet bold, this design adds allure to any setting.

78763

76 cm Chrome Finish

Reversible Blades (Wengue/Beech)
Includes Light Kit with Opal Frosted Glass

SPECIFICATIONS

- Includes Pull Chain - Remote/Wall Control Adaptable
- Includes: (1) R7s Base Halogen Lamp, 80 Watt

For a Small Room (up to 10 sqm)

Airflow: 79 Cubic Meters Per Minute

Electricity Use: 40 Watts (excludes lights)

Airflow Efficiency: 2 Cubic Meters Per Minute Per Watt



Turbo Swirl

Compact design supplies powerful air circulation with casual style.

78158

76 cm Titanium Finish

Light Maple Blades

Includes Light Kit with Opal Frosted Glass

SPECIFICATIONS

- Includes Pull Chain - Remote/Wall Control Adaptable
- Use (1) E14 Base Lamp, 60 Watt Maximum (not included)
- Recommended LED Lamp: #37126

For a Small Room (up to 10 sqm)

Airflow: 145 Cubic Meters Per Minute

Electricity Use: 50 Watts (excludes lights)

Airflow Efficiency: 3 Cubic Meters Per Minute Per Watt



Turbo II

Remarkable versatility in one delightfully charming ceiling fan.

78673

76 cm White Finish

Two Sets Reversible Blades

(Colors of Young Generation/Colors of Youth and White/Maple)

Includes Light Kit with Opal Frosted Glass

SPECIFICATIONS

- Includes Pull Chain - Remote/Wall Control Adaptable
- Use (1) E14 Base Lamp, 60 Watt Maximum (not included)
- Recommended LED Lamp: #37126

For a Small Room (up to 10 sqm)

Airflow: 104 Cubic Meters Per Minute

Electricity Use: 50 Watts (excludes lights)

Airflow Efficiency: 3 Cubic Meters Per Minute Per Watt





Westinghouse

INNOVATION YOU CAN BE SURE OF



TRADITIONAL CEILING FANS

Known for their classic and distinctive designs, traditional-styled ceiling fans have endured through the years. Available in a multitude of finishes, we offer attractive options to complement any décor.

Cayuga

This ceiling fan is a masterpiece that looks outstanding as it cools any larger space, from great rooms to large bedrooms.

72077

152 cm Brushed Nickel Finish

Reversible Blades (Rosewood/Light Maple)

Includes Light Kit with Opal Frosted Glass



SPECIFICATIONS

- Includes Remote Control
- Use (2) E27 Base Lamps, 40 Watt Maximum (not included)
- Recommended LED Lamp: #05161

For a Great Room (up to 25 sqm)

Airflow: 247 Cubic Meters Per Minute

Electricity Use: 82 Watts (excludes lights)

Airflow Efficiency: 3 Cubic Meters Per Minute Per Watt

LED
compatible



Colosseum

Add a sophisticated look to any smaller-sized room and save energy with dimmable LED technology.

72417

90 cm Brushed Nickel Finish

Reversible Blades (Weathered Maple/Silver)
Includes LED Light Kit with Opal Frosted Glass



**DIMMABLE
LED**



SPECIFICATIONS

- Includes Remote Control
- Includes 17 Watt Integrated LED

For a Small Room (up to 10 sqm)

Airflow: 96 Cubic Meters Per Minute

Electricity Use: 42 Watts (excludes lights)

Airflow Efficiency: 2 Cubic Meters Per Minute Per Watt

72420

90 cm White Finish

Reversible Blades (White/Light Maple)
Includes LED Light Kit with Opal Frosted Glass



**DIMMABLE
LED**



LED LIGHT SOURCE SPECIFICATIONS

Model No.	Total Energy Used (Watts)	Equiv. Incand. Wattage	Light Appearance (Kelvin)	Light Source Lumens	Fixture Lumens	CRI	Avg. Rated Hours	Life in Years*
72417	17	75	2700 (Warm White)	1200	800	80	25000	22,8
72420	17	75	2700 (Warm White)	1200	800	80	25000	22,8

*Based on 3hrs./day

Contempra Trio

Ideal for smaller rooms, this traditional design provides ample lighting and strong airflow.

72073

90 cm Brushed Nickel Finish

*Reversible Blades (Rosewood/Beech)
Includes Light Kit with Frosted Glass*

SPECIFICATIONS

- Includes Pull Chain - Wall Control Adaptable
- Use (3) E27 Base Lamps, 60 Watt Maximum (not included)
- Recommended LED Lamp: #30202

For a Small Room (up to 10 sqm)

Airflow: 86 Cubic Meters Per Minute

Electricity Use: 37 Watts (excludes lights)

Airflow Efficiency: 2 Cubic Meters Per Minute Per Watt



LED
compatible

Everett

Elegant style richly adorned with warm finishes evokes cozy atmospheres.

72154

132 cm Espresso Finish

*Reversible Blades (Espresso/Applewood)
Includes Light Kit with Scavo Glass*

SPECIFICATIONS

- Includes Pull Chain - Wall Control Adaptable
- Use (2) E27 Base Lamps, 60 Watt Maximum (not included)
- Recommended LED Lamp: #37128

For a Great Room (up to 25 sqm)

Airflow: 163 Cubic Meters Per Minute

Electricity Use: 57 Watts (excludes lights)

Airflow Efficiency: 3 Cubic Meters Per Minute Per Watt



LED
compatible



Portland Ambience

Chrome finish lends a slightly modern touch to this traditional style fan.

78321

90 cm Chrome Finish

Reversible Blades (White/Black)

Includes Light Kit with Mushroom Glass



SPECIFICATIONS

- Includes Pull Chain - Remote/Wall Control Adaptable
- Use (1) E27 Base Lamp, 60 Watt Maximum (not included)
- Recommended LED Lamp: #37128

For a Small Room (up to 10 sqm)

Airflow: 96 Cubic Meters Per Minute

Electricity Use: 35 Watts (excludes lights)

Airflow Efficiency: 3 Cubic Meters Per Minute Per Watt



Portland Ambience EL

The schoolhouse light kit of this traditional design evokes a vintage vibe.

78266

105 cm Dark Pewter Finish

Reversible Blades (Weathered Maple/Silver)

Includes Light Kit with Opal Frosted Glass



SPECIFICATIONS

- Includes Pull Chain - Remote/Wall Control Adaptable
- Use (1) E27 Base Lamp, 60 Watt Maximum (not included)
- Recommended LED Lamp: #37128

For a Large Room (up to 15 sqm)

Airflow: 95 Cubic Meters Per Minute

Electricity Use: 44 Watts (excludes lights)

Airflow Efficiency: 2 Cubic Meters Per Minute Per Watt



Vegas

It's a sure bet - this classic design is a winner, blending beautifully in any living space.

72272

105 cm Brushed Aluminum Finish

Reversible Blades (Light Maple/Silver)

Includes Light Kit with Opal Frosted Glass



LED
compatible



SPECIFICATIONS

- Includes Pull Chain - Remote/Wall Control Adaptable
- Use (1) E27 Base Lamp, 60 Watt Maximum (not included)
- Recommended LED Lamp: #37128

For a Large Room (up to 15 sqm)

Airflow: 108 Cubic Meters Per Minute

Electricity Use: 39 Watts (excludes lights)

Airflow Efficiency: 3 Cubic Meters Per Minute Per Watt



LED
compatible

72185

105 cm White Finish

Reversible Blades (White/White Washed Pine)

Includes Light Kit with Opal Frosted Glass



Princess Trio

Bring cool comfort and warm illumination to living rooms, kitchens or bedrooms.

78199

105 cm Polished Brass Finish

Reversible Blades (Oak with Cane/Mahogany)
Includes Light Kit with Frosted Glass



LED
compatible

SPECIFICATIONS

- Includes Pull Chain - Remote/Wall Control Adaptable
- Use (3) E14 Base Lamps, 60 Watt Maximum (not included)
- Recommended LED Lamp: #37129

For a Large Room (up to 15 sqm)

Airflow: 94 Cubic Meters Per Minute

Electricity Use: 45 Watts (excludes lights)

Airflow Efficiency: 2 Cubic Meters Per Minute Per Watt



LED
compatible

78324

105 cm White and Polished Brass Finish

Reversible Blades (White with Cane/White)
Includes Light Kit with Frosted Glass



78265

105 cm Ancient Brass Finish

Reversible Blades (Oak/Mahogany)
Includes Light Kit with Clear Glass



LED
compatible



Princess Radiance II

Sleek, two-tone finish and charming downlight add cool style in any space.

72415

90 cm Dark Pewter/Chrome Finish

Reversible Blades (Wengue/White)

Includes Light Kit with Opal Frosted Dome Glass

SPECIFICATIONS

- Includes Pull Chain - Remote/Wall Control Adaptable
- Use (1) E27 Base Lamp, 60 Watt Maximum (not included)
- Recommended LED Lamp: #30202

For a Small Room (up to 10 sqm)

Airflow: 104 Cubic Meters Per Minute

Electricity Use: 53 Watts (excludes lights)

Airflow Efficiency: 3 Cubic Meters Per Minute Per Watt



LED compatible



Princess Euro

Classic details add style while adjustable spotlights bring function to this timeless design.

72113

105 cm White Finish

Reversible Blades (White/Beech)

Includes Light Kit with Three Spot Lights

SPECIFICATIONS

- Includes Pull Chain - Remote/Wall Control Adaptable
- Use (3) GU10 Base Lamps, 50 Watt Maximum (not included)
- Recommended LED Lamp: #37131

For a Large Room (up to 15 sqm)

Airflow: 122 Cubic Meters Per Minute

Electricity Use: 43 Watts (excludes lights)

Airflow Efficiency: 3 Cubic Meters Per Minute Per Watt



LED compatible



LED compatible

72112

105 cm Dark Pewter/Chrome Finish

Reversible Blades (Silver/Graphite)

Includes Light Kit with Three Spot Lights



Kingston

Bring any space to life with this attractive, versatile design.

72114

105 cm Brushed Aluminum Finish

Reversible Blades (Weathered Maple/Silver)
Includes Light Kit with Three Spot Lights



New!

SPECIFICATIONS

- Includes Pull Chain - Remote/Wall Control Adaptable
- Use (3) GU10 Base Lamps, 50 Watt Maximum (not included)
- Recommended LED Lamp: #37131

For a Large Room (up to 15 sqm)

Airflow: 125 Cubic Meters Per Minute

Electricity Use: 45 Watts (excludes lights)

Airflow Efficiency: 3 Cubic Meters Per Minute Per Watt

LED
compatible



Pearl

The name says it all: opulent, classic and bright.

72118

105 cm Stainless Steel Finish

Reversible Blades (Light Maple/White)
Includes Light Kit with Three Spot Lights



New!

SPECIFICATIONS

- Includes Pull Chain - Remote/Wall Control Adaptable
- Use (3) GU10 Base Lamps, 50 Watt Maximum (not included)
- Recommended LED Lamp: #37131

For a Large Room (up to 15 sqm)

Airflow: 106 Cubic Meters Per Minute

Electricity Use: 45 Watts (excludes lights)

Airflow Efficiency: 3 Cubic Meters Per Minute Per Watt

LED
compatible



Nevada

Dusky iron finish is a welcome alternative to more common finishes, adding a hint of rustic appeal.

78264
105 cm Iron Finish
Reversible Blades (Walnut/Cherry)

SPECIFICATIONS

- Includes Pull Chain - Remote/Wall Control Adaptable

For a Large Room (up to 15 sqm)

Airflow: 129 Cubic Meters Per Minute
Electricity Use: 43 Watts
Airflow Efficiency: 3 Cubic Meters Per Minute Per Watt



Monarch

This classic design brings cooling comfort to any space.

78268
122 cm Titanium Finish
Reversible Blades (Titanium/Maple)

SPECIFICATIONS

- Includes Pull Chain - Remote/Wall Control Adaptable

For a Large Room (up to 15 sqm)

Airflow: 173 Cubic Meters Per Minute
Electricity Use: 58 Watts
Airflow Efficiency: 3 Cubic Meters Per Minute Per Watt



78269
122 cm White Finish
Reversible Blades (White/White with Cane)



Helix Fusion

Distinguishing details in a glamorous chrome finish with your choice of black and white accessories.

78753

132 cm Chrome Finish

*Reversible Blades (White/Black)
Includes Light Kit with two sets of Glass:
Opal Frosted Glass and
Glossy Black Glass*



SPECIFICATIONS

- Includes Pull Chain - Remote/Wall Control Adaptable
- Includes (4) G9 Base, 33 Watt Lamps

For a Great Room (up to 25 sqm)

Airflow: 144 Cubic Meters/ Per Minute

Electricity Use: 58 Watts (excludes lights)

Airflow Efficiency: 3 Cubic Meters Per Minute Per Watt



Comet Tiffany

Luxurious Tiffany glass brings elegance and timeless appeal.

72485

132 cm Espresso Finish

*Reversible Blades (Wengue/Dark Cherry)
Includes Light Kit with Tiffany Glass*



SPECIFICATIONS

- Includes Pull Chain - Remote/Wall Control Adaptable
- Use (3) E14 Base Lamps, 60 Watt Maximum (not included)
- Recommended LED Lamp: #37130

For a Great Room (up to 25 sqm)

Airflow: 166 Cubic Meters Per Minute

Electricity Use: 58 Watts (excludes lights)

Airflow Efficiency: 3 Cubic Meters Per Minute Per Watt



Cyclone

Optional silver stripes are an eye-catching upgrade to this traditional style.

78370

132 cm Brushed Steel Finish

Reversible Blades (Black/Black with Silver Stripes)

SPECIFICATIONS

- Includes Pull Chain - Remote/Wall Control Adaptable

For a Great Room (up to 25 sqm)

Airflow: 152 Cubic Meters Per Minute

Electricity Use: 62 Watts

Airflow Efficiency: 2 Cubic Meters Per Minute Per Watt



Monarch Trio

Regally embellished, this classic design gracefully illuminates living spaces.

78171

132 cm Polished Brass Finish

Reversible Blades (Oak with Cane/Mahogany)

Includes Light Kit with Frosted Glass

SPECIFICATIONS

- Includes Pull Chain - Remote/Wall Control Adaptable
- Use (3) E14 Base Lamps, 60 Watt Maximum (not included)
- Recommended LED Lamp: #37129

For a Great Room (up to 25 sqm)

Airflow: 163 Cubic Meters Per Minute

Electricity Use: 59 Watts (excludes lights)

Airflow Efficiency: 3 Cubic Meters Per Minute Per Watt





Westinghouse

INNOVATION YOU CAN BE SURE OF



OUTDOOR CEILING FANS

Transform any outdoor living space into a relaxed, tranquil retreat with a Westinghouse outdoor ceiling fan. Enjoy al fresco dining in comfort and style on your patio, verandah or gazebo. Outdoor ceiling fans like the Mountain Gale are made to withstand the environment and boast an IP44 rating.



Mountain Gale

Powerful and rugged enough to withstand nature's elements.



72422
132 cm Silver Finish
Black ABS Blades



SPECIFICATIONS

- Includes Pull Chain - Wall Control Adaptable

For a Great Room (up to 25 sqm)

Airflow: 160 Cubic Meters Per Minute

Electricity Use: 55 Watts

Airflow Efficiency: 3 Cubic Meters Per Minute Per Watt



72423
132 cm White Finish
White ABS Blades




OUTDOOR COMFORT & STYLE





Westinghouse

INNOVATION YOU CAN BE SURE OF



INDUSTRIAL CEILING FANS

Commercial environments require durable, reliable ceiling fans. Westinghouse industrial ceiling fans provide the uncompromising quality you expect from an international brand.

CAUTION! All Westinghouse Industrial ceiling fans must be installed with blades at least 3,05 meters from the floor.

Urban Gale

Evoke a fresh, contemporary look with industrial edge.

72020
132 cm Brushed Nickel Finish
Black ABS Blades



SPECIFICATIONS

- Includes Wall Control

For a Great Room (up to 25 sqm)

Airflow: 204 Cubic Meters Per Minute

Electricity Use: 56 Watts

Airflow Efficiency: 3 Cubic Meters Per Minute Per Watt

72021
132 cm White Finish
White ABS Blades



CAUTION! All Westinghouse Industrial ceiling fans must be installed with blades at least 3,05 meters from the floor.



Industrial

Resilient and dependable, these designs are ideal for industrial and commercial environments.

78623
142 cm Espresso Finish
Espresso Steel Blades



SPECIFICATIONS

- Includes Wall Control

For a Great Room (up to 25 sqm)

Airflow: 199 Cubic Meters Per Minute

Electricity Use: 50 Watts

Airflow Efficiency: 4 Cubic Meters Per Minute Per Watt

72501
142 cm Silver Finish
Silver Steel Blades



72268
142 cm White Finish
White Steel Blades

SPECIFICATIONS

- Includes Wall Control

For a Great Room (up to 25 sqm)

Airflow: 199 Cubic Meters Per Minute

Electricity Use: 63 Watts

Airflow Efficiency: 3 Cubic Meters Per Minute Per Watt



CAUTION! All Westinghouse Industrial ceiling fans must be installed with blades at least 3,05 meters from the floor.

Industrial

Resilient and dependable, these designs are ideal for industrial and commercial environments.

78263
122 cm Chrome Finish
Chrome Steel Blades



SPECIFICATIONS

- Includes Pull Chain - Remote/Wall Control Adaptable

For a Large Room (up to 15 sqm)

Airflow: 158 Cubic Meters Per Minute

Electricity Use: 47 Watts

Airflow Efficiency: 3 Cubic Meters Per Minute Per Watt

78337
122 cm White Finish
White Steel Blades




CAUTION! All Westinghouse Industrial ceiling fans must be installed with blades at least 3,05 meters from the floor.



CEILING FAN SPECIFICATIONS

Item No.	Page No.	Family	Fan Size (cm)	Included Fan Control	Remote Control Adaptable	Blade Material	Blade Pitch	Motor Type & Size	Fan Speed	Capacitor Type
72020	39	Urban Gale	132	Wall Control	Yes	ABS	15°	Silicon Steel Motor 172mm x 12mm	4	Dual
72021	39	Urban Gale	132	Wall Control	Yes	ABS	15°	Silicon Steel Motor 172mm x 12mm	4	Dual
72039	11	Techno II	182	Remote Control	Yes	ABS	12°	165 DC Motor	6	N/A
72052	16	Alloy	132	Pull Chain	Yes	Plywood	13°	Cold Rolled Steel Motor 153mm x 17mm	3	Dual
72054	10	Alta Vista	122	Remote Control	Yes	Plywood	12°	Cold Rolled Steel Motor 153mm x 15mm	3	Dual
72073	27	Contempra Trio	90	Pull Chain	No	MDF	12°	Cold Rolled Steel Motor 145mm x 12mm	3	Dual
72077	25	Cayuga	152	Remote Control	No	Plywood	11°	Silicon Steel Motor 188mm x 20mm	3	Dual
72112	31	Princess Euro	105	Pull Chain	Yes	MDF	11°	Cold Rolled Steel Motor 153mm x 10mm	3	Dual
72113	31	Princess Euro	105	Pull Chain	Yes	MDF	11°	Cold Rolled Steel Motor 153mm x 10mm	3	Dual
72114	32	Kingston	105	Pull Chain	Yes	MDF	12°	Cold Rolled Steel Motor 153mm x 12mm	3	Dual
72118	32	Pearl	105	Pull Chain	Yes	MDF	12°	Cold Rolled Steel Motor 153mm x 12mm	3	Dual
72119	19	Audubon	122	Pull Chain	Yes	MDF	11°	Cold Rolled Steel Motor 153mm x 15mm	3	Single
72140	13	Bendan	132	Remote Control	Yes	Plywood	12°	Silicon Steel Motor 153mm x 15mm	3	Dual
72154	27	Everett	132	Pull Chain	No	MDF	12°	Silicon Steel Motor 153mm x 15mm	3	Dual
72161	18	Solana	122	Remote Control	Yes	Plywood	12°	Silicon Steel Motor 153mm x 17mm	3	Single
72185	29	Vegas	105	Pull Chain	Yes	MDF	10°	Silicon Steel Motor 153mm x 9mm	3	Dual
72220	13	Bendan	132	Remote Control	Yes	Plywood	12°	Silicon Steel Motor 153mm x 15mm	3	Dual
72268	40	Industrial	142	Wall Control	No	Steel	8°	Silicon Steel Motor 172mm x 12mm	4	Dual
72272	29	Vegas	105	Pull Chain	Yes	MDF	10°	Silicon Steel Motor 153mm x 9mm	3	Dual
72289	17	Jet I	105	Pull Chain	Yes	MDF	14°	Silicon Steel Motor 153mm x 12mm	3	Dual
72290	17	Jet Plus	105	Remote Control	Yes	MDF	14°	Cold Rolled Steel Motor 153mm x 12mm	3	Dual
72368	19	Jasmine	105	Remote Control	Yes	MDF	12°	Cold Rolled Steel Motor 153mm x 12mm	3	Single
72415	31	Princess Radiance II	90	Pull Chain	Yes	MDF	18°	Cold Rolled Steel Motor 153mm x 12mm	3	Dual
72417	26	Colosseum	90	Remote Control	Yes	MDF	12°	Silicon Steel Motor 153mm x 10mm	3	Dual
72420	26	Colosseum	90	Remote Control	Yes	MDF	12°	Silicon Steel Motor 153mm x 10mm	3	Dual
72422	37	Mountain Gale	132	Pull Chain	No	ABS	15°	Silicon Steel Motor 172mm x 12mm	3	Dual
72423	37	Mountain Gale	132	Pull Chain	No	ABS	15°	Silicon Steel Motor 172mm x 12mm	3	Dual
72424	21	Flora Royale	76	Pull Chain	Yes	MDF	18°	Silicon Steel Motor 153mm x 12mm	3	Dual
72471	22	Quince	60	Pull Chain	Yes	MDF	18°	Silicon Steel Motor 153mm x 10mm	3	Dual
72485	34	Comet Tiffany	132	Pull Chain	Yes	MDF	12°	Cold Rolled Steel Motor 153mm x 15mm	3	Dual
72501	40	Industrial	142	Wall Control	No	Steel	8°	Cold Rolled Steel Motor 153mm x 12mm	4	Dual
72505	20	Celestia II	122	Remote Control	Yes	Plywood	12°	Cold Rolled Steel Motor 153mm x 15mm	3	Single
72530	20	Celestia	112	Remote Control	Yes	MDF	12°	Cold Rolled Steel Motor 153mm x 12mm	3	Single

- A. Ceiling to bottom of blade
- B. Ceiling to bottom of switch housing
- C. Ceiling to bottom of canopy
- D. Width of motor housing
- E. Width of canopy
- F. Ceiling to bottom of light kit



Item No.	Page No.	Wattage (High/Medium/Low)	RPM (High/Medium/Low)	Amp (High/Medium/Low)	Mount Type	Slope Angle	Can extension rods be used?	Net Weight	A	B	C	D	E	F
72020	39	56 / 37 / 10	220 / 172 / 81	0,25 / 0,2 / 0,1	Down Rod Only**	18°	No	5	47,5	40	6,2	19,9	13	N/A
72021	39	56 / 37 / 10	220 / 172 / 81	0,25 / 0,2 / 0,1	Down Rod Only**	18°	No	5,8	47,5	40	6,2	19,9	13	N/A
72039	11	35 / 15 / 3	141 / 107 / 48	0,26 / 0,13 / 0,4	Down Rod Only**	N/A	Yes	7,9	28	29,7	6,5	27	13	34
72052	16	55 / 39 / 35	180 / 119 / 87	0,25 / 0,17 / 0,17	Down Rod Only**	18°	Yes	6,7	23	N/A	6,2	18	13	33,5
72054	10	52 / 31 / 15	195 / 146 / 88	0,24 / 0,19 / 0,14	Down Rod Only**	N/A	Yes	6	28	N/A	6,2	20	13	35
72073	27	37 / 29 / 26	236 / 174 / 125	0,18 / 0,13 / 0,13	Hugger*	N/A	No	5,6	16,5	19	N/A	26,2	N/A	34
72077	24	82 / 51 / 25	164 / 124 / 80	0,37 / 0,31 / 0,22	Down Rod Only**	N/A	Yes	10	35	29,7	6,5	27	13	43
72112	31	43 / 30 / 28	220 / 160 / 116	0,2 / 0,14 / 0,13	Dual Mount System***	18°	Yes	4,7	26	30	6,2	17	13	40
72113	31	43 / 32 / 29	210 / 160 / 128	0,19 / 0,14 / 0,13	Dual Mount System***	18°	Yes	4,7	26,7	33	6,2	17	13	39,5
72114	32	45 / 30 / 24	230 / 168 / 110	0,21 / 0,12 / 0,11	Dual Mount System***	18°	Yes	5,7	30	34,5	6,2	24	13	47
72118	32	45 / 28 / 23	235 / 170 / 120	0,22 / 0,12 / 0,1	Dual Mount System***	18°	Yes	4,7	28	30	6,2	19	13	38
72119	19	52 / 35 / 25	240 / 165 / 115	0,26 / 0,18 / 0,12	Dual Mount System***	18°	Yes	6,2	29	30	6	22	13	39
72140	13	56 / 31 / 14	175 / 132 / 83	0,2 / 0,14 / 0,27	Down Rod Only**	18°	Yes	7,6	29	N/A	6,2	26	13	36
72154	27	57 / 43 / 36	180 / 143 / 85	0,22 / 0,2 / 0,18	Hugger*	N/A	No	7,2	18,2	19	N/A	28	N/A	32
72161	18	47 / 32 / 14	225 / 181 / 105	0,29 / 0,27 / 0,24	Down Rod Only**	18°	No	6,8	30	28	5	19	16	36
72185	29	39 / 28 / 25	218 / 169 / 120	0,18 / 0,13 / 0,12	Dual Mount System***	18°	Yes	4,5	28,5	32,5	6,2	17	13	44,2
72220	13	56 / 31 / 14	175 / 131 / 83	0,24 / 0,2 / 0,14	Down Rod Only**	N/A	Yes	7,6	29	N/A	6,2	26	13	36
72268	40	63 / 40 / 10	250 / 210 / 150	0,23 / 0,22 / 0,17	Down Rod Only**	18°	Yes	5,7	42,2	39,4	6,2	19,8	13	N/A
72272	29	39 / 28 / 25	218 / 169 / 120	0,18 / 0,13 / 0,12	Dual Mount System***	18°	Yes	4,4	28,5	32,5	6,2	17	13	44,2
72289	17	49 / 36 / 32	218 / 170 / 110	0,21 / 0,16 / 0,15	Down Rod Only**	18°	Yes	4,3	22,5	29	6,2	17	13	N/A
72290	17	49 / 29 / 14	220 / 163 / 101	0,22 / 0,19 / 0,14	Down Rod Only**	N/A	Yes	5,2	22,5	29	6	17	13	37
72368	19	54 / 22 / 10	240 / 180 / 120	0,24 / 0,26 / 0,22	Down Rod Only**	N/A	Yes	6,1	30	31	6	22	13	42
72415	31	53 / 32 / 25	271 / 208 / 152	0,19 / 0,14 / 0,11	Dual Mount System***	18°	Yes	4,8	27	33	6,2	17	13	42
72417	26	42 / 28 / 15	263 / 213 / 146	0,19 / 0,16 / 0,13	Dual Mount System***	N/A	Yes	5,2	25,5	30	6,2	18,8	13	37,5
72420	26	42 / 28 / 16	259 / 215 / 147	0,19 / 0,17 / 0,13	Dual Mount System*	N/A	Yes	5,2	25,5	30	6,2	18,8	13	37,5
72422	37	55 / 47 / 45	230 / 160 / 130	0,24 / 0,23 / 0,22	Down Rod Only**	18°	No	5,3	41,5	51,5	6,2	19,9	13	N/A
72423	37	55 / 47 / 45	230 / 160 / 130	0,24 / 0,23 / 0,22	Down Rod Only**	18°	No	5,3	41,5	51,5	6,2	19,9	13	N/A
72424	21	37 / 26 / 24	243 / 180 / 126	0,18 / 0,13 / 0,1	Dual Mount System***	18°	Yes	5,6	24,2	29,5	6,2	17,2	13	37,5
72471	22	32 / 29 / 28	302 / 230 / 160	0,15 / 0,13 / 0,14	Down Rod Only**	18°	Yes	5,3	22	27,5	6,2	17,2	13	33
72485	34	58 / 42 / 33	165 / 125 / 74	0,27 / 0,18 / 0,17	Dual Mount System***	18°	Yes	7,4	31	27	6	29	15	38
72501	40	50 / 36 / 11	240 / 208 / 110	0,26 / 0,19 / 0,11	Down Rod Only**	18°	Yes	5,7	44	39,4	6,2	19,8	13	49
72505	20	50 / 25 / 12	231 / 149 / 90	0,39 / 0,36 / 0,3	Hugger*	N/A	No	6,7	24	28	12	25	15	35
72530	20	51 / 33 / 19	225 / 150 / 65	0,23 / 0,15 / 0,1	Hugger*	N/A	No	6,5	24	28	12	25	15	35

HUGGER*

This ceiling fan is designed to be mounted flush against the ceiling. It cannot be installed with an extension down rod or remote control.

DOWN ROD ONLY**

This ceiling fan must be installed with the included down rod during installation. It can also be installed with an extension down rod.


DUAL MOUNT SYSTEM***

The ceiling fan can be installed with or without the included down rod. In rooms with low ceilings, installing the fan without the down rod will increase the distance between the floor and the fan blades. It can also be installed with an extension down rod in rooms with high ceilings.

CEILING FAN SPECIFICATIONS (CONTINUED)

Item No.	Page No.	Family	Fan Size (cm)	Included Fan Control	Remote Control Adaptable	Blade Material	Blade Pitch	Motor Type & Size	Fan Speed	Capacitor Type
72546	13	Havana	132	Remote Control	Yes	MDF	10°	Cold Rolled Steel Motor 153mm x 15mm	3	Dual
72557	12	Bendan	132	Remote Control	Yes	Plywood	12°	Silicon Steel Motor 153mm x 15mm	3	Dual
72559	14	Arius	132	Remote Control	Yes	MDF	12°	Cold Rolled Steel Motor 153mm x 15mm	3	Single
72564	12	Bendan	132	Remote Control	Yes	Plywood	12°	Silicon Steel Motor 153mm x 15mm	3	Dual
72598	20	Cumulus	122	Remote Control	Yes	MDF	12°	Silicon Steel Motor 153mm x 15mm	3	Single
78007	18	Lavada	122	Remote Control	Yes	Plywood	12°	Silicon Steel Motor 153mm x 15mm	3	Single
78014	15	Hercules Supreme	132	Remote Control	Yes	Plywood	11°	Cold Rolled Steel Motor 153mm x 15mm	3	Single
78017	14	Comet	132	Pull Chain	Yes	Plywood	11°	Silicon Steel Motor 153mm x 15mm	3	Dual
78158	23	Turbo Swirl	76	Pull Chain	Yes	MDF	18°	Cold Rolled Steel Motor 153mm x 12mm	3	Dual
78171	35	Monarch Trio	132	Pull Chain	Yes	MDF	11°	Cold Rolled Steel Motor 153mm x 15mm	3	Dual
78174	16	Airplane	105	Pull Chain	Yes	MDF	11°	Cold Rolled Steel Motor 153mm x 12mm	3	Single
78182	14	Comet	132	Pull Chain	Yes	Plywood	11°	Silicon Steel Motor 153mm x 15mm	3	Dual
78199	30	Princess Trio	105	Pull Chain	Yes	MDF	11°	Cold Rolled Steel Motor 153mm x 12mm	3	Dual
78261	17	Jet II	105	Pull Chain	Yes	MDF	14°	Silicon Steel Motor 153mm x 12mm	3	Dual
78263	41	Industrial	122	Pull Chain	Yes	Steel	11°	Cold Rolled Steel Motor 172mm x 10mm	3	Dual
78264	33	Nevada	105	Pull Chain	Yes	MDF	12°	Cold Rolled Steel Motor 153mm x 12mm	3	Dual
78265	30	Princess Trio	105	Pull Chain	Yes	MDF	12°	Cold Rolled Steel Motor 153mm x 12mm	3	Single
78266	28	Portland Ambiance	105	Pull Chain	Yes	MDF	12°	Cold Rolled Steel Motor 145mm x 12mm	3	Dual
78268	33	Monarch	122	Pull Chain	Yes	MDF	11°	Cold Rolled Steel Motor 153mm x 15mm	3	Single
78269	33	Monarch	122	Pull Chain	Yes	MDF	11°	Cold Rolled Steel Motor 153mm x 15mm	3	Single
78270	11	Techno	132	Remote Control	Yes	ABS	13°	Silicon Steel Motor 153mm x 17mm	3	Single
78274	19	Capitol	105	Pull Chain	Yes	MDF	11°	Cold Rolled Steel Motor 153mm x 9mm	3	Dual
78321	28	Portland Ambiance	90	Pull Chain	Yes	MDF	11°	Cold Rolled Steel Motor 153mm x 10mm	3	Dual
78324	30	Princess Trio	105	Pull Chain	Yes	MDF	12°	Cold Rolled Steel Motor 153mm x 12mm	3	Dual
78337	41	Industrial	122	Pull Chain	Yes	Steel	11°	Cold Rolled Steel Motor 172mm x 10mm	3	Dual
78370	35	Cyclone	132	Pull Chain	Yes	MDF	12°	Cold Rolled Steel Motor 153mm x 15mm	3	Dual
78545	15	Hercules	132	Pull Chain	Yes	Plywood	12°	Cold Rolled Steel Motor 153mm x 15mm	3	Single
78623	40	Industrial	142	Wall Control	Yes	Steel	8°	Cold Rolled Steel Motor 153mm x 12mm	4	Dual
78631	22	Quince	60	Pull Chain	Yes	MDF	18°	Silicon Steel Motor 153mm x 10mm	3	Dual
78673	23	Turbo II	76	Pull Chain	Yes	MDF	18°	Cold Rolled Steel Motor 153mm x 12mm	3	Dual
78753	34	Helix Fusion	132	Pull Chain	Yes	MDF	12°	Cold Rolled Steel Motor 153mm x 15mm	3	Single
78763	22	Wengue	76	Pull Chain	Yes	MDF	18°	Cold Rolled Steel Motor 153mm x 10mm	3	Dual
78764	16	Alloy	105	Pull Chain	Yes	MDF	14°	Cold Rolled Steel Motor 153mm x 12mm	3	Dual
78788	21	Flora Royale	76	Pull Chain	Yes	MDF	18°	Cold Rolled Steel Motor 153mm x 12mm	3	Dual

- A. Ceiling to bottom of blade
- B. Ceiling to bottom of switch housing
- C. Ceiling to bottom of canopy
- D. Width of motor housing
- E. Width of canopy
- F. Ceiling to bottom of light kit



Item No.	Page No.	Wattage (High/Medium/Low)	RPM (High/Medium/Low)	Amp (High/Medium/Low)	Mount Type	Slope Angle	Can extension rods be used?	Net Weight	A	B	C	D	E	F
72546	13	56 / 30 / 14	180 / 130 / 85	0,28 / 0,25 / 0,2	Down Rod Only**	N/A	Yes	7,8	27	N/A	6	25	13	36
72557	12	56 / 31 / 14	175 / 131 / 83	0,27 / 0,2 / 0,14	Down Rod Only**	N/A	Yes	7,6	29	N/A	6,2	26	13	36
72559	14	55 / 27 / 8	170 / 120 / 60	0,24 / 0,18 / 0,1	Dual Mount System***	18°	No	9,4	27	33	6	28	13	42
72564	12	56 / 31 / 14	175 / 131 / 83	0,24 / 0,2 / 0,14	Down Rod Only**	N/A	Yes	7,6	29	N/A	6,2	26	13	36
72598	20	46 / 28 / 14	185 / 140 / 90	0,26 / 0,23 / 0,21	Down Rod Only**	N/A	No	7,3	43	49	7	23	13	54
78007	18	50 / 30 / 15	210 / 150 / 100	0,24 / 0,20 / 0,20	Down Rod Only**	N/A	Yes	6,5	21	30	52,3	20	15,6	33,2
78014	15	62 / 25 / 12	170 / 104 / 65	0,27 / 0,18 / 0,13	Dual Mount System***	N/A	Yes	7,9	33,4	35	6	26,6	13	43,1
78017	14	58 / 40 / 33	170 / 130 / 80	0,27 / 0,18 / 0,17	Dual Mount System***	18°	Yes	7,7	29	N/A	6,2	29	13	37
78158	23	50 / 37 / 26	250 / 190 / 140	0,24 / 0,17 / 0,12	Dual Mount System***	18°	Yes	5,3	26	29	6,2	17	13	38
78171	35	59 / 46 / 40	175 / 130 / 80	0,25 / 0,21 / 0,21	Dual Mount System***	18°	Yes	6,5	29	38	6,2	28	13	43
78174	16	48 / 34 / 24	250 / 200 / 150	0,21 / 0,15 / 0,11	Dual Mount System***	18°	Yes	5,1	25	38	6	25	13	40
78182	14	58 / 40 / 33	170 / 130 / 80	0,27 / 0,18 / 0,17	Dual Mount System***	18°	Yes	7,7	29	N/A	6,2	29	13	37
78199	30	45 / 32 / 23	210 / 145 / 100	0,2 / 0,13 / 0,13	Dual Mount System***	18°	Yes	4,7	29	31	6,2	17	13	43
78261	17	49 / 36 / 32	218 / 170 / 121	0,28 / 0,16 / 0,16	Down Rod Only**	18°	Yes	4,3	22,5	29	6,2	17	13	N/A
78263	41	47 / 41 / 40	268 / 218 / 162	0,22 / 0,21 / 0,19	Down Rod Only**	18°	Yes	5,5	24	36	6,2	20	13	N/A
78264	33	43 / 29 / 25	215 / 165 / 115	0,21 / 0,13 / 0,12	Dual Mount System***	18°	Yes	5,1	30	34,5	6,2	24	13	N/A
78265	30	55 / 36 / 23	230 / 170 / 110	0,24 / 0,16 / 0,11	Dual Mount System***	18°	Yes	5,5	27,5	32	6	17	13	43
78266	28	44 / 36 / 30	215 / 160 / 100	0,21 / 0,18 / 0,17	Down Rod Only**	18°	Yes	4	20	30	6	17	13	43
78268	33	58 / 38 / 26	175 / 125 / 75	0,26 / 0,17 / 0,12	Dual Mount System***	18°	Yes	6,4	27,5	34	6	28	13	N/A
78269	33	58 / 38 / 26	175 / 125 / 75	0,26 / 0,17 / 0,12	Dual Mount System***	18°	Yes	6,4	27,5	34	6	28	13	N/A
78270	11	51 / 26 / 11	220 / 170 / 90	0,21 / 0,15 / 0,1	Down Rod Only**	N/A	Yes	6,5	23,6	28	5	21	15,5	32
78274	19	42 / 30 / 27	210 / 155 / 115	0,19 / 0,13 / 0,13	Dual Mount System***	18°	Yes	4,5	29	32,5	6,2	17	13	44
78321	28	35 / 28 / 26	250 / 190 / 147	0,17 / 0,12 / 0,12	Down Rod Only**	18°	Yes	3,9	21	30	6	15	13	42
78324	30	41 / 31 / 28	216 / 160 / 110	0,2 / 0,13 / 0,13	Dual Mount System***	18°	Yes	4,7	29	32	6,2	17	13	43
78337	41	47 / 41 / 40	268 / 218 / 162	0,22 / 0,21 / 0,19	Down Rod Only**	18°	Yes	5,5	24	37	6,2	20	13	N/A
78370	35	62 / 42 / 27	180 / 130 / 80	0,27 / 0,18 / 0,12	Dual Mount System***	18°	Yes	6,3	33	32	6,2	28	13	N/A
78545	15	60 / 41 / 28	170 / 125 / 75	0,26 / 0,18 / 0,12	Dual Mount System***	18°	Yes	7,9	34	36	6	27	13	41
78623	40	50 / 36 / 11	210 / 208 / 110	0,24 / 0,19 / 0,11	Down Rod Only**	18°	Yes	5,7	44	39,4	6,2	19,8	13	N/A
78631	22	32 / 29 / 28	302 / 230 / 160	0,15 / 0,13 / 0,14	Down Rod Only**	18°	Yes	5,2	23	27,5	6,2	17,2	13	31
78673	23	50 / 37 / 26	250 / 190 / 130	0,19 / 0,12 / 0,11	Dual Mount System***	18°	Yes	6,3	26	28	6,2	17	13	38
78753	34	58 / 40 / 26	175 / 125 / 80	0,25 / 0,18 / 0,12	Dual Mount System***	18°	Yes	8,2	26	30	6	27	13	44
78763	22	40 / 34 / 32	280 / 230 / 185	0,18 / 0,16 / 0,15	Down Rod Only**	18°	Yes	4,7	23	26	6,2	17	13	31
78764	16	47 / 34 / 30	218 / 158 / 110	0,21 / 0,15 / 0,14	Down Rod Only**	18°	Yes	5,5	18	28	6,2	17	13	30
78788	21	54 / 38 / 27	240 / 180 / 120	0,23 / 0,17 / 0,12	Dual Mount System***	18°	Yes	5,5	25	N/A	6,2	17	13	38

HUGGER*

This ceiling fan is designed to be mounted flush against the ceiling. It cannot be installed with an extension down rod or remote control.

DOWN ROD ONLY**

This ceiling fan must be installed with the included down rod during installation. It can also be installed with an extension down rod.


DUAL MOUNT SYSTEM***

The ceiling fan can be installed with or without the included down rod. In rooms with low ceilings, installing the fan without the down rod will increase the distance between the floor and the fan blades. It can also be installed with an extension down rod in rooms with high ceilings.



Westinghouse

INNOVATION YOU CAN BE SURE OF



CEILING FAN ACCESSORIES

In rooms with high or angled ceilings, ceiling fans should be installed with an extension down rod. For optimum performance and maximum convenience, Westinghouse offers extension down rods in coordinating finishes, as well as a variety of remote and wall controls.

Ceiling Fan Remote Controls

The ultimate convenience: Operate your ceiling fan with the touch of a button.



78792 Infrared Remote Control

- Suitable for all Westinghouse ceiling fans (except hugger models)
- On/off switch for rotation, three speed levels
- On/off switch for light, with dimmer function
- Battery-operated (2 AA batteries, not included)
- Receiver and wall bracket included



77843 Infrared Remote Control

- Suitable for all Westinghouse ceiling fans (except hugger models)
- On/off switch for rotation, four speed levels
- On/off switch for light, no dimmer function
- Battery-operated (2 AAA 1.5V batteries, not included)
- Receiver and wall bracket included



77874 Radio-frequency Remote Control

- Suitable for all Westinghouse ceiling fans (except hugger models)
- On/off switch for rotation, four speed levels
- On/off switch for light, no dimmer function
- Temperature timer and clock timer included
- LCD display
- Battery-operated (4 AAA 1.5V batteries, not included)
- Receiver and wall bracket included



77841 Radio-frequency Remote Control

- Suitable for all Westinghouse ceiling fans (except hugger models)
- On/off switch for rotation, four speed levels
- On/off switch for light, no dimmer function
- Timer function
- Touchscreen operation
- Battery-operated (4 AAA 1.5V batteries, not included)
- Receiver and wall bracket included

TEMPERATURE CONTROL & TIMER

TOUCHSCREEN & TIMER

Ceiling Fan Wall Controls

Easily control and adjust your ceiling fan with sleek, surface mounted wall controls.



78801 Ceiling Fan Wall Control

- Suitable for use with all Westinghouse ceiling fans
- 4-Speed and off control for ceiling fan
- On/off control for light



78800 Ceiling Fan Wall Control

- Suitable for use with all Westinghouse ceiling fans
- 4-Speed and off control for ceiling fan

All fan controls are for Indoor Use Only.

Ceiling Fan Down Rods

Easily position your fan blades at the right distance from the floor for excellent air circulation.



Easy to connect

Each down rod includes wiring connectors.


To best cool a room, ceiling fan blades should be at least 2,13 meters from the floor but no higher than 2,50 - 2,80 meters. For ceilings 2,7 meters and higher, an extension down rod is recommended so the ceiling fan is at the right height for optimum performance.



	Finish	Item	Length
•	A	Brushed Chrome	65600 30,5 cm
•	A	Brushed Chrome	65601 46 cm
•	B	Gun Metal	65602 30,5 cm
•	B	Gun Metal	65603 46 cm
•	C	Brushed Steel	65604 30,5 cm
•	C	Brushed Steel	65605 46 cm
•	D	Stainless Steel	65607 30,5 cm
•	D	Stainless Steel	65609 46 cm
•	E	Antique Nickel	65611 30,5 cm
•	E	Antique Nickel	65612 46 cm
•	F	Espresso	65613 30,5 cm
•	F	Espresso	65625 46 cm
•	G	Iron	65626 30,5 cm
•	G	Iron	65627 46 cm
	H	Silver	65643 30,5 cm
	H	Silver	65644 46 cm
	I	Satin Chrome	65646 30,5 cm
	I	Satin Chrome	65647 46 cm

	Finish	Item	Length
	J	Brushed Nickel	65649 30,5 cm
	J	Brushed nickel	65650 46 cm
	K	Dark Pewter	65763 30,5 cm
	K	Dark Pewter	65764 46 cm
	L	Antique Brass	78864 30,5 cm
	L	Antique Brass	78865 46 cm
	M	Brushed Aluminum	78867 30,5 cm
	M	Brushed Aluminum	78868 46 cm
	N	Titanium	78870 30,5 cm
	N	Titanium	78871 46 cm
	O	White	78876 30,5 cm
	O	White	78877 46 cm
	P	Polished Brass	78882 30,5 cm
	P	Polished Brass	78883 46 cm
	Q	Chrome	78885 30,5 cm
	Q	Chrome	78886 46 cm
	R	Satin Brass	78888 30,5 cm
	R	Satin Brass	78889 46 cm

• **NEW Item**



NEW! REPLACEMENT GLASSWARE

Refreshing a light fixture or ceiling fan is easy with our wide selection of glass shades. From traditional diffusers to classic, decorative shades, Westinghouse offers something for all of your lighting needs.

Glass Shades

Versatile glass shades are the perfect upgrade for pendants, vanity fixtures and ceiling fans.



87038
Frosted Ribbed Bell Shade
 Neck Inner Diameter: 4,4 cm
 Neck Outer Diameter: 5,4 cm
 Height: 9,8 cm
 Diameter: 12 cm



87039
Opal Frosted Shade
 Neck Inner Diameter: 6,6 cm
 Neck Outer Diameter: 7,8 cm
 Height: 14 cm
 Diameter: 16,9 cm



87036
Frosted Bell Shade
 Neck Inner Diameter: 4,3 cm
 Neck Outer Diameter: 5,4 cm
 Height: 11,1 cm
 Diameter: 12,1 cm



87037
Clear Ribbed Bell Shade
 Neck Inner Diameter: 4,2 cm
 Neck Outer Diameter: 5,5 cm
 Height: 11,5 cm
 Diameter: 12 cm

REFRESH OR REPLACE



Glass Diffusers

Use with ceiling fans to add personality or as a glass replacement.



87035
Tiffany Shade
 Height: 8,31 cm
 Diameter: 28,8 cm



87041
Opal Frosted Drum Shade with Chrome Band
 Height: 7,2 cm
 Diameter: 24 cm



87053
Opal Frosted Dome Shade with Chrome Band
 Neck Inner Diameter: 6,4 cm
 Neck Outer Diameter: 7,7 cm
 Height: 11,8 cm
 Diameter: 16,4 cm

• Hand Blown Glass

Glass Diffusers

Versatile glass shades are the perfect upgrade for pendants, vanity fixtures and ceiling fans.



•87040
Opal Frosted Drum Shade
Neck Inner Diameter: 19,7 cm
Neck Outer Diameter: 20,6 cm
Height: 5 cm
Diameter: 22,2 cm



•87042
Opal Frosted Drum Shade
Neck Inner Diameter: 13 cm
Neck Outer Diameter: 14 cm
Height: 8,5 cm
Diameter: 17,2 cm



•87043
Opal Frosted Drum Shade
Height: 9,9 cm
Diameter: 19 cm




•87044
Frosted Mushroom Shade
Height: 4,7 cm
Diameter: 21,7 cm



•87048
Opal Frosted Mushroom Shade
Neck Inner Diameter: 13,1 cm
Neck Outer Diameter: 14,4 cm
Height: 8,2 cm
Diameter: 17,2 cm



•87045
Opal Frosted Mushroom Shade
Neck Inner Diameter: 13,1 cm
Neck Outer Diameter: 14,1 cm
Height: 8,5 cm
Diameter: 17 cm



•87046
Opal Frosted Mushroom Shade
Neck Inner Diameter: 19,1 cm
Neck Outer Diameter: 19,6 cm
Height: 11,5 cm
Diameter: 25,1 cm



•87047
Amber Scavo Mushroom Shade
Neck Inner Diameter: 19,1 cm
Neck Outer Diameter: 19,6 cm
Height: 11,5 cm
Diameter: 25,1 cm



•87049
Opal Mushroom Shade
Neck Inner Diameter: 6,6 cm
Neck Outer Diameter: 7,6 cm
Height: 12,6 cm
Diameter: 17,5 cm



•87052
Opal Frosted Mushroom Shade
Neck Inner Diameter: 13,9 cm
Neck Outer Diameter: 14,4 cm
Height: 12,8 cm
Diameter: 17,1 cm



•87050
Opal Frosted Mushroom Shade
Neck Inner Diameter: 7,5 cm
Neck Outer Diameter: 8,8 cm
Height: 12,5 cm
Diameter: 17,8 cm





•87051
Opal Frosted Mushroom Shade
Neck Inner Diameter: 6,8 cm
Neck Outer Diameter: 7,8 cm
Height: 12,5 cm
Diameter: 17,4 cm



Westinghouse

INNOVATION YOU CAN BE SURE OF



COOL MIST
COOL MISTING FEATURE

PORTABLE FANS

Portable and floor fans are convenient and versatile. With special features like remote controls and misting functions, there is a portable fan to meet all of your cooling needs.



All floor fans in this catalogue have a 2 year warranty and are CE and ROHS compliant.

Cascata

Refreshing, invigorating misting feature guarantees maximum cooling.

72024
White Finish
Floor Fan

SPECIFICATIONS

- Large 2.5L tank allows for fewer refills
- Plastic Housing, Grill and Stand
- Black ABS Blades
- Grill Rotates 360°
- Cord Length: 200 cm
- Height: 81 cm
- Width: 40 cm
- Infrared Remote Control
- 3 Speeds



Ethos

Super turbo fan provides powerful air circulation in a compact design.

72050

Silver Finish

Tower Fan

SPECIFICATIONS

- Plastic Housing, Grill and Stand
- Oscillation Angle up to 80°
- Cord Length: 200 cm
- Height: 76 cm
- Width: 23 cm
- Infrared Remote Control
- 3 Speeds



New!

Highland I

Tall, sleek tower fan brings cooling comfort wherever it is needed.

72723

Black Finish

Tower Fan

SPECIFICATIONS

- Plastic Housing, Grill and Stand
- Oscillation Angle up to 90°
- Cord Length: 200 cm
- Height: 122 cm
- Width: 31.5 cm
- Infrared Remote Control
- 3 Speeds



Silver Stream

With 3 interchangeable configuration options, the Silver Stream easily adapts to your cooling needs.

72421
40 cm Chrome Finish
 3-in-1 Portable Fan

SPECIFICATIONS

- Metal Housing, Grill and Stand
- Steel Blades
- Oscillation Angle up to 80°
- Basket/Blade Diameter: 45/40 cm
- Cord Length: 200 cm
- Maximum Height: 115 cm
- Width: 45 cm
- Manual Control
- 3 Speeds

1 FAN = 3 CONFIGURATION OPTIONS



Floor Stand Option




Desktop Option



Wall Mount Option

VERSATILE COOLING OPTIONS



Yucon I

Strong airflow and convenient portability combine in this classic floor stand fan.

72715

50 cm Black/Silver Finish

Stand Fan

SPECIFICATIONS

- Metal Housing, Grill and Stand
- ABS Blades
- Oscillation Angle up to 80°
- Basket/Blade Diameter: 55/50 cm
- Cord Length: 200 cm
- Maximum Height: 135 cm
- Width: 57 cm
- Manual Control
- 3 Speeds



Yucon II

Ideal for living rooms and bedrooms alike for easy, customizable cooling.

72716

50 cm Black/Silver Finish

Floor Fan

SPECIFICATIONS

- Metal Housing, Grill and Stand
- ABS Blades
- Basket/Blade Diameter: 53/50 cm
- Cord Length: 200 cm
- Height: 60,5 cm
- Width: 64 cm
- Manual Control
- 3 Speeds



PORTABLE FAN SPECIFICATIONS

Item No.	Family	Type	Basket/Blade Diameter (cm)	Maximum Height (cm)	Maximum Width (cm)	Oscillation Angle	Fan Control	Number of Speeds Operated
72024	Cascata	Floor	—	81	40	—	Infrared Remote control	3
72050	Ethos	Tower	—	77	23	Up to 80° (On/Off)	Infrared Remote control	3
72421	Silver Stream	3-in-1 Portable	45/40	115	45	Up to 80°	Manual Control	3
72715	Yucon I	Stand	55/50	135	57	Up to 80° (On/Off)	Manual Control	3
72716	Yucon II	Floor	53/50	60,5	64	—	Manual Control	3
72723	Highland I	Tower	—	122	31,5	Up to 90° (On/Off)	Infrared Remote control	3



Westinghouse

INNOVATION YOU CAN BE SURE OF



NEW! PENDANT LIGHT FIXTURES

The perfect pendant adds warm ambience and endless style to your home. Westinghouse offers a variety of pendants from modern to traditional styles, in sleek finishes and eye-catching shapes.



All light fixtures in this catalogue are CE and ROHS compliant and have a 5 Year Warranty against defects in material and workmanship.

Pendant Light Fixture Assortment

Add pendant lights over a breakfast bar, kitchen island or table for an elegant dining experience.




All Pendant Light Fixtures are LED Compatible



62051
1 Light Pendant
 Matte Black Finish
 with Metal Cage and
 Frosted Glass Globe
 Height: 172,7 cm
 Diameter: 30 cm
 Adjustable Cord:
 127 cm max.
 Use (1) Medium
 (E27) Base Lamp,
 60 Watt Maximum
 (not included)
 Recommended
 LED Lamp: #37128




63459
1 Light Pendant
 Matte Black Finish
 with Matte Black
 and Amber Glass
 Height: 166,5 cm
 Diameter: 20 cm
 Adjustable Cord:
 127 cm max.
 Use (1) Medium
 (E27) Base Lamp,
 60 Watt Maximum
 (not included)
 Recommended
 LED Lamp: #03178




61034
1 Light Pendant
 Matte Black Finish
 with Cage Shade
 Height: 155,3 cm
 Diameter: 19,8 cm
 Adjustable Cord:
 127 cm max.
 Use (1) Medium
 (E27) Base Lamp,
 60 Watt Maximum
 (not included)
 Recommended
 LED Lamp: #03178



61035
1 Light Pendant
 Copper Finish
 with Cage Shade
 Height: 155,3 cm
 Diameter: 19,8 cm
 Adjustable Cord:
 127 cm max.
 Use (1) Medium
 (E27) Base Lamp,
 60 Watt Maximum
 (not included)
 Recommended
 LED Lamp: #03178



61050
1 Light Pendant
 Matte Black Finish
 with Globe Cage Shade
 Height: 154,9 cm
 Diameter: 20,3 cm
 Adjustable Cord:
 127 cm max.
 Use (1) Medium
 (E27) Base Lamp,
 60 Watt Maximum
 (not included)
 Recommended
 LED Lamp: #03178



61051
1 Light Pendant
 White Finish
 with Globe Cage Shade
 Height: 154,9 cm
 Diameter: 20,3 cm
 Adjustable Cord:
 127 cm max.
 Use (1) Medium
 (E27) Base Lamp,
 60 Watt Maximum
 (not included)
 Recommended
 LED Lamp: #03178



61052
1 Light Pendant
 Brushed Copper Finish
 with Angled Cage Shade
 Height: 153,7 cm
 Diameter: 19 cm
 Adjustable Cord:
 127 cm max.
 Use (1) Medium
 (E27) Base Lamp,
 60 Watt Maximum
 (not included)
 Recommended
 LED Lamp: #03178



61053
1 Light Pendant
 Matte Black Finish with
 Angled Cage Shade
 Height: 153,7 cm
 Diameter: 19 cm
 Adjustable Cord:
 127 cm max.
 Use (1) Medium
 (E27) Base Lamp,
 60 Watt Maximum
 (not included)
 Recommended
 LED Lamp: #03178




Pendant Light Fixture Assortment

Add pendant lights over a breakfast bar, kitchen island or table for an elegant dining experience.



All Pendant Light Fixtures are LED Compatible



61036
1 Light Pendant

Chrome Finish with Clear Glass
Height: 153 cm
Diameter: 19,1 cm
Adjustable Cord: 127 cm max.

Use (1) Medium (E27) Base Lamp, 60 Watt Maximum (not included)

Recommended LED Lamp: #03178



63458
1 Light Pendant

Chrome Finish with Clear Glass
Height: 152,2 cm
Diameter: 23,9 cm
Adjustable Cord: 127 cm max.

Use (1) Medium (E27) Base Lamp, 60 Watt Maximum (not included)

Recommended LED Lamp: #30202




62055
1 Light Pendant

Chrome Finish with Clear Glass
Height: 156,2 cm
Diameter: 20,3 cm
Adjustable Cord: 127 cm max.

Use (1) Medium (E27) Base Lamp, 60 Watt Maximum (not included)

Recommended LED Lamp: #03178




63091
1 Light Pendant

Brushed Nickel Finish with Clear Crackle Glass
Height: 161,3 cm
Diameter: 19,1 cm
Adjustable Cord: 127 cm max.

Use (1) Medium (E27) Base Lamp, 60 Watt Maximum (not included)

Recommended LED Lamp: #03178

Add Westinghouse Filament LED lamps for a vintage look.




63455
1 Light Pendant

Brushed Nickel Finish with Hammered Shade
Height: 105,1 cm
Diameter: 19,7 cm

Use (1) Medium (E27) Base Lamp, 60 Watt Maximum (not included)

Recommended LED Lamp: #37128




61038
1 Light Pendant

Washed Copper Finish with Hammered Shade
Height: 105,1 cm
Diameter: 19,7 cm

Use (1) Medium (E27) Base Lamp, 60 Watt Maximum (not included)

Recommended LED Lamp: #37128



63096
1 Light Pendant

Brushed Nickel Finish with Hammered Shade
Height: 97,8 cm
Diameter: 26 cm

Use (1) Medium (E27) Base Lamp, 60 Watt Maximum (not included)

Recommended LED Lamp: #37128



61039
1 Light Pendant

Brushed Copper Finish
Height: 151,5 cm
Diameter: 25,5 cm
Adjustable Cord: 127 cm max.


Use (1) Medium (E27) Base Lamp, 60 Watt Maximum (not included)

Recommended LED Lamp: #37128


• Includes (3) 24,1 cm long rods.
Install 1, 2, or 3 rods for customized lengths.




All Pendant Light Fixtures are LED Compatible




61017
1 Light Pendant
High Gloss Red Finish
Height: 148 cm
Diameter: 17,8 cm
Adjustable Cord:
127 cm max.
Use (1) Medium (E27)
Base Lamp,
60 Watt Maximum
(not included)
Recommended
LED Lamp: #37128




61015
1 Light Pendant
High Gloss Blue Finish
Height: 148 cm
Diameter: 17,8 cm
Adjustable Cord:
127 cm max.
Use (1) Medium (E27)
Base Lamp,
60 Watt Maximum
(not included)
Recommended
LED Lamp: #37128



61018
1 Light Pendant
High Gloss White Finish
Height: 148 cm
Diameter: 17,8 cm
Adjustable Cord:
127 cm max.
Use (1) Medium (E27)
Base Lamp,
60 Watt Maximum
(not included)
Recommended
LED Lamp: #37128




61020
**3 Light Cluster
Pendant**
Copper Finish
Height: 148 cm
Diameter: 39,5 cm
Adjustable Cord:
127 cm max.
Use (3) Medium (E27)
Base Lamps,
60 Watt Maximum
(not included)
Recommended
LED Lamp: #37128



63079
1 Light LED Pendant
Chrome Finish
with Bubble Glass
Height: 155,1 cm
Diameter: 12,6 cm
Adjustable Cord:
127 cm max.
Includes 8W Integrated LED



Bubble Glass
Detail Shown



61042
1 Light LED Pendant
White Finish
with Chrome Cage
Height: 156,2 cm
Diameter: 30,8 cm
Adjustable Cord:
127 cm max.
Includes 13W Integrated LED



64010
1 Light LED Pendant
Black Finish
with Chrome Cage
Height: 156,2 cm
Diameter: 30,8 cm
Adjustable Cord:
127 cm max.
Includes 13W Integrated LED



LED LIGHT SOURCE SPECIFICATIONS


Model No.	Total Energy Used (Watts)	Equiv. Incand. Wattage	Light Appearance (Kelvin)	Light Source Lumens	Fixture Lumens	CRI	Avg. Rated Hours	Life in Years*
63079	8	40	3000 (Warm White)	450	360	80	25000	22,8
61042	13	60	3000 (Warm White)	1250	900	80	25000	22,8
64010	13	60	3000 (Warm White)	1250	900	80	25000	22,8

*Based on 3hrs./day



Westinghouse

INNOVATION YOU CAN BE SURE OF



LED LAMPS

Use Westinghouse LED lamps anywhere to save energy and money with minimal environmental impact. Available in a variety of shapes and sizes, these high-quality long-lasting LED lamps utilize state-of-the-art, high-performance technology and are extremely durable.



All LED lamps in this catalogue are CE and ROHS compliant.

www.westinghouselighting.eu

Dimmable LED Lamps

Ideal for ceiling fans and other lighting applications.


Westinghouse LED lamps are ideal for ceiling fans and other lighting applications. LEDs contain no harmful mercury and use less energy to produce the same light output as other lamp alternatives. This means significantly reduced energy costs and a minimized carbon footprint. On average, LED lamps consume 80% less energy when compared to incandescent lamps. Also, LEDs last much longer, so changing lamps becomes a rare occurrence.

For added convenience, these dimmable LED lamps allow you to control the level of brightness and adjust the mood in any space. Westinghouse LEDs provide significant energy and cost saving benefits.



Understanding Domestic Codes

The domestic code is a standardized way to describe lamps. The diagram below explains what it means.



LED Lamp Packaging

Westinghouse LED lamp packaging is attractive and informative, providing all the facts you need to make the right lighting choice.



LED Lamp Assortment

Comprehensive assortment for ceiling fans, pendants and general purpose lighting.



Look for
LED Compatible
Ceiling Fans and Pendant
Light Fixtures



37129 5W LED Filament Candle E14 Base	30202 7.5W LED Filament A60 E27 Base	03178 8W LED Filament ST64 E27 Base	03199/05161 8W LED T7 E27 Base	37131 7W LED MR16 Spot Light GU10 Base	37130 6W LED Candle Type E14 Base	37126 5W LED Globe G45 E14 Base	37125 5W LED Globe G45 E27 Base	37127 5W LED R50 E14 Base	37128 9W LED A60 E27 Base
--	---	--	--	---	---	---	---	---	---

Model	Watts	Base	Domestic Code	Voltage	Equiv. Incand. Wattage	Finish	Color Designation Kelvin(K)	Lumens	CRI	Average Rated Hours*	Life in Years*	MOD (cm)	MOL (cm)
LED Filament E14 and E27 Base													
37129	5	E14	5C35/LED/DIM/27/E14	220 / 240	40	Clear	Warm White 2700K	450	80	15000	13,6	3,5	11,5
30202	7.5	E27	7.5A60/LED/DIM/27/E27	220 / 240	60	Clear	Warm White 2700K	806	80	15000	13,6	6	10,4
LED ST64 E27 Base													
● 03178	8	E27	8ST64/LEDfilament/DIM/27/E27	220 / 240	60	Clear	Warm White 2700K	806	80	15000	13,6	6,4	14,2
LED T7 E27 Base													
● 03199	8	E27	8T7/LED/30/E27	220 / 240	60	Frost	Warm White 3000K	800	80	15000	13,6	3,8	10,8
● 05161	8	E27	8T7/LED/DIM/30/E27	220 / 240	60	Frost	Warm White 3000K	800	80	25000	22,8	3,8	10,8
LED MR16 GU10 Base													
37131	7	GU10	7MR16/LED/DIM/30/GU10	220 / 240	50	Frost	Warm White 3000K	550	80	25000	22,8	5	5,35
LED Candle E14 Base													
37130	6	E14	6B35/LED/DIM/30/E14	220 / 240	40	Frost	Warm White 3000K	500	80	25000	22,8	3,5	10,5
LED G45 E14 and E27 Base													
37126	5	E14	5G45/LED/DIM/30/E14	220 / 240	40	Frost	Warm White 3000K	500	80	25000	22,8	4,5	8
37125	5	E27	5G45/LED/DIM/30/E27	220 / 240	40	Frost	Warm White 3000K	500	80	25000	22,8	4,5	7,2
LED R50 E14 Base													
37127	5	E14	5R50/LED/DIM/30/E14	220 / 240	35	Frost	Warm White 3000K	350	80	25000	22,8	5	8,6
LED A60 E27 Base													
37128	9	E27	9A60/LED/DIM/30/E27	220 / 240	60	Frost	Warm White 3000K	800	80	25000	22,8	6	11

*Based on 3 hrs./day

● **NEW Item**

Visit www.westinghouselighting.eu for our latest energy saving LED products and dimmer compatibilities.

LED Lamps for Every Application


Use LED lamps where ever you use traditional incandescent or compact fluorescent lamps.



37128 shown in 62051 Pendant



37126 shown in 72161 Solana



37129 shown in 72471 Quince



37127 shown in 72290 Jet Plus



37130 shown in 78158 Turbo Swirl



37128 shown in 62039 Pendant



37128 shown in 78321 Portland Ambience



30202 shown in 62055 Pendant



37125 shown in 72505 Celestia II



Look for
LED Compatible
Ceiling Fans and Pendant
Light Fixtures

INDEX


Item No.	Page No.	Item No.	Page No.	Item No.	Page No.
• 03178	62	72020	39	78263	41
• 03199	62	72021	39	78264	33
• 05161	62	• 72024	52	78265	30
30202	62	• 72039	11	78266	28
37125	62	• 72050	53	78268	33
37126	62	• 72052	16	78269	33
37127	62	• 72054	10	78270	11
37128	62	• 72073	27	78274	19
37129	62	• 72077	25	78321	28
37130	62	• 72112	31	78324	30
37131	62	• 72113	31	78337	41
• 61015	59	• 72114	32	78370	35
• 61017	59	• 72118	32	78545	15
• 61018	59	• 72119	19	78623	40
• 61020	59	72140	13	78631	22
• 61034	57	72154	27	78673	23
• 61035	57	72161	18	78753	34
• 61036	58	72185	29	78763	22
• 61038	58	72220	13	78764	16
• 61039	58	72268	40	78788	21
• 61042	59	72272	29	78792	47
• 61050	57	72289	17	78800	47
• 61051	57	72290	17	78801	47
• 61052	57	72368	19	78864	48
• 61053	57	72415	31	78865	48
• 62051	57	72417	26	78867	48
• 62055	58	72420	26	78868	48
• 63079	59	72421	54	78870	48
• 63091	58	72422	37	78871	48
• 63096	58	72423	37	78876	48
• 63455	58	72424	21	78877	48
• 63458	58	72471	22	78882	48
• 63459	57	72485	34	78883	48
• 64010	59	72501	40	78885	48
• 65600	48	72505	20	78886	48
• 65601	48	72530	20	78888	48
• 65602	48	72546	13	78889	48
• 65603	48	72557	12	• 87035	50
• 65604	48	72559	14	• 87036	50
• 65605	48	72564	12	• 87037	50
• 65607	48	72598	20	• 87038	50
• 65609	48	72715	55	• 87039	50
• 65611	48	72716	55	• 87040	51
• 65612	48	72723	53	• 87041	50
• 65613	48	77841	47	• 87042	51
• 65625	48	77843	47	• 87043	51
• 65626	48	77874	47	• 87044	51
• 65627	48	78007	18	• 87045	51
65643	48	78014	15	• 87046	51
65644	48	78017	14	• 87047	51
65646	48	78158	23	• 87048	51
65647	48	78171	35	• 87049	51
65649	48	78174	16	• 87050	51
65650	48	78182	14	• 87051	51
65763	48	78199	30	• 87052	51
65764	48	78261	17	• 87053	50






Westinghouse Lighting Corporation, a Westinghouse Electric Corporation licensee
Krefelder Straße 562, D-41066 Mönchengladbach, Germany
Tel.: (0049)-(0)-2161-57307-0
www.westinghouselighting.eu
www.westinghouselighting.de

International Headquarters
12401 McNulty Road, Philadelphia, Pennsylvania U.S.A. 19154-1029
Tel. - (001) (215) 671-2000
www.westinghouselighting.com



, WESTINGHOUSE, and INNOVATION YOU CAN BE SURE OF are trademarks of Westinghouse Electric Corporation.
Used under license by Westinghouse Lighting. All Rights Reserved.

2017 WESTINGHOUSE LIGHTING CORPORATION / 0020117